<u> </u>			T == 1 == 1	Water Well Rec	ord Form WWC-				
LOCA		ATER WELL:	FRACTION			Section Number	Township Number	Range Number	
	Sedqv	***	SW 1/4	NE 1/4	SW 1/4	7	T 26 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
6422 Bella Road Valley Center, Kansas									
WATER WELL OWNER: LEEWOOD HOMES  Board of Agriculture, Divivsion of Water Resource  Board of Agriculture, Divivsion of Water Resource									
1	ST. ADRESS,		Bella Roa						
	, STATE, ZIF		lev Center,				Application Number:		
	TE WELL'S I " IN SECTIO	OCATION WITH	DEPTH OF COM				VATION:		
	T T	N	Depth(s) groundw			ft.	2 ft.	3 ft.	
			WELL'S STATIC W		10	. BELOW LAND SUR	RFACE MEASURED ON mo/day/yr	06/29/1996	
<u> </u>	NW	NE	Pump tes		l water was		after hours pu		
يو	1 :		Est. Yieid	91	ll water was		after hours pu		
l ∰ w	· <del>                                    </del>	E	Bore Hole Diameter	12 in.	to 35	ft.	and in	· · · · · · · · · · · · · · · · · · ·	
			WELL WATER TO	BE USED AS: 3 Feedlot	5 Public wate			Injection well Other (Specify below)	
11	- sw?	sec	1 Domestic	4 Industrial	6 Oil field wa	•	-	Other (specify below)	
1     2 migration									
*	<u> </u>	S	Was a chemical/bacte	eriological sample	submitted to D	_		mo/day/yr sample was	
Submitted water wen disinfected: 168 X 170									
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped  1 Steel 3 RMP (SR) 6 Ashestos-Cement 9 Other (Specify below) Welded									
i		3 RMP (SR)		6 Asbestos-Cer 7 Fiberglass	•	Other (Specify be	eiow)	Welded Threaded	
2 PVC	_	4 ABS	25	J		DR-26	A D:		
1	sing Diam	_	in. to 25	ft., Dia	in.		ft., Dia in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs. / ft. Wall thickness or gauge No 214  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Ste		3 Stainless Steel		5 Fiberglass	1	RMP (SR)	11 other (speci	ify)	
2 Bra	S8	4 Galvanized stee	el	6 Concrete tile	9	O ABS	12 None used (	open hole)	
SCREE	N OR PE	RFORATION OPE	ENING ARE:	5 G	auzed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 25 ft. to 35 ft., From ft. to ft.									
from ft. to						ft., From	<u>.</u>	ft.	
GRAVEL PACK INTERVALS: from 24					ft. to 35	ft., From		o ft.	
from ft. to						ft., From ft. to ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 24 ft. From ft. to							ft. From	ft. to ft.	
		t source of possible				10 Livesto	•	14 Abandon water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel sto	1,	5 Oil well/Gas well	
o cos pour					lagoon 12 Fertilizer storag 13 Insecticide stora		ride eternae	Other (specify below)	
5 wateright sewer lines 6 Seepage pit 9 reedyard East								t	
Direction from well? 100 How many feet?  FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								EDIZATO	
0	<u>то</u>	topsoil	LITHOLOGIC LOG		FROM	ТО	PLUGGING IN I	EKVALS	
2	12	clay							
12	25		o coarse s	- And		<del></del>			
25	35	fine sil		and		<del>-   -   -</del>			
-		TING STI	.cy sand			1			
							The state of the s		
<u> </u>									
						<u> </u>			
<u> </u>	<u> </u>							·	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Under the business name of Harp Well & Pump Service. Inc by (signature)  Todd & Harp									
ı							Joda	w. juara	