l lean				FRACTION		W	ater Well Rec	ord Form	WWC-						
1 LOCATION OF WATER WELL:			1		¥ .					Section Number	Town	ship Number	Range Num	ber	
Sedgwick SW			1/4	NE	1/4	SW	1/4	7	Т	26 s	R 1E	E/W			
Distance	and direction	frem nearest town or o	ity street	address of w	ell if locat	ted within	city?								
64	134 Be	ella Road	ı	v	all	ev (Cente	r. K	ans	as					
	TER WELL			Bruc							***************************************				
\Box	ST. ADRESS					a						Board of Agriculture, Di	vivsion of Water Resc	ource	
RR#, ST. ADRESS, BOX#: 6434 Bella RO& CITY, STATE, ZIP CODE: Valley Center												<u> </u>			
	TE WELL'S I " IN SECTIO	LOCATION WITH N ROX:		EPTH OI					30		EVATION:		_		
		Ņ	l D	epth(s) gro	undwa	ter Enc	countered	1		ft.	2	ft.	3	ft.	
			WEI	L'S STAT	TIC WA	ATER I	LEVEL :	15	FT	. BELOW LAND SU	URFACE MEAS	SURED ON mo/day/yr	06/29/1	1996	
	NW	NE		Pun	np test	data:	Well	l water v	vas	ft.	after	hours pum	ping	gpm	
	1		Est.	Yield		gpm:	Wel	l water v	was	ft.	after	hours pum	ping	gpm	
l ig w	,	E	Bore	Hole Dian	ıeter	12	in.	to 3	30	ft.	and	in.	to	ft.	
1 = "	1 .		WEL	L WATE	ТОВ	E USEI	D AS:	5 Publi	c wate	r supply	8 Air condi	tioning 11 I	njection well		
١.	X		1	Domestic	:	3 Feed	dlot	6 Oil fi	ield wa	iter supply	9 Dewateri	ng 12 C	Other (Specify bel	low)	
2 Irrigation					-	4 Industrial 7 Lawn and garden only 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department									epartment? Yes	artment? Yes No X ; If yes, mo/day/yr sample was					
S submitted Water Well Disinfected? Yes X No															
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped															
1 Stee		3 RMP (SR)					ought iroi estos-Cen			Other (Specify)			iued A Ciamp /elded	eu	
2 PVC	_	4 ABS					erglass				Jelow)		reided hreaded		
	_						•		_	DR-26	_				
	sing Diam	-	in.	to 25		ft.,	Dia		in.		,	ia in.		ft.	
		ve land surface			in.,		weight	2.35		lbs. / ft.	Wall thickn	ess or gauge No.	.214	4	
		EN OR PERFORA		MATERI	AL:	5 Fiber	naloss			7 PVC		10 Asbestos-ceme			
1 Ste		3 Stainless Steel				-				MP (SR) 11 other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole												en hole)			
SCREE	N OR PE	RFORATION OP	ENING	ARE:			5 Ga	uzed wra	pped		8 Saw cut 11 None (open hole)				
1 Conti	nous slot	3 Mill s	lot				6 Wire wrapped				9 Drille	d holes			
2 Louve	red shutte	r 4 Key j	ounched	i			7 Tor	rch cut			10 Othe	er (specify)			
SCREE	N_PERFA	RATION INTER							_	* "		• • • • • • • • • • • • • • • • • • • •		ft.	
	···· Dia	MITON INTER	VALO.		25			ft. to 3 (,	ft., Fron		ft. to			
from						ft. to			_	ft., From		ft. to		ft.	
GRAVEL PACK INTERVALS: from 24					ft. to 30			0	ft., From		ft. to		ft.		
<u> </u>		437		fron				ft. to		ft., Fro		ft. to		ft.	
	OUT MAT		cemen		2 C	ement g	rout		3 Be	ntonite	4 Other				
Grout Intervals: From 4 ft. to 24					ft. From ft			ft.			From	_			
What is the nearest source of possible contamination:					7 Dt. 1				10 Livestock pens		14 A	14 Abandon water well			
1 Septic tank 4 Lateral lines					7 Pit privy				11 Fuel storage		15 0	15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					8 Sewage lagoon					izer storage		16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit					9 Feedyard				13 Insect	13 Insecticide storage Eas			t		
Direction from well? 100											How many feet?				
FROM	TO		LITH	OLOGIC	LOG			FI	ROM	ТО		PLUGGING INTER	RVALS		
0	2	topsoil													
2	10	clay													
10	25	medium	to c	coarse	e s	and									
25	30	fine si													
										1					
										++					
								-							

													1.11		
7 (20)	NTP ACTO	P'S OP LANDOUS	PD+e CP	TIEICATIO	N. Thi	s water	well was	(1) con	etruci	ed (2) reconst	ructed or "	3) plugged under n	ov juriediction	and	
	omnieted	on (moldavives	en ocel rl	06/2	29/1	996	well was	2011 2011	nie re	cord is true to t	he heet of r	ny knowledge and	helief Kanese	Water	
												Q7/Q1			
Under	the husi	ness name of A	aro	Well	& 1	Pumn	Ser	vice.	Ţ	QC hy (eigh	nature\				
3		Olim										Todd S	Harn		