LOCA	TION OF W	ATER WELL:	FRACTIO)N	Water V	Well Reco	rd Form WW	C-5	KSA 82a-1212 Section Number	Township Nur		Range Number		
				NE						1 .	досі	1		
Sedqwick SE MyP Distance and direction from nearest town or city street address of well if locat					SW 1/4	<u>' L</u>	18	т 26	\$	R 1E E/W				
· · · · · · · · · · · · · · · · · · ·														
		<u>Delaware</u>			ita,	Kan	sas							
2 WA	TER WELL	*******	LTON,											
RR#, ST. ADRESS, BOX#: 5475 N. Delaware Board of Agriculture, Divivision of Water Re												vivsion of Water Resource		
CITY	, STATE, ZII	code: Wich:							Application Number:					
		LOCATION WITH	DEPTH C	OF COM	1PLETED V	WELL	40		ft. EI	LEVATION:				
AN "X	" IN SECTIO	N BOX:	Depth(s) g	roundwa	ater Encoun	itered	1		ft.	2	ft.	3 ft.		
1 1			WELL'S STA	TIC W	ATER LEV	EL 1	.5	FT. I	BELOW LAND S	URFACE MEASURED	ON mo/day/yr	05/21/199	6	
	NW NE Pump test				data:	Well	water was		ft.	after	hours pum		pm	
	Est. Yield				gpm: Well water was				ft.	after	hours pumping gpm			
≝,,	E Bore Hole Diameter				12 in. to 40				ft.	and	in. to ft.			
= "	WELL WATER TO E									8 Air conditioning 11 Injection well				
l .	1 Domestic				3 Feedlot							ther (Specify below)		
2 Irrigation					4 Industrial 7 Lawn and garden only					10 Monitoring wel		,		
H		x												
1														
TYPE OF CASING HISER.														
1 Steel 3 RMP (SR)						5 Wrought iron 8 Concrete t				 •				
	` ,					Other (Specify	Delow)	Welded Threaded						
2 PV(_	4 ABS			7 Fibergh	438		SD	R-26		T	nreaded		
	sing Dian	•	in. to 2!	5	ft.,	Dia		in.	to	ft., Dia	in.	to ft.		
		ve land surface 12		in.,	W	eight 2	2.35	-	lbs. / ft.	Wall thickness or		.214		
1		EN OR PERFORATI	ION MATER	IAL:	5 En				PVC	10 /	Asbestos-ceme	nt		
1 Ste	el	3 Stainless Steel			5 Fibergla			8 F	RMP (SR)	11	other (specify)	•		
2 Bra	88	4 Galvanized steel			6 Concrete	tile		9 A	ABS	12	None used (op	en hole)		
SCREEN OR PERFORATION OPENING ARE:							ızed wrappe	d		8 Saw cut 11 None (open hole)				
1 Conti	nous slot	3 Mill slot			6 Wire wrapped				9 Drilled holes					
2 Louve	red shutte	r 4 Key pun	ched			7 Toro	ch cut			10 Other (spe	cify)			
SCREEN BEDEOD ATION INTERVALS.												ft.		
									ft., Fro		ft. to			
GRAVEL PACK INTERVALS: from 24					ft. to				ft., From		ft. to		ft.	
					ft. to 40				ft., From				ft.	
from ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other														
Crout Intervals: From A														
Grout Intervals: From 4 ft. to 24 What is the nearest source of possible contamination:					ft. From f			ft. to	to ft. Fr 10 Livestock pens				Rt.	
1 Septic tank 4 Lateral lines				7 Pit privy				11 Fuel storage		14 Abandon water well				
									lizer storage	15 Oll well/Gas well				
2 Sewer lines 5 Cess pool						8 Sewage lagoon				ticide storage	16 Other (specify below)			
	rtight sew		e pit		9 Fee	dyard			15 Hisee	ilcide storage				
	n from we								How many fe					
FROM	ТО		THOLOGIC	LOG			FRO	M	TO	PLUG	GING INTER	VALS		
0	2	topsoil												
2	10	sandy cla	ly											
10	40	medium to	coars	e sa	and									
				•										
						-							\neg	
							1						-	
									<u> </u>				┥	
		R'S or landowner's												
												pelief. Kansas Wate	r	
		's License No									U <i>>/</i> .22			
Under	the busin	ess name ofಟಡಿಸಿ	DWeT1	k	Kmubg	ieky.	T.CG.	rw(સિ by (sigi	nature) ∩	q	1 . 0	ĺ	
Under the business name of Harp Well & Pump Service. Inc by (signature) **Jane** Frederick**												- 1		