1 LOCA	TION OF WA	TER WELL:	FRACTION	¥	Water Well Rec	ord Form WWC	Section Number	Township Number	Range Number
ш	Sedgv				•	CTT		1	
Distance			NE	1/4 NW		SW 1/4	20	T 26 s	R 1E EW
Distance and direction frem nearest town or city street address of well if located within city?									
4923 Armstrong Wichita, Kansas									
WA	TER WELL (	OWNER: HOSKI	NSON,	Bill					
RRW, ST. ADRESS, BOX#: 4923 Armstrong  Board of Agriculture, Divivision of Water Resource									
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:									
LOCAT	E WELL'S I	OCATION WITH 4			TED WELL	35	ft. ELE	EVATION:	101111111111111111111111111111111111111
	' IN SECTIO		Depth(s) gro			1	ft.		3 ft.
1	Ţ	<del></del>	, .			_			-
1 1			VELL'S STAT				I. BELOW LAND SUI	RFACE MEASURED ON mo/day/yr	06/21/1996
<b>!</b> '	NW	NE	Pun	np test data:	Well	l water was	ft.	after hours pum	ping gpm
	1 :	Es	st. Yield	gpn	n: Wel	l water was	ft.	after hours pum	ping gpm
l ii w	<b>-</b>	E Bo	ore Hole Diam	eter 1	.2 in.	to 35	ft.	and in.	to ft.
] = "	X		ELL WATER	R TO BE US	ED AS:	5 Public wat	er supply	8 Air conditioning 11 I	njection well
1.	L		1 Domestic	3 Fe	eedlot	6 Oil field w		9 Dewatering 12 C	Other (Specify below)
11	SW		2 Irrigation	4 In	dustrial	7 Lawn and	garden only 1	0 Monitoring well	
1 1			_		rical sample	submitted to T	-	•	o/dov/vr comple was
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes Y No									
TURE OF CASING YORR									
1 Stee					Vrought iron		8 Concrete tile		lued X Clamped
Value (Specify Delow) Weided									
2 PVC	:	4 ABS		7 Fi	iberglass	8	SDR-26	Т	hreaded
Blank ca	 sing Diam	eter 5 in	L to 25	ft.	., Dia	in	. to	ft., Dia in.	to ft.
		ve land surface 12		in. ,	weight	2.35	lbs. / ft.	Wall thickness or gauge No.	.214
TYPE C	F SCREE	N OR PERFORATIO	ON MATERL		_		7 PVC	10 Asbestos-ceme	
1 Stee	al	3 Stainless Steel		5 Fil	berglass		8 RMP (SR)	11 other (specify	)
2 Bras	13	4 Galvanized steel		6 Co	ncrete tile		9 ABS	12 None used (or	en hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
	nous slot	3 Mill slot	ING ARE.			re wrapped		9 Drilled holes	11 Hone (open note)
_	red shutte								
l					7 Tor	ch cut		10 Other (specify)	
SCREE	N-PERFO	RATION INTERVAL	LS: from	25	1	ft. to 33	ft., From	ft. to	ft.
			from	1	1	ft. to	ft., From	ft. to	ft.
	GRAVI	EL PACK INTERVAL	LS: from	24		ft. to 35	ft., From		ft.
from					ft. to		ft., From	ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout In	tervals:	From 4 f	ft. to 24		ft. From	•	to	<b>6</b> F	ft. to ft.
		source of possible co		•	in Troise	11.	10 Livesto	ft. From ck pens 14 A	bandon water well
4.0-4-4-1		4 Lateral li					11 Fuel sto		
7.58612				- · ·				150	oil well/Gas well
5 Ccas po				8 Sewage lagoon		goon		zer storage 16 ( zide storage	Other (specify below)
	_		pit		9 Feedyard		15 Hisecun	tide storage	
Direction	n from we TO	1? West						How many feet? 100	
			THOLOGIC I	LOG		FROM	то	PLUGGING INTER	RVALS
0	2	topsoil							
2	10	clay							
10	35	medium to	coarse	sand					
								-	
				•					
									× 100.
7 (00)	mn	Dig				44)	1 10	4 1 44	
This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Under the business name of Harp Well & Pump Service. Inc by (signature)									
Todd S. Harp									