li oas	TION OF THE		FRACTION	Water Well Record	d Form WWC-5	KSA 82a-1212		
Ľ	TION OF WA			377.7 4		Section Number	Township Number	Range Number
	Sedgw		NW 1/4		SE 1/4	21	T 26 s	R 1M E/W
Distance and direction from nearest town or city street address of well if located within city?								
49th N. and I-135 Park City, Kansas								
WATER WELLOWNER: PARK CITY, CITY OF REW. ST. ADRESS, ROX #: 6110 N Hydraulia Beard of Agriculture, Divivsion of Water Resource								
Mariantic							_	
	, STATE, ZIP		City, Kan			67219	Application N	(umber: 960235
	E WELL'S L	OCATION WITH	DEPTH OF COM		45		LEVATION:	_
	IN SECTION	N	Depth(s) groundwa		1	ft.	2 ft.	3 ft.
ll		N N	VELL'S STATIC WA	ATER LEVEL 1	5 FT.	BELOW LAND S	URFACE MEASURED ON mo/day	^{⁄yr} 08/26/1996
	NW	NE.	Pump test	data: Well	water was	ft.	after hours	pumping gpm
		Es	st. Yield	gpm: Well	water was	ft.	after hours	pumping gpm
M M		E Bo	ore Hole Diameter	12 in.	to 45	ft.	and	in. to ft.
= "			ELL WATER TO E	BE USED AS:	5 Public water	r suppl y	8 Air conditioning	11 Injection well
	5w		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 Other (Specify below)
			2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well	j
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was								es, mo/day/yr sample was
S submitted Water Well Disinfected? Yes X No								
		SING USED:		5 Wrought iron	-	Concrete tile	CASING JOINTS:	Glued X Clamped
1 Stee	l	3 RMP (SR)		6 Asbestos-Ceme	ent 9	Other (Specify	below)	Welded
2 PVC	?	4 ABS		7 Fiberglass	S	DR-26		Threaded
Blank ca	 sing Diam	eter 5 in	ı. to 20	ft., Dia	in.	to	ft., Dia	in. to ft.
	-	e land surface 12	in.,	welght 2		lbs. / ft.	Wall thickness or gauge No	
TYPE C	F SCREE	N OR PERFORATION	ON MATERIAL:	£ 141		PVC	10 Asbestos-	
1 Stee	-	3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (sp	ecify)
2 Bras	is	4 Galvanized steel		6 Concrete tile	9	ABS		ed (open hole)
SCREE	N OR PEI	REFORATION OPEN	ING ARE:	5 Gau	zed wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREE	N-PERFO	RATION INTERVAL	LS: from 20	. ft.	. to 45	ft., Fro	m ft.	, to ft.
from ft. to GRAVEL PACK INTERVALS: from 20 ft. to					. to	ft., Fro	m ft.	to ft.
					. to 45	•		to ft.
from ft. to						ft., Fro	om ft.	, to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination:						10 Livestock pens		14 Abandon water well
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sews				8 Sewage lage	Don			16 Other (specify below)
3 Watertight sewer lines 6 Scepage pit 9 Feedyard 13 Insecticide storage None Apparent								ne Apparent
Direction from well? How many feet?								
FROM	TO		THOLOGIC LOG		FROM	TO	PLUGGING I	TERVALS
0	2	topsoil				1		
2	10	silty san						
10	22		coarse s	and		<u> </u>		
22	24	clay				1		
24	39		coarse s	and				
39	45	shale						
					+	1		
						1		
			A					
								Approximation in the second se
					_	+		
						1	THE PERSON NAMED AND ADDRESS OF THE PERSON NAMED AND ADDRESS O	
						+		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
was co	ompleted	on (mo/day/year)	08/26/:	L 99 6	. and this red	ord is true to	the best of my knowledge	and belief. Kansas Water
Well Contractor's License No								
Under the business name of Harp Well & Pump Service, Inc. by (signature)								
ŀ							Jodd	Δ Harn