LOCATION OF WATER WELL:	FRACTION	Water Well Recor	d Form WWC-	Section Number	Township Number	Range Number	
2.						-	
Sedgwick	NE 1/4		SW 1/4	30	т 26 з	R 1E EW	
Distance and direction from nearest town or city	street address of well if io	cated within city?					
3925 N. Charles	Wichi	ta, Kansas	3				
WATER WELL OWNER: MASI	AS, Frank						
Land I	N. Charle	A S			Board of Agriculture, D	lvivsion of Water Resource	
	ita, Kans				Application Numbe	r :	
LOCATE WELL'S LOCATION WITH		MINE WELL	32	n. Ele	EVATION:		
AN "X" IN SECTION BOX:		water Encountered	1	n. ele	2 ft.	3 ft.	
	, .		-		_		
		VATER LEVEL 8		. BELOW LAND SU	RFACE MEASURED ON mo/day/yr	10/07/1996	
NWNE	Pump te	st data: Well	water was	ft.	after hours pum	ping gpm	
, ,	Est. Yield	gpm: Well	water was	ft.	after hours pum	ping gpm	
E I	Bore Hole Diameter	unknown In	to	ft.	and in.	to ft.	
= "	WELL WATER 46	SE USED AS:	5 Public wate	er supply	8 Air conditioning 11 I	njection well	
	1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering 12 (Other (Specify below)	
X X	2 Irrigation	4 Industrial	7 Lawn and	garden only	0 Monitoring well		
	•	teriological sample s	uhmitted to D		•	o/day/yr sample was	
S	submitted	ceriological sample s	apiliation to D	•	ter Well Disinfected? Yes	•	
5 TYPE OF CASING USED:	Subillities	7 TV					
1 Steel 3 RMP (SR)		5 Wrought iron 6 Asbestos-Ceme		B Concrete tile	•	lued Clamped	
)	Other (Specify b		Velded `hreaded ❤	
2 PVC 4 ABS		7 Fiberglass				hreaded X	
Blank casing Diameter 1 1/4	ln. to	ft., Dia	in		ft., Dia in.	to ft.	
Casing height prove land surface 1		, weight			Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORAT	ION MATERIAL:	# TVI		7 PVC	10 Asbestos-ceme		
1 Steel 3 Stainless Steel		5 Fiberglass	;	8 RMP (SR)	11 other (specify) n/a	
2 Brass 4 Galvanized steel		6 Concrete tile		9 ABS	12 None used (o _l	en hole)	
SCREEN OR PERFORATION OPE	NING ARE:	5 Gau	zed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slo	t	6 Wire	e wrapped		9 Drilled holes		
2 Louvered shutter 4 Key pur	nched	7 Torc	h cut		10 Other (specify)	/A	
SCREEN-PERFORATION INTERVA	ALS: from			A F	•••	ft.	
			. to	ft., From			
	from	-	. to	ft., From		ft.	
GRAVEL PACK INTERV		_	t. to	ft., Fron		n.	
	from		t. to	ft., Fron			
6 GROUT MATERIAL: 1 Neat co	_	Cement grout	3 Be	ntonite	4 Other bentonite	hole plug	
Grout Intervals: From O	N. to 6	ft. From	ft.	to	ft. From 6	ft. to 26 ft.	
What is the nearest source of possible contamination:				10 Livesto	ck pens 14 A	bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel st	orage 15 (15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertili:	zer storage 16 (16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard 13 Inse		13 Insecti	None Apparent		
Direction from well?	. p				How many feet?	· ··ppulou	
	ITHOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
			0		cement grout	371120	
			6		bentonite hole	ກໄນແ	
			26		chlorinated san		
			- 40	34	CHICLINGLEU BOIL	~ and Araser	
3							
		·		_			
	· ·						
- 1							
: %							
. A.							
		- m					
7 CONTRACTOR'S OR LANDOWNER	S CERTIFICATION: T	his water well was	(1) construc	ted, (2) reconstr	ucted, or (3) plugged under r	ny jurisdiction and	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
Well Contractor's License No23.6							
Under the business name of Harp Well & Pump Service Inc by (signature)							
Iodd S. Harp							
					c/(9/1/1. V)/(<i>(</i> (1/1 <i>L</i>)	