	WATE	R WELL RECOP	D Form Wy						
LOCATION OF WATER WELL:	Fraction C-WZ1/4	SE 1/4	SW 1/4	Section Number	Township		Range I	Number EW	
County: SEDGWKK Distance and direction from nearest town					1 24		2w-3	Gvv	
KV Products	A 1.	1				<u> </u>	<u>7w. 5</u>		
	Coleman		~ Λ		D	t A austauriauria	Divinion of Mo	D	
1 - 1	Francis U			Board of Agriculture, Division of Water Resources Application Number:					
City, State, ZIP Code : Wick	ma iks		41						
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	Depth(s) Ground	water Encounter	ed <u>1</u>	ft. :	2	ft. 3	3		
ī T	WELL'S STATIC	WATER LEVEL	!.>	ft. below land sur	face measured	on mo/day/yr			
1 1 1	Pump	test data: We	ll water was .	ft. a	fter	hours pu	ımping	gpm	
	Est. Yield I D	?	II water was 🗼	ft. a	ifter	hours pu	ımping	gpm	
<u>e</u> ,,	Bore Hole Diame	eter 1 .4	in. to 4.	1	and	in	ı. to		
Ψ ! I	WELL WATER 1	TO BE USED AS	: 5 Public	water supply	8 Air conditioni	ng 11	Injection well		
-	1 Domestic	3 Feedlot	6 Oil fiel	d water supply	9 Dewatering	$\mathcal{D}_{\mathcal{A}}$	Other (Specify	(below)	
	2 Irrigation	4 Industria	al 7 Lawn a	d water supply and garden only	10 Monitoring y	iell Reme	للملك	KW.	
	Was a chemical/l	bacteriological sa	mple submitted	to Department? Y	esNo. [™]	:; If yes	, mo/day/yr sa	mple was sub	
	mitted			Wa	ter Well Disinfe	cted? Yes	No '	X	
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 C	oncrete tile	CASING .	IOINTS: Glue	d Clan	nped	
1 Steel 3 RMP (SF	(F	6 Asbestos-Ce		ther (specify below	•		led		
(2)PVC / 4 ABS	21	7 Fiberglass					aded 🕇		
Blank casing diameter	in. to			n. to	•			∦ ft.	
Casing height above land surface		.in., weight						F.O	
TYPE OF SCREEN OR PERFORATION				7 PVC		sbestos-ceme			
1 Steel (3)Stainless		5 Fiberglass		B RMP (SR)					
2 Brass 4 Galvanize		6 Concrete tile		9 ABS		lone used (op	•		
SCREEN OR PERFORATION OPENING		_	Gauzed wrapp		8 Saw cut		11 None (or	en hole)	
-	ill slot	\sim	Wire wrapped		9 Drilled hole	s. 80 s	1 st		
	ey punched ,	71	Torch cut		10 Other (spe	ر بب بر city) . بر city)			
SCREEN-PERFORATED INTERVALS:	From	γ π		π., Fro ft., Fro					
CDAVEL DACK INTERVALS:	From	18.6 #		π., Fro ft., Fro					
GRAVEL PACK INTERVALS:	From		. to	ft Fro		ft. 1		ft.	
6 GROUT MATERIAL: _ 1 Neat c		2 Cement grout		Bentonite Pc 4					
Grout Intervals: From 4.5	ft to 15.4	ft From	18.6	ft. to 15.4	ft From		ft to	ft	
What is the nearest source of possible					tock pens		bandoned wat		
1 Septic tank 4 Latera		7 Pit pri	w	11 Fuei		15 C	Dil well/Gas we	ell	
2 Sewer lines 5 Cess pool		8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit		9 Feedyard			13 Insecticide storage Wankfactung				
Direction from well? South	-9			How ma	ny feet? 15	·	FACILITA	1	
FROM TO	LITHOLOGIC	LOG	FRO	м то		PLUGGING I	NTERVALS		
D 14 Clary									
14 41 Sand									
41 42 Shale									
				1					
7 CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATI	ION: This water	well was((1))co	nstructed, (2) reco	onstructed, or (3) plugged und	der my jurisdio	tion and was	
completed on (mo/day/year)						best of my kn	nowledge and t	oelief. Kansas	
Water Well Contractor's License No	.581,	This W	ater Well Recor	d was completed	on (m 6/gd//yr)	0 7	37761		
under the business name of	rune Wes	Tem		by (signa	ture) () WW	<u> </u>	Mull		
INSTRUCTIONS: Use typewriter or ball point p							- 1		