1 LOCATION OF WATER WELL:			FRACTION . A	Water Well Record W NW NE SE	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
H	Sedg	ad ale	1 ~ "			• 1	1	1 10
Dietara				1/4	1/4	11 22	т 26 s	R 1E E/W
Distance and direction from nearest town or city street address of well if located within city?								
521 Chippewa Ct. Kechi, Kansas								
WATER WELL OWNER: MICHLER, Roger								
RR#	ST. ADRESS		Chippewa				Board of Agriculture, Di	ivivsion of Water Resource
СІТ	Y, STATE, ZI	CODE: Kec	ni, Kansas				Application Number	r:
		LOCATION WITH	4 DEPTH OF CO	MPLETED WELL	65	n. Eli	EVATION:	
AN "X	" IN SECTIO	N BOX:	Depth(s) ground	water Encountered	1	ft.	2 ft.	3 ft.
l t		1		WATER LEVEL 20	FT.	BELOW LAND SU	RFACE MEASURED ON mo/day/yr	11/11/1996
Pump test data: Well water was A . A hours pumping								
							after hours pum	
1Mile			Bore Hole Diameter	Drum.	4-	rt. ft.	-	
₹ v	<b>/</b>	OE	WELL WATER TO					
	ΙX		1 Domestic		5 Public water supply 8 Air conditioning 11 Injection well 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
11	Switch Section 12						rater (Specify below)	
1	1 I I I I I I I I I I I I I I I I I I I							
١ ٠	<u></u>	S		teriological sample sub	mitted to De	-		o/day/yr sample was
submitted Water Well Districted? Yes No								
				5 Wrought iron	-	Concrete tile	CASING JOINTS: G	łued 🗶 Clamped
1 Ste	el	3 RMP (SR)		6 Asbestos-Cemen	t 9	Other (Specify b	elow) W	Velded
2 PV	C	4 ABS		7 Fiberglass	S	DR-26	Т	hreaded
Blank c	asing Dian	neter 5	in. to 25	ft., Dia	in.	to	ft Dia in.	to ft.
Casing	height abo	ve land surface 1	.2 in.	,	. 35	lbs. / ft.	Wall thickness or gauge No.	.214
			TION MATERIAL:	, wagat <b>a</b> ,		PVC	10 Asbestos-ceme	
1 Ste		3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify)	)
2 Bra	44	4 Galvanized stee	al	6 Concrete tile		ABS	12 None used (op	
			_			ADS	8 Saw cut	•
1		RFORATION OPE			d wrapped			11 None (open hole)
	inous slot	3 Mill sl		6 Wire v	wrapped		9 Drilled hoies	
2 Louve	ered shutte	r 4 Key pu	ınched	7 Torch	cut		10 Other (specify)	
SCREE	N-PERFO	RATION INTERV	ALS: from 2!	5 ft. 1	to 65	ft., From	1 ft. to	ft.
			from	ft.	to	ft., From	_	ft.
GRAVEL PACK INTERVALS: from 24					to 65	ft., Fron	-	ft.
			from	î.		ft., Fron		ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
Charact Indexessels: Engage A								
What is the nearest source of possible contamination:					16.	10 Livesto	ft. From ock pens 14 A	ft. to ft. bandon water well
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel st		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoo	n		130	15 Oil well/Gas well 16 Other (specify below)	
	rtight sew		-	9 Feedyard	- <b></b>		ioida etomora	,
	-	<b>F</b>	age pit	7 recuyaru				Apparent
Direction from well?  How many feet?  FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								
0	4	topsoil	LITHOLOGIC LOG	<u>r</u>	FROM	ТО	PLUGGING INTER	VALS
4	25	clay			<del> </del>	+		
<del>2</del> 25								
	32		ine sand			<del></del>		
32	65	shale						
					ļ	1		
	ļ				ļ	1		
	-					$\bot$		
					<u> </u>			
					<u> </u>			
								1-11-11
					<u> </u>	<del>                                     </del>		
					<u> </u>	<del>                                     </del>		
					<u> </u>	<del></del>		
<b>_</b>						<u> </u>		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No								
Under the business name of Rarp								
				_			Todd S	. Harp
							0 0 000	7