| | | WATE | R WELL RECORD | Form WWC-5 | KSA 82a- | | |
|----------------------|-----------------------------|--------------------------|-------------------------------|--|--------------------------------------|---|-------------------------------------|
| LOCATION OF WA | | Fraction | SW 1/4 N | Sec 1/4 | tion Number | Township Number | Range Number |
| | from nearest town | | ddress of well if located | within city? | | T 21 s | I R I DW |
| | | | t North, Wi | | | | |
| | | | Line Company | | hita Te | | |
| | | | Street Nor | | | • | , Division of Water Resource |
| | : Wichit | | | | | Application Number | |
| AN "X" IN SECTION | | • | | _ | | TION: | |
| | N | | | | | 2 | |
| | l ! ' | | | | | face measured on mo/day/y | |
| NW | NE | | | | | fter hours | |
| ! | | | | | | fter hours (| |
| w | | | | | | and | |
| 1 1 | | | | 5 Public wate | | | 1 Injection well |
| SW | SE | 1 Domestic | 3 Feedlot 4 Industrial | 7 Lown and 4 | ter supply | 9 Dewatering 13 | 2 Other (Specify below) |
| | 1 ! | 2 Irrigation | 4 industrial | / Lawn and (| garden only (| Monitoring weil | |
| <u> </u> | | nitted | bacteriological sample s | domitted to D | | | |
| TYPE OF BLANK | | riittea | 5 Wrought iron | 8 Concre | | ter Well Disinfected? Yes | No led Clamped |
| 1 Steel | 3 RMP (SR) | | 6 Asbestos-Cement | | (specify below | | ilded Ciamped Ilded |
| (2)PVC | 4 ABS | ' . | 7 Fiberglass | | | , | eaded |
| | • | 4 | • | | | ft., Dia | |
| | | | | | | ft. Wall thickness or gauge | |
| YPE OF SCREEN (| | | , weight | (7)PV | C. | 10 Asbestos-cer | |
| 1 Steel | 3 Stainless | | 5 Fiberglass | | IP (SR) | | ý) <i></i> |
| 2 Brass | 4 Galvanized | | 6 Concrete tile | 9 AB | | 12 None used (| • • |
| | RATION OPENING | | | d wrapped | _ | 8 Saw cut | 11 None (open hole) |
| (1) Continuous sl | | | 6 Wire v | • • • | | 9 Drilled holes | TT TIONS (Sport Hole) |
| 2 Louvered shu | | | | • • • | | | |
| CREEN-PERFORAT | • | From | ft. to | 19 | ft Fron | 10 Other (specify) ft. | to |
| | | | | | | n | |
| GRAVEL PA | ACK INTERVALS: | | | | | n ft. | |
| | | From | ft. to | | ft., Fron | | to |
| GROUT MATERIA | L: 1 Neat ce | ment | 2 Cement grout | (3) Bento | nite 4 | Other | |
| rout Intervals: Fro | om 💆 ft | t. to | ft., From | ft. | to | ft., From | ft. to |
| hat is the nearest s | ource of possible co | ontamination: | | | 10 Livest | ock pens 14 | Abandoned water well |
| 1 Septic tank | 4 Lateral | lines | 7 Pit privy | | 11 Fuel s | storage 15 | Oil well/Gas well |
| 2 Sewer lines | 5 Cess p | oool | 8 Sewage lago | on | 12 Fertiliz | zer storage 16 | Other (specify below) |
| 3 Watertight sev | wer lines 6 Seepag | ge pit | 9 Feedyard | | 13 Insect | ticide storage | |
| irection from well? | | | | | How man | | |
| FROM TO | Dunas Mad | LITHOLOGIC | | FROM | то | PLUGGING | INTERVALS |
| 4 6 | | | , silty to | | | | |
| 9 11 | sandy cla | | | | | | |
| 9 11 | Medium Gr | | | | | | |
| 14 16 | fine grai | | | | _ | | |
| 14 16 | kea brown | , SIITY | to siltstone | - | | | |
| 19 21 | | | , friable | | | | |
| 19 21 | Medium gr | | | | | | |
| | moist, ha | ra, aens | e | | | | |
| | | | | | - | | |
| | | | | | | | |
| | | | | - | | | |
| | | | | | | | |
| | | | - VA - W | + | | | |
| | | | | | | | |
| | <u> </u> | | | | | | |
| CONTRACTOR'S | OR LANDOWNER'S | S CERTIFICATI | | | | nstructed, or (3) plugged u | |
| mpleted on (mo/day | //year) 10:-22 | 1 | | | | d is true to the best of my | |
| ater Well Contractor | 's License No. 🎜 🛭 | 196 | This Water We | ell Record wa | s complet ed c | on (mg/daylyr) | 7 |
| der the business na | ame of Maxim | Trunno | ogies ithe | | | uro Mathy Jan | 7 |
| INSTRUCTIONS: Use t | ypewriter or ball point per | n. <i>PLEASE PRESS F</i> | IRMUY and PRINT clearly. Plea | ase fill in blanks, u 45. Send one to | underline or circle WATER WELL OW | the correct answers. Send top thre NER and retain one for your recor | ee copies to Kansas Department rds. |