				orm WWC-5					- Niverton
- \	OF WAT	ER WELL: Fraction	14 SW 14 N.F	Sec	tion Number 27	r Township	Number S	Range	e Number
County:	nd direction	from nearest town or city stre	eet address of well if located			' '	₹ ~ ~		
Distance ar	2400 E	est 37th Street	North, Wichita	, Kans	a s				
2 WATER	WELL OW	NER: Phillins P	ine line Compan	V					
<i></i> /	Address, Box	#: 2400 East	ipe Line Compan 37th Street Nor	ťh		Board of	Agriculture, [Division of V	Vater Resources
City State	7ID Code	· Wichita K	9			Application	on Number:		
LOCATE	WELL'S LO	DCATION WITH 4 DEPTH (OF COMPLETED WELL. 22		ft. ELEV	ATION:			
AN "X"	IN SECTION	BOX: Depth(s) Gr	oundwater Encountered 1		ft.	2	ft. 3		
- r	<u> </u>		ATIC WATER LEVEL						
†	_ i	1 1	Pump test data: Well water						1
-	- NW	NF I	gpm: Well water				-		
	!		Diameterin. to						
* w -	34			Public water				Injection we	
_	13	1 Dom				9 Dewatering			
1 -	- sw	SE 2 Irriga				10 Monitoring w			
1 1	!!!	•	nical/bacteriological sample su	_	•	(/ V	/		
ł L		mitted	iica/bacteriologica/ sample su	טוווונפט נט טי	-		•	• •	Ť
-l =/0= 6)		E Marricht inco	P. Conor		/ater Well Disinfec		No.	amped
		ASING USED:	5 Wrought iron	8 Concre					
1 Ste (2) PV		3 RMP (SR)	6 Asbestos-Cement		(specify belo	ow) 			
(2)PV		4 ABS	7 Fiberglass 3 ft., Dia						
	•	-	in., weight						
		R PERFORATION MATERIAL		(7)PV			sbestos-ceme		
1 Ste	· -	3 Stainless steel	5 Fiberglass		IP (SR)				
2 Bra		4 Galvanized steel	6 Concrete tile	9 AB	5		one used (op		(anan hala)
7		RATION OPENINGS ARE:	5 Gauzed	• •		8 Saw cut		11 None	(open hole)
V	ntinuous slo		6 Wire w	• •		9 Drilled holes			
	uvered shutt	• •	7 Torch c	^{uτ} 1Ω		10 Other (spec	الاتا		
SCREEN-F	PERFORATE	ED INTERVALS: From							
_			ft. to						
G	BRAVEL PA	_		بران	•				
		From	ft. to	(a) a		om		0	
	MATERIAL		2 Cement grout	3 Bento		4 Other			
Grout Inter			ft., From	π.					
		urce of possible contamination				estock pens		bandoned v	-
	ptic tank	4 Lateral lines	7 Pit privy			el storage		il well/Gas	
	wer lines	5 Cess pool	8 Sewage lagoo	'n		tilizer storage	16 U	ther (specif	y below)
	•	er lines 6 Seepage pit	9 Feedyard			ecticide storage			
Direction for		LITHOLO	OGIC LOG	FROM	TO How m	nany feet?	PLUGGING I	VTERVALS	
FROM 4	<u>то</u> 6		mp silty clay,	I TOW	'0			TITTLO	
		dense	mp stroy cray,						
9	11	Medium brown	silty clay			 			
<u>9</u>	T T	semimoist	Silvy Clay,						
14	16		yey silt, damp	 					
19	21			l,	-				
13	<u> </u>	clay maist	dium gray, silt	γ					
0.//	0.5		hard to plastic			-			
24	25		<u>dium gray, silt</u>	y		 			
2.5	<u> </u>	<u>clay</u>							
25	26		rk gray clay to						
			<u>le, small gypsu</u>	Π					
29	31		athered shale/						
		<u>clayey, dense</u>							
		gypsum imbedd	e d		_				
ز	L			L	1				
			CATION: This water well was						
completed	on (mo/day/	(vear) . 10-21-91			and this red	cord is true to the	best <u>of my</u> kn	owledge an	
Water Wel		a License No. 10 14		I Record wa	s completed	don moo/daylyr)	117377	Π Ι Χ	
	Contractor	S LICEUSE INC W. I.I			io completely	7 - 11 (13)			
under the	business na	me of MAXIM TRCM	nologies. Fac			ature)		eligh	
INSTRU	business na	me of MAXIM TRUM	PDDQILC, THE RESS FIAMLY and PRINT clearly. Pleas s 66620-0001. Telephone: 913-296-554	e fill in blanks,	by (sign	cle the correct answers	. Sept top three	copies to Kans	