		WATER	R WELL RECORD	Form WW	C-5 KSA 8	2a-1212		VE -6 4		
LOCATION OF WA		Fraction NW 1/4	127		Section Numb		Number	Range Nu		
County: Sedgwick Distance and direction from nearest town or city s			NW 1/4	NW 1/4	16	T 4	26 <sub>S</sub>	R ±	EW_	
Distance and direction	n from nearest town <b>6158 North</b> E	-		-	/?					
WATER WELL O	WNER:									
RR#, St. Address, Bo	ox # Tom Harri	is, H&G Inv	<i>restments</i>			Board o	of Agriculture, I	Division of Water	Resource	
city, State, ZIP Code	P.O. Box	355, Valle	ey Center, F	Center, Ks 67147			Application Number:			
LOCATE WELL'S	LOCATION WITH 4	DEPTH OF CO	OMPLETED WELL	<i>2</i> 05	ft. ELE\	/ATION:				
AN "X" IN SECTIO	N		water Encountered							
X		WELL'S STATIC	WATER LEVEL .	<del></del> ft	below land s	surface measured	on mo/day/yr			
NW	NE	Pump	test data: Well v	water was	ft.	after	hours pu	mping		
1	E	Est. Yield	gpm: Well v	water was	ft.	after	hours pu	mping	gpm	
w			ter 8.625 in						ft.	
	!		O BE USED AS:		ater supply			Injection well		
sw	SE	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	1/2/12	Other (Specify be	elow)	
1 1	1 ! ] .	2 Irrigation	4 Industrial	7 Lawn an	d garden only	Monitoring v	veli۷ .Ç Y	. 72. 1. VO. PO. 1. C	, ,,,,,,,,,	
<u> </u>			acteriological samp	ple submitted to					ie was sub	
TYPE OF BLANK		nitted	E Manualt inca	0.00		Vater Well Disinfe		No No	<u></u>	
1 Steel	3 RMP (SR)		<ul><li>5 Wrought iron</li><li>6 Asbestos-Ceme</li></ul>		ncrete tile			ed		
(2) vc	4 ABS	,	7 Fiberglass		er (specify be			adedX		
Blank casing diamete		n 10 5	/ ⊩ibergiass							
Casing height above										
YPE OF SCREEN (			in, weight		evc		Asbestos-ceme			
1 Steel	3 Stainless		5 Fiberglass		RMP (SR)			<del></del>		
2 Brass	4 Galvanize		6 Concrete tile		ABS		None used (op			
CREEN OR PERFO				auzed wrapped		8 Saw cut	toric asca (op	11 None (open	hole)	
1 Continuous sl	$\sim$			/ire wrapped		9 Drilled hole	es	, , , , , , , , , , , , , , , , , , ,	,	
2 Louvered shu	$\sim$	/ punched	7 To	orch cut					<b></b>	
CREEN-PERFORAT	•	From 5	5 ft. t	。 20	ft., F	rom				
SAND		From	ft. to	o <del>.</del>						
	ACK INTERVALS:	From 4.	5 ft. t	。 Z0.5	ft., F	rom <del></del>	ft. to	0 <del></del>	ft.	
		From	ft. t		ft., F		ft. te		ft.	
GROUT MATERIA	•		2 Cement grout	(3)Be	ntonite	4 Other <del></del>	<del></del> <i>.</i>			
Grout Intervals: Fro	5m <i>O</i> ft	t. to <b>2, 5</b>	ft., Front	4.5 ft	. to <b>4</b> .1	S ft., From	<del></del>	ft. to . <del></del> :	ft.	
Vhat is the nearest s	•				10 Live	estock pens	14 A	bandoned water	well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fue	el storage		il well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage lagoon			12 Fertilizer storage		ther (specify below)		
_	wer lines 6 Seepag	ge pit	9 Feedyard	d	13 Ins	ecticide storage	Contam	inated Si		
Direction from well?	1	LITUOLOGIO I	^^	1 ===		any feet?	BI LIGORIO II	TEDI (A) O		
FROM TO		LITHOLOGIC L	-OG	FROM	ТО		PLUGGING II	VIERVALS		
				<del></del>	- +					
GL   3.50	Soil, cla				<del>-  </del>			-		
3.50 8.50	Clayey Si									
8.50 16.00	Silty Cla	- ' '								
16.00 18.00	Sandy Cla	ay (CL)								
18.00 20.50	Sand									
20.50 TD	End of Bo	renole				Flis	home	ot 11 AIN	00	
			, , , , , , , , , , , , , , , , , , ,			, 100		nt waiv		
							DI	inter		
								-9101		
							<b>e</b> 5	3/9/96		
								1110		
						1				
CONTRACTORS	OR LANDOMANERY	CEDTIFICATIO	Mi Thi	II	truoto d VOV		\ <b>n</b> lugged	or my live disting	. and	
	OR LANDOWNER'S									
ompleted on (mo/day		30/96				cord is true to the	best of my kno		a. Nansas	
ater Well Contractor		585	This Wate	well Hecord		· > //		, 8/6/96		
nder the business na	ASSOC1		<del>conmental,</del>		by (sign		man of	reamb	une	
INICITOLICATIONIC LIVE			RMLY and PRINT clearly	. Please fill in blank		cle the correct answers		copies to Kansas Depa	artment	