	WATER WELL RECORD	Form WWC-5	KSA 82a-	1212 Vć	\$ 5
1 LOCATION OF WATER WELL:	Fraction		ion Number	Township Number	Range Number
_	SE 14 NE 14 NE	1/4	17	т 26 S	R EW
Distance and direction from nearest town of	or city street address of well if locate		11	20	1
5855 North Br	oadway, Park City, Kar	1636			
2 WATER WELL OWNER:					
RR#, St. Address, Box #Koch Servi	ce. Inc.			Board of Agriculture	e, Division of Water Resources
City, State, ZIP Code 4111 E. 37		1220		Application Number	:
LOCATE WELL'S LOCATION WITH 4	DEPTH OF COMPLETED WELL	21	. ft. ELEVAT	ION:	
	epth(s) Groundwater Encountered				
	ELL'S STATIC WATER LEVEL				
1 1 1 1 1 1 1 1					pumping gpm
NW NE Es	t. Yield gpm: Well wat				
Bo	ore Hole Diameter 8 . 625 in. to	20	ft a	nd	in to
	ELL WATER TO BE USED AS:	5 Public water		B Air conditioning 1	
7 1 1 1 1	1 Domestic 3 Feedlot				Other (Specify below)
SW SE					5 Vapor extraction
l l wa	as a chemical/bacteriological sample	-	•	-	4
	tted			er Well Disinfected? Yes	
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concre			ued Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below		elded
2 DVC 4 ABC	7 Fiberglass			The	
Blank casing diameter 2 in.	to	in. to	· - · · · · · · · · · · ·	ft., Dia	in. to ^X
Casing height above land surface	in., weight		lbs./fi	. Wall thickness or gauge	No
Casing height above land surface TYPE OF SCREEN OR PERFORATION M	MATERIAL:	n 40 P	;	10 Asbestos-cer	ment
1 Steel 3 Stainless sto			P (SR)		fy)
2 Brass 4 Galvanized	steel 6 Concrete tile	9 ABS	}	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS	ARE: 5 Gaux	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill s	lot 6 Wire	wrapped		9 Drilled holes	,
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 15 ft. to 20 ft., From ft. to					
DAT D	From	<u>.</u>	ft., From	1 <i></i>	. to
GRAVEL PACK INTERVALS:	From 4 5 ft. to .	.20	_ ft., From	1 ft.	. to
	From — ft. to				
GROUT MATERIAL: 1 Neat cem Grout Intervals: From O	ent 2 Cement grout	3Bentor	ite , , 4 (Other	
Grout Intervals: From . O ft.	to . 3.75 ft., From . 3.	ft. t	0 4.3	ft., From	ft. to ft.
What is the nearest source of possible con	itamination:		10 Livesto	ock pens14	Abandoned Water well
1 Septic tank 4 Lateral li	nes 7 Pit privy		11 Fuel s	torage 15	Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon		joon			Other (specify below)
3 Watertight sewer lines 6 Seepage	pit 9 Feedyard		13 Insecti	cide storage	
Direction from well?			How man		inated Si
FROM TO	LITHOLOGIC LOG	FROM	то	PLUGGING	INTERVALS
GL 1.00 Concrete, f	ill sand				
1.00 8.00 Silty Clay				Fluct Man	Luavac
8.00 15.00 Sandy Silt				Flush Mour Don 7	Huaive
15.00 21.00 Sand (SW)	(12)			70.7	100
21.00 TD End of bore	hole			JUN 1	ayror
				e/	. / -
		+		8/	6/96
				•	
			\rightarrow		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (experimented, (2) reconstructed, or (3) plugged under my jurisdiction and was					
completed on (mo/day/year)					
Water Well Contractor's License No. 30/96 This Water Well Record was completed on (mo/day/yr)					
under the business name of	ວວ		by (signatu	ire) Lohim A	\$1 978 in Bunca
ASSOCIATE INSTRUCTIONS: Use typewriter or ball point pen, of Health and Environment, Bureau of Water, Topo	PLEASE PRESS FIRMLY and PAINT clearly. Please, Kansas 66620-0001. Telephone: 913-296-	ease fill in blanks, ur 5545. Send one to V	derline or circle to ATER WELL OW	the correct answers. Send top the NER and retain one for your recor	e copies o Kansas Department rds.