1 LOCATION	N OF WAT	ER WELL:	FRACTION	Wat	er Well Record	Form WWC-	Section Number	Township Number	Range Number
Sedgwick			SW	4 SW	1/4 N	IE 1/4	19	1 26	110
$\mathcal{L}(n)$									
1/2					ra N.	& Mei	cidian	Wichita, Kan	sas
WATER	WELL O		TA, CIT	Y OF					
RR#, ST. A	ADRESS, I		. Main					Board of Agricult	ire, Divivsion of Water Resource
CITY, ST	ATE, ZIP (	CODE: Wichi	ta, Kar	sas			67203	Application N	umber: 970013
LOCATE WELL'S LOCATION WITH DEPTH OF COMPLETED WELL 40 ft. ELEVATION:									
AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.									
i t 🗆		l w	ELL'S STATI	C WATER LI	EVEL 1	5 F	T. BELOW LAND S	URFACE MEASURED ON mo/day/	ァ 01/17/1997
	i 		Pumj	test data:	Well v	water was	ft.	after hours	pumping gpm
l	<b>NW</b>	NE Est	. Yield	gpm:	Well	water was	ft.	after hours	pumping gpm
w E		Boi	re Hole Diame	<b>5.</b>	in.	to 40	ft.	and	in, to ft.
│ ┋w├		T I E	ELL WATER			5 Public wat		8 Air conditioning	11 Injection well
			1 Domestic	3 Feed		6 Oil field w	•••	•	12 Other (Specify below)
	SW		2 Irrigation	4 Indus			garden only	10 Monitoring well	` •
		w	_	actoriological				•	es, mo/day/yr sample was
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No									
CACANG VOLUM									
1 Steel	OF CHI	3 RMP (SR)			ught iron stos-Ceme		8 Concrete tue 9 Other (Specify		Welded & Clamped
		4 ABS		7 Fiber			SDR-26		Threaded
2 PVC	- D:		. 20		•			A No.	
Blank casin	_	_		ft. ,	Dia	in E2	L to lbs./ft.	/	n. to ft.
		e land surface 12 NOR PERFORATIO		in.,	weight 5	.52	10s. / rt. 7 PVC	Wall thickness or gauge No 10 Asbestos-	
1 Steel	SCREE	3 Stainless Steel	N WIATERIA	5 Fiber	glass		8 RMP (SR)	11 other (sp	
				6 Concr	-		9 ABS		• •
2 Brass		4 Galvanized steel		o Conci			ADS	12 None use 8 Saw cut	' • '
		FORATION OPENI	NG ARE:			ed wrapped			11 None (open hole)
1 Continou	-	3 Mill slot			6 Wire	wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 20 ft. to 40 ft., From ft. to ft.									
			from		ft.	to	ft., Fro	m ft.	to ft.
(	GRAVE	L PACK INTERVAI	LS: from	20	ft	to 40	ft., Fro		to ft.
			from		ft.	to	ft., Fro	om ft.	to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.									
What is the	nearest	source of possible co							14 Abandon water well
1 Septic tank 4 Lateral lines				7	Pit privy		11 Fuel storage 15 Oil well/Gas well		15 Oil well/Cos well
2 Sewer lines 5 Cess pool				8 S	ewage lago	on	12 Ferti	lizer storage	16 Other (specify below)
13 Inscattate storage									ne Apparent
Direction fr	•		F		•			How many feet?	
	то		HOLOGIC L	OG		FROM	ТО	PLUGGING IN	ITERVALS
0 5		clay							
5 1		silty sand	1						
10 4		medium to		grave	l				
				· · · · · · · · · · · · · · · · · · ·	1 11				
								·	
<u> </u>									,
	+							W-W-14	
	<del> </del>							····	
						1			
<b></b>	-+					1	1		
┞┯╌┷						<u> </u>	1		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Under the business name of Harp									
Todd S. Harp									