1 LOCA	TION OF WA	ATER WELL:	FRACTION	Wat	ter Well Record	t Form WWC	Section Number	Township Number	Range Number	
Sedgwick SW 1/4			1/4 NE	1/4	SW 1/4	7	т <b>26</b> s	R 1E EW		
Distance and direction frem nearest town or city street address of well if located within city?										
6353 Bella Road Wichita, Kansas										
LJ	TER WELL (							Doord of Agriculture D	between of Water Parentres	
1	ST. ADRESS, STATE, ZIP		N. Rock nita, Kar	_				Board of Agriculture, Divivsion of Water Resource  Application Number:		
								EVATION:		
AN "X" IN SECTION BOX:  Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.										
									05/06/1997	
]	NW	NE	Pum	p test data:	Well	water was	ft.	after hours pum	ping gpm	
۰			Est. Yleld	gpm:	Well	water was	ft.	after hours pum	<b>ping</b> gpm	
∯w		i E	Bore Hole Diame		in.	to 40	ft.	and in.	to ft.	
		,	WELL WATER			5 Public wat		•	njection well	
1 1	sw^	sie	1 Domestic 2 Irrigation		3 Feedlot 6 Oll field water supply 9 Dewatering 12 Other (Specify below) 4 Industrial 7 Lawn and garden only 10 Monitoring well					
			ū				•	· ·	o/dav/vr sample was	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No										
5 TYI	PE OF CA	SING USED:		5 Wro	ught iron		8 Concrete tile	CASING JOINTS: G	lued X Clamped	
	1 Steel 3 RMP (SR)				stos-Ceme	nt	9 Other (Specify)	,	Welded	
2 PVC	_	4 ABS	_	7 Fiber	rglass	5	5DR-26	Т	hreaded	
	sing Diam	_	in. to 25	ft.,	Dia	in		ft., Dia in.	to ft.	
	-	ve land surface 1 EN OR PERFORAT	_		weight 2		lbs. / ft. 7 PVC	Wall thickness or gauge No. 10 Asbestos-ceme	.214	
1 Steel 3 Stainless Steel 5 Flberglass 8 RMP (SR) 11 other (specify)								)		
2 Bras	s	4 Galvanized steel	1	6 Concr	ete tile		9 ABS	12 None used (op	en hole)	
SCREE	N OR PEI	RFORATION OPE	NING ARE:		5 Gau	zed wrapped		8 Saw cut	11 None (open hole)	
1 Contir	ous slot	3 Mill slo	ot		6 Wire	wrapped		9 Drilled holes		
2 Louve	red shutte	r 4 Key pu	ınched		7 Torcl	h cut	•	10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 25 ft. to 40 ft., From ft. to ft.										
from					ft. to		ft., Fro	m ft. to	ft.	
GRAVEL PACK INTERVALS: from 24					ft. to 40		ft., Fro		ft.	
from ft. to ft., From ft. to  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plus									hala alua	
Crant Internals P. A. C. C.										
What is the nearest source of possible contamination:					ic riom i		10 Livest	•	bandon water well	
1 Septic tank 4 Lateral lines				7 !	7 Pit privy		11 Fuel s	torage 15 (	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool					8 Sewage lagoon				16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage West										
Direction from well? 100 FROM TO LITHOLOGIC LOG					EDO		TO 1	How many feet?	y feet? LUGGING INTERVALS	
	4	topsoil	ATHOLOGIC L	<u>UG</u>		FROM	ТО	PLUGGING INTE	(VALS	
0 4	10	clay								
10	25	fine san	đ							
25	40	medium c	oarse sa	nd						
-										
				· · · · · · · · · · · · · · · · · · ·		1				
	*									
								,		
$\vdash$										
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)										
Under	the busin	ness name of Ha	rp Well	& Pump	Serv	ice, I	NG by (sig	nature) Todd &		
									· · · · · /	