SE SWS	WWW WATER	R WELL RECOR	RD Form W	WC-5 KSA 8	2a-1212			
1 LOCATION OF WATER WELL: County: SLACL LL ) (C.K.)	Fraction	MEN 1/4		Section Number	r Township	Number S	Range N	lumber
Distance and direction from nearest town							<u> </u>	C A C
500/	N. Pai	IN		•				EAST
2 WATER WELL OWNER: Pob	ert Ba	aley			0			
RR#, St. Address, Box # : 500 / City, State, ZIP Code : WLC	hita,		204			f Agricutture, D ion Number:	ivision of wat	er Hesources
LOCATE WELL'S LOCATION WITH	DEPTH OF CO	OMPLETED WE		ft. ELEV				
AN "X" IN SECTION BOX:	 Depth(s) Groundv	water Encounter	ed 1	<b>7</b>	. 2	ft. 3.		ft.
ī !!!	WELL'S STATIC	WATER LEVEL		ft. below land s	urface measured	on mo/day/yr	/0/8/9	
NW NE	Pump Est Viold	test data: We	Il water was	UN the	after	hours pur	nping U.A.	J gpm
	Bore Hole Diame	ter 10	in. to	38 "f	after UUV	iouis pui	nping .♀.≒ to	
- W	WELL WATER TO			water supply			njection well	
-	1 Domestic	) 3 Feedlot	6 Oil fie	d water supply	9 Dewatering	12 (	Other (Specify	below)
3\'   3\'	2 Irrigation	4 Industria		•	10 Monitoring w			
<u> </u>		pacteriological sa	imple submitted		YesNo	-	/	nple was sub-
TYPE OF BLANK CASING USED:	mitted	5 Wrought iron		Concrete tile	Vater Well Disinfed	cted? Yes L IOINTS: Glued		nod
1 Steel 3 RMP (SR	n	6 Asbestos-Ce		Other (specify beli	-	_		•
2 PVC) 4 ABS	,	7 Fiberglass			•		ded	
Blank casing diameter	in. to 50	ft., Dia				i	n. to	ft.
Casing height above land surface	.1.2~	in., weight		lbs	s./ft. Wall thicknes	s or gauge No	<i>1.6.</i> C	<b>)</b>
TYPE OF SCREEN OR PERFORATION	I MATERIAL:		~	7 PVC		sbestos-cemer		
1 Steel 3 Stainless		5 Fiberglass		8 RMP (SR)		Other (specify)		
2 Brass 4 Galvanize		6 Concrete tile		9 ABS		lone used (ope	•	1-1-1
SCREEN OR PERFORATION OPENING  1 Continuous slot 3 Mil	Il slot		Gauzed wrapped Wire wrapped		8 Saw cut 9 Drilled hole		11 None (ope	en noie)
	y punched		• • •					
SCREEN-PERFORATED INTERVALS:	From	<b>3</b> 8ft	. to 3.8		10 Other (spec	ft. to	)	ft
	From	ft	. to		om	ft. to		
GRAVEL PACK INTERVALS:					om			
· · · · · · · · · · · · · · · · · · ·	— Erom	ft	. to	ft., Fr	om	ft. to	l	ft.
GROUT MATERIAL: 2 Neat co		2 Cement grout			4 Other			
Grout Intervals: From		ft., From						
What is the nearest source of possible of 1 Septic tank 4 Latera		7 Dit ari			estock pens		andoned water	
2 Sewer lines 5 Cess		7 Pit pri	vy ge lagoon		el storage tilizer storage		well/Gas well her (specify be	
3 Watertight sewer lines 6 Seepa	•	9 Feedy			ecticide storage	10 01	nei (specily bi	eiow)
Direction from well?	West	·	u. u		اسر	<u> </u>		
FROM TO .	LITHOLOGIC L	LOG	FRC			PLUGGING IN	ITERVALS	
0 3 10050	LL					<u> </u>		
3 17 Clay	1							
	Sana							
37 38 Clay								
								· · · · · · · · · · · · · · · · · · ·
<del></del>				$\longrightarrow$				
			/	1-}	<u> </u>			A
CONTRACTOR'S OR LANDOWNER	S CERTIFICATION	ON: This water	well was (() co					
· · · · · · · · · · · · · · · · · · ·	1.8.19.7				ord is true to the	best of my kho	wledge and be	elief. Kansas
Water Well Contractor's License No.	6.6.50 D	This Wa	ater Well Recor	d was completed	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1.01.6	<i>f.T.</i>	• • • • • • • • •
under the business name of	را عربي	rusio	9	by (sign		we		
INSTRUCTIONS: Use typewriter or ball point po of Health and Environment, Bureau of Water, T							opies to Kansas D	Department