1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	T	n V t	
Sedgwick	NE 1/4	NW 1/4 N	E 1/4	33	Township Number	Range Number	
Distance and direction frem nearest town or cit			E 1/4 1		т 26 в	R 1E EW	
1103 E. 37th N. Wichita, Kansas							
WATER WELL OWNER: SON CORPORATION							
RR#, ST. ADRESS, BOX#: 1103 E. 37th N. Board of Agriculture, Divivsion of Water Resource							
LOCATE WELL'S LOCATION WITH	4 DEPTH OF COM	IPLETED WELL	40	ft. ELE	VATION:		
AN "X" IN SECTION BOX:	Depth(s) groundwa	ter Encountered	1	ft.	2 ft.	3 ft.	
	WELL'S STATIC WA			BELOW LAND SUR	FACE MEASURED ON mo/day/yr	07/31/1997	
NWNE	Pump test		ater was		fter hours pump		
₩ w E	Est. Yield Bore Hole Diameter		ater was		after hours pum		
∑ W E	WELL WATER TO B		to 40 Public water	ft. sunnly s	and in. S Air conditioning 11 In	to ft. njection well	
	1 Domestic		Oil fleld wat		•	ther (Specify below)	
	2 Irrigation	4 Industrial 7	Lawn and ga	arden only 10	Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED:		5 Wrought iron	•	Concrete tile		ued X Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cemen		Other (Specify be	•	elded	
2 PVC 4 ABS		7 Fiberglass	SI	DR-26	Ti	hreaded	
Blank casing Diameter 5 Casing height above land surface 1	in. to 24	ft., Dia	in.	to	ft., Dia in.	to ft.	
TYPE OF SCREEN OR PERFORA	. 2 in. , TION MATERIAL:	weight 2.		lbs. / ft. V PVC	Vall thickness or gauge No. 10 Asbestos-ceme	.214	
1 Steel 3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify)		
2 Brass 4 Galvanized stee	2	6 Concrete tile	9	ABS	12 None used (ope		
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATION INTERVALS: from 24 ft. to 40 ft., From ft. to ft.							
	from	ft. 1	to	ft., From	ft. to	ft.	
GRAVEL PACK INTERV	VALS: from 24	ft.	to 40	ft., From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat of	from	ft.	-	ft., From	ft. to	n	
Grout Intervals: From 4	ft. to 24	ement grout	3 Bent		4 Other bentonite		
What is the nearest source of possible		ft. From	ft. t	o 10 Livestoc	ft. From k pens 14 A)	ft. to ft. bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel stor		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilize	er storage 16 O	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent							
Direction from well?					How many feet?		
	LITHOLOGIC LOG		FROM	TO	PLUGGING INTER	VALS	
0 4 topsoil 4 18 clay							
	oarse sand						
	Dube or and						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
CONTRACTOR'S OR LANDOWNER was completed on (mo/day/year)	R'S CERTIFICATION: This	water well was (1)	constructe	d, (2) reconstruc	cted, or (3) plugged under m	y jurisdiction and	
Well Contractor's License No	236	ಷ.ನ.ಸ 8 This Water Well Row	ord was co	na is true to the mpleted on Imo	/day/yr)	/97	
Under the business name of.从為	rp Well & I	ump Servi	ce. In	C by (signat	ture)		
Todd S. Harp							