LIOCA	TION OF W	ATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number		P N	
الم				SE 1/4 S	E 1/4	16	Township Number	Range Number R 1E RAW	
Sedgwick SW 1/4 Distance and direction frem nearest town or city street address of well if located					<u>E</u> 1/4	10	T 26 s	R IE EW	
1		st of Hydra		•	3 rd N	Dar	k City, Kansas		
	TER WELL		INDUSTRIE		<u> </u>	Fal	K CICY, Railbab		
⊢ RR#,	ST. ADRESS		Millheigh				Board of Agriculture, I	tvivsion of Water Resource	
CITY, STATE, ZIP CODE: Park City, Kan				sas			Application Number:		
		LOCATION WITH 4	DEPTH OF COM	PLETED WELL	100	ft. ELE	EVATION:		
TAN "X	" IN SECTIO	N BOX:	Depth(s) groundwa	nter Encountered	1	ft.	2 ft.	3 ft.	
		v	WELL'S STATIC W	_	FT.	BELOW LAND SUI	RFACE MEASURED ON mo/day/yr	10/29/1998	
'	NW	NE	Pump test		ater was		after hours pun	. 0	
<u> </u>		1 1 1	st. Yield	61	vater was		after hours pun		
l ii w			ore Hole Diameter		to 100	ft.	and in.	to ft.	
			VELL WATER TO F 1 Domestic		i Public water i Oil field wat		•	njection well Other (Specify below)	
1 1	sw		2 Irrigation		Lawn and g		0 Monitoring well	Juici (Speeny below)	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Vas a chemical/bacte				, and the second	no/day/yr sample was	
*		e 1	submitted	i lologicat sample sui	Mutteu to De	-	ter Well Disinfected? Yes		
5 TY	PE OF CA	SING USED:		5 Wrought iron	8	Concrete tile		lued X Clamped	
1 Stee	el .	3 RMP (SR)		6 Asbestos-Cemen		Other (Specify b		Velded	
2 PVC	C	4 ABS		7 Fiberglass	SI	DR-26	1	Threaded	
Blank ca	 sing Diam	neter 5 in	in. to 25	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214									
TYPE (OF SCREE	EN OR PERFORATION	ON MATERIAL:			PVC	10 Asbestos-cem	ent	
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								<i>'</i>)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								•	
Contact Wileper							11 None (open hole)		
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREE	N-PERFO	RATION INTERVA	LS: from 25	ft.	to 100	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24				ft.		ft., From		ft.	
				ft. to 100 ft. to		ft., Fron		ft.	
6 GRO	IIT MAT	ERIAL: 1 Neat cer	ment 2.C	ement grout		ft., Fron		ft.	
Crout Intervals. From A S 4 0 4									
What is the nearest source of possible contamination:				it from it to		o 10 Livesto	ft. From ck pens 14 /	n ft. to ft. 14 Abandon water well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel sta		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertiliz		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit				9 Feedyard		13 Insecti	13 Insecticide storage None App		
Direction from well? How many feet?									
FROM	ТО		THOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS	
0	4	topsoil			1	1			
4	15	clay			 				
15 18	18 100	sandy cla shale	<u>iy</u>		 	 			
	100	Share							
				**************************************	<u> </u>				
					1				
						ļ			
ļ	1				1				
<u> </u>	<u> </u>				<u> </u>				
		Die on takkouskenie	Th		I) construct	nd (2) recenstr	ucted, or (3) plugged under	my jurisdiction and	
	NTRACTO	JK 5 UK LANDUWNEK 5	S CERTIFICATION: I II	is water well was (i) construct	Eu, (£) reconsu	ucted, or (5) plugged under	ny janisaletton ana	
was c	ompleted	on (mo/day/year)	10/29/	1998	and this rec	ord is true to th	ne best of my knowledge and	l belief. Kansas Water	
Well C	ompleted	on (mo/day/year) r's License No	10/29/ 236	1,998 This Water Well Ro	and this rec	ord is true to the	ne best of my knowledge and no/day/yr)10./3	l belief. Kansas Water	
Well C	ompleted	on (mo/day/year)	10/29/ 236	1,998 This Water Well Ro	and this rec	ord is true to the	ne best of my knowledge and no/day/yr)1.0./.3 nature)	l belief. Kansas Water	