					Wet	er Well Da	cord For	- WWC.	5 KSA 82a-1212					
1 LOCA	TION OF W	ATER WELL:	F	RACTION	Way	er wen au	cora rou	m w.w	Section Numbe	_	ıship Number	Range Num	ıber	
	Sedg			NE 1/4	NE	1/4	SW	1/4	22	Т	26 s	R 1E	E/W	
Dirtance	and direction	n frem nearest town or c	ity street ad	dress of well if lo	cated within ci	ity?								
	$^{\prime}2$ m.			on H		<u>lic</u>			Wichit	a, Kan	sas			
ш	TER WELL	***		, CITY	OF						Pound of A mileulture D	Made and a second secon		
RR#, ST. ADRESS, BOX#: 455 N. Main CITY, STATE, ZIP CODE: Wichita, Kansas									Board of Agriculture, Divivsion of Water Resource					
_		LOCATION WITH		, kansa PTH OF CO		NAME I		40	67202	LEVATION:	Application Numbe	s: 990101	<u> </u>	
	" IN SECTION			th(s) groundy				-	ft. E	LEVATION:	ft.	3	ft.	
1 1			I -	'S STATIC W			15				SURED ON mo/day/yr	06/11/1		
	NW.	NE		Pump tes			ll water	was	ft.	after	hours pum		gpm	
ه ا			Est. Yie	eld	gpm:	We	ll water	was	ft.	after	hours pum	ping	gpm	
M K		E		ole Diameter	8	in.		20	ft.	and	in.	to	ft.	
			WATER TO					er supply	8 Air condi		njection well	1>		
1 Domestic										9 Dewateri				
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample											o/dov/vn sample	TVOS		
Ľ		S	submit		ei ioiogicai	sample	Subliffice	eu to D	-	:s Vater Well Dis			was	
5 TY	PE OF CA	ASING USED:			5 Wro	ught iro	n	8	Concrete tile			lued X Clamp	ed.	
1 Stee	1 Steel 3 RMP (SR)					6 Asbestos-Cement			Other (Specify	y below)		Welded		
2 PVC 4 ABS					7 Fiberglass			S	DR-26		T	Threaded		
	asing Dian	•		to 20	ft. ,	Dia		in.	to	ft., D	dia in.	to	ft.	
		ve land surface		in.,	,	weight	5.52	-	lbs. / ft.	Wall thickn	ess or gauge No. 10 Asbestos-ceme	.332	2	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass									7 PVC RMP (SR)					
2 Brass 4 Galvanized steel 6 Concr									O ABS		11 other (specify 12 None used (or	•		
CORERY OF PERSON LEGISLAND							auzed wr	-		8 Saw c		11 None (oper	n hole)	
1 Continues slot 3 Mill slot 6 Wire														
2 Louve	red shutte	er 4 Key p	unched			7 To	rch cut			10 Oth	er (specify)			
SCREE	N-PERFO	RATION INTERV	VALS:	from 20)		ft. to 4	0	ft., Fr	om	ft. to		ft.	
from					ft. to				ft., From		ft. to		ft.	
GRAVEL PACK INTERVALS: from					20 ft. to 40			10	ft., From		ft. to		ft.	
c CPC	UT MAT	EDIAL 1 Neet	cement	from	7- 4		ft. to		ft., Fr		ft. to		<u>ft.</u>	
_					Cement gro				ntonite	4 Other	bentonite	-	-	
Grout Intervals: From 0 ft. to 20 ft. From What is the nearest source of possible contamination:								ft.		ft. : stock pens	From	ft. to bandon water we	ft.	
1 Septic tank 4 Lateral lines					7 Pit privy					storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					8 Sewage lagoon					tilizer storage	16 C	16 Other (specify below)		
3 Wate	rtight sew	er lines 6 Seep	age pit		9 Fc	9 Feedyard			13 Inse	cticide storage	None	None Apparent		
	n from we										any feet?			
FROM 0	то 3	topsoil	LITHOL	OGIC LOG			_ F	ROM	TO		PLUGGING INTER	?VALS		
3	17	clay					-		-					
17	21	fine sar	ıd											
21	40	grey sha												
		-												
							-		-					
									_					
							-						-	
7 CON	TRACTO	OR'S OR LANDOWNE	R'S CERTI	FICATION: Th	is water v	vell was	s (1) cor	nstruct	ed. (2) recons	structed, or (3	3) plugged under n	ov jurisdiction a	and	
was c	ompleted	on (mo/day/year	·)	06/11/	<u> 1999 </u>		and t	his rec	ord is true to	the best of n	ny knowledge and	belief. Kansas	Water	
Well C	ontracto	r's License No	236		This Wat	er Well	Record	was c	ompleted on	(mo/day/yr)	06/14	1/99	••••	
Under	the busi	ness name of.Ha	redw	'ëTT'''&''	Rump	.s.e.r.	YICE.	Т Т	ໄຕີ by (si	gnature)	9 11 8	21		
											Todd S	. Juarp		