					Water V	Vell Record	Form WWC-5	KSA 82a-1212					
1 LOCA	TION OF WA	ATER WELL:	FRACT	ION				Section Number	Townsh	dp Number	Range Nu	mber	
	Sedgr		NE	1/4			SW 1/4	22	T	26 s	R 1E	E/W	
Distance	and direction	frem nearest town or c	ity street address o	of well if loc	ated within city?								
1/2 m. S. of 53rd N. on Hydraulic Wichita, Kansas													
WATER WELL OWNER: WICHITA, CITY OF													
1	ST. ADRESS		N. Mai							Board of Agriculture, D	ivivsion of Water Re	source	
CITY	, STATE, ZII	CODE: Wic	<u>hita, K</u>					67202		Application Number	<u>99010</u>	1	
	TE WELL'S I	OCATION WITH			APLETED V		40		LEVATION:				
1	IN SECTIO	N	1		ater Encoun		1	ft.	2	ft.	3	ft.	
			WELL'S ST				•			RED ON mo/day/yr	06/11/	1999	
'	NW	NE	1	ump tes			water was	ft.	after	hours pum		gpm	
ii ii			Est. Yield		gpm:		water was	ft.	after	hours pum		gpm	
1 Mile	/	E	· L		8 DE LICED AG	in.	to 20 5 Public wate	ft. eupply	and	in.	to	ft.	
	WELL WATER TO BE USED A 1 Domestic 3 Feedlo						5 Public water supply 8 Air conditioning 11 Injection well 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					elow)	
							Lawn and garden only 10 Monitoring well						
					riological sa		•	partment? Yes		No X; If yes, m	o/dav/vr sampl	e was	
Ľ.		S	submitted	010 0100	riological sa	inpic su	Dillica to D	•	, /ater Well Disi1		X No		
5 TY	PE OF CA	SING USED:			5 Wrong	ht iron	8	Concrete tile	CASIN		lued X Clam	ned	
1 Steel 3 RMP (SR) 5 Wrought iron 6 Asbestos-Cement								o construction					
2 PVC	C	4 ABS			7 Flbergla	155		DR-26	ŕ	T	hreaded		
Blank ca	 asing Dian	eter 8	in. to 2	0	ft.	Dia	in.	to	ft., Dia	ı in.	to	ft.	
Casing l	height abo	ve land surface	12	in.,	•	ight 5	.52	lbs. / ft.	•	ss or gauge No.	.33		
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement													
1 Steel 3 Stainless Steel 5 Fiberglass								8 RMP (SR) 11 other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile							9	ABS		` •	None used (open hole)		
							ed wrapped		8 Saw cu		11 None (open hole)		
1 Continous slot 3 Mill slot 6 Wire wra									9 Drilled	holes			
2 Louve	red shutte	r 4 Key p	ounched			7 Torch	cut		10 Other	(specify)			
SCREE	N-PERFO	RATION INTER	VALS: fr	om 20		ft.	to 40	ft., Fro	m	ft. to		ft.	
from ft. to							to	ft., From		ft. to		ft.	
GRAVEL PACK INTERVALS: from 20						ft. to 40		ft., From		ft. to		ft.	
lone		1 1 1		om			to	ft., Fr		ft. to		ft	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug													
Grout Intervals: From 0 ft. to 20 ft. From What is the nearest source of possible contamination:							ft.	ft. to ft. From ft. to 10 Livestock pens 14 Abandon				ft.	
1 Septic tank 4 Lateral lines					7 Pit	privy		11 Fuel storage			14 Abandon water well 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					8 Sewage lagoon			12 Fertilizer storage			16 Other (specify below)		
l coss pos						lyard		13 Insecticide storage			None Apparent		
	n from we	-				•			How ma		nppare.		
FROM	TO		LITHOLOGI	C LOG			FROM	то		LUGGING INTER	RVALS		
0	3	topsoil											
3	17	clay					 	_					
17	21	fine sam					-						
21	40	grey sha	ale		****								
							+						
							 	+					
							+	1					
7 (0)	UTD A COTO	Disont Avenue	EDIC CERTIFIC :	CION: Th	ie water wa	II was 1	1) construct	ad (2) record	tructed or (2)	plugged under n	ov juriediation	and	
	omnleted	on (mo/day/yes	r) 06	/11/	is water we 1999	ıı was (and this re	cord is true to	the best of m	plugged under n y knowledge and	belief. Kansa	s Water	
Well C	Contracto	r's License No.	236		This Water	Well R	ecord was o	ompleted on	(mo/day/vr)	06/14	1/99		
Under	the busi	ness name of.H	arp Wel	1.&	Pump S	erv.	iceI	ໄດ by (sig	gnature)				
										Todd S	. Harp	-	