	/	36							MW-24
	-	- 1 -	WATE	R WELL RECORD	Form WV	/C-5 KSA 82		·	, , ,
1 LOCATION C			Fraction			Section Number	1 '.		Range Number
	rdeanis		1 SE 1/2			<u> </u>	1 7 26	<u> </u>	R (E)W
Distance and d	lirection fron	n nearest towr	n or city street a	address of well if loc		- 1/	1. 25		
		1 2 1	DIBLAS	No de	0209 -	h. Broa	oway		
2 WATER WE		•		1 h. Broada	V(4		0		5
RR#, St. Addre		:	0	1 h gwada	erg)			•	Division of Water Resour
City, State, ZIP		:	1	Coly Ks .	112		· · · · · · · · · · · · · · · · · · ·	n Number:	
J LOCATE WE		TION WITH		COMPLETED WELL					
AN A 1N 3	N BC	!'							3
ī [!	·							·
N	.w	NF							umping gr
1 "	ï								ımping gr
# w	1	[]	Bore Hole Diam	eter . 8. 1665in.	to 7.2.		and	in	n. to
₹ "	!	! ' '	WELL WATER	TO BE USED AS:	5 Public	water supply	8 Air conditioning	j 11	Injection well
Ĩ		st _	1 Domestic	3 Feedlot		d water supply			Other (Specify below)
- '	ï	7]]	2 Irrigation	4 Industrial			_	•)X.Y
↓ ∟	<u> </u>	<u> </u>	Was a chemical	bacteriological samp	ole submitted	to Department? \	∕esNo	X; If yes	s, mo/day/yr sample was s
	S		mitted			W	ater Well Disinfecte	ed? Yes	No X
5 TYPE OF B	LANK CASI			5 Wrought iron	8 C	oncrete tile	CASING JO	INTS: Glue	d Clamped
1 Steel		3 RMP (SR	1)	6 Asbestos-Ceme	ent 9 O	ther (specify belo	ow)		ded
②PVC		4 ABS	10	7 Fiberglass					aded. 🔀
Blank casing di	iameter 0	الاست	in. to 3.	ft., Dia	اند. نظر المراقع المرا				in. to \ldots
Casing height a	above land	surface. T.V.	$u_{\mathcal{S}_{1}},\dots$.in., weight 5C			./ft. Wall thickness	or gauge N	lo
TYPE OF SCR	REEN OR PE	ERFORATION	MATERIAL:			PVC	10 Ast	pestos-ceme	ent
1 Steel		3 Stainless	steel	5 Fiberglass	8	RMP (SR)	11 Oth	ner (specify))
2 Brass		4 Galvanize		6 Concrete tile	9	ABS	12 No	ne used (op	oen hole)
SCREEN OR F	PERFORATI	\sim		5 Ga	auzed wrappe	ed .	8 Saw cut		11 None (open hole)
1 Continu	uous slot	(3.Mil	l slot		ire wrapped		9 Drilled holes		
2 Louvere	ed shutter	4 Ke	y punched		orch cut				
SCREEN-PERF	FORATED I	NTERVALS:	From						to
~3	XVD		From						to
GRA!	VEL PACK I	NTERVALS:		•					to
1			From	ft. to	_	ft., Fro		ft. 1	
6 GROUT MA	\sim	31 Neat ce	. A `	2) Cement grout					
Grout Intervals	-		ft. to ! 2	ft. From	.(.)				ft. to
What is the nea		•					stock pens		Abandoned water well
1 Septic		4 Latera		7 Pit privy			storage		Dil well/Gas well
2 Sewer		5 Cess	•	8 Sewage	_		lizer storage	1001	Other (specify below)
	-	nes 6 Seepa	ige pit	9 Feedyard	j		cticide storage	Coil (ce	minated site
Direction from							any feet?	LUCCINC	INTERVALS
	TO	20	LITHOLOGIC	LOG	FRO	м то	F1	LUGGING	INTERVALS
0	1/1 67	2011	COMA S.AL						
10 1 1	7 1 4		Somu Silt						
17 1 4	17 x 8	2 M	ome Clay	Υ					
-W-17	12.5		lna (<i>.</i>					
14 2 20 4 42,5 2 43	13 3	shalle	borhole						
	1 V '	unu of	- DOLLINGUE						
									
						+			
								· · · · · · · · · · · · · · · · · · ·	
						- 			
						+			
			100 y			1			
7 CONTRACT	TOR'S OR L	ANDOWNER	S CERTIFICAT						der my jurisdiction and w
completed on (mo/day/year) . (. ! .	127						powledge and belief. Kans
Water Well Cor	ntractor's Lic	ense No.`	. 500.5	This Wate	r Well Record	d was completed	on (mo/day/yr) .(57/091	45

Under the business name of

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.