

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>SW 1/4 SW 1/4 NW 1/4</u>	<u>19</u>	<u>T 26 S</u>	<u>R 1 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>12 south of 53rd N &amp; Meridian</u>					
2 WATER WELL OWNER: <u>Earnest Miles</u>					
RR#, St. Address, Box # <u>19 S. Southwest Blvd.</u>					
City, State, ZIP Code <u>Wichita, KS 67213</u>					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>34</u> ft. ELEVATION: <u>7-1-99</u> ft.			
		Depth(s) Groundwater Encountered <u>14</u> ft. 2. <u>7-1-99</u> ft. 3. <u>7-1-99</u> ft.			
		WELL'S STATIC WATER LEVEL <u>14</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was <u>14</u> ft. after <u>7-1-99</u> hours pumping <u>30</u> gpm			
		Est. Yield <u>30</u> gpm: Well water was <u>14</u> ft. after <u>7-1-99</u> hours pumping <u>30</u> gpm			
		Bore Hole Diameter <u>11</u> in. to <u>34</u> in. and <u>34</u> in. to <u>34</u> in.			
		WELL WATER TO BE USED AS:			
		1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well			
		2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>X</u> No <u>X</u>			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>X</u>					
7 Fiberglass Threaded <u>X</u>					
Blank casing diameter <u>8</u> in. to <u>24</u> in. Dia <u>2.40</u> in. to <u>2.40</u> in. Dia <u>100psi</u> ft.					
Casing height above land surface <u>12</u> in. weight <u>2.40</u> lbs./ft. Wall thickness or gauge No. <u>100psi</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>24</u> ft. to <u>34</u> ft. From <u>14</u> ft. to <u>34</u> ft.					
GRAVEL PACK INTERVALS: From <u>14</u> ft. to <u>34</u> ft. From <u>14</u> ft. to <u>34</u> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From <u>3</u> ft. to <u>14</u> ft. From <u>14</u> ft. to <u>34</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) <u>Open field</u>					
13 Insecticide storage					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	topsoil			
2	17	clay			
17	34	fine to med. sand			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-1-99</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>318</u> This Water Well Record was completed on (mo/day/year) <u>7-1-99</u> under the business name of <u>Weninger Drilling Inc.</u> by (signature) <u>Michael Gorgas</u>					