1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212	T	T	
Sedgwick	NW 1/4	NW 1/4 S	W 1/4	Section Number	Township Number T 26 s	Range Number	
Distance and direction frem nearest town or co		· · · · · · · · · · · · · · · · · · ·	W 1/4	13	T 26 s	R IE E/W	
Meridian and Ke	-	-	nita, I	(angag			
	HITA, CITY			turibub.			
	N. Main				Board of Agriculture, I	Divivsion of Water Resource	
CITY, STATE, ZIP CODE: WIC	hita, Kansa			67202	Application Numb	er: 990047	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	_ `	AR GREEN	45		EVATION:	_	
AV A INSECTION IDA.	Depth(s) groundw		1	ft.	2 ft.	3 ft.	
	WELL'S STATIC W Pump tes	. <b>.</b> .			URFACE MEASURED ON mo/day/yr	07/16/1999	
NWNE	Est. Yield		ater was ater was	ft. ft.	after hours pun after hours pun		
W W	D W D/ 4	<b>61</b>	to	ft.	and in.	to ft.	
∑ W K	WELL WATER		Public water			Injection well	
	1 Domestic		Oil field wat	er supply	9 Dewatering 12	Other (Specify below)	
	2 Irrigation	4 Industrial 7	Lawn and ga	ırden only	10 Monitoring well		
↓ L i s		eriological sample sub	mitted to De	-		no/day/yr sample was	
5 TYPE OF CASING USED:	submitted					X No	
1 Steel 3 RMP (SR)		5 Wrought iron 6 Asbestos-Cemen		Concrete tile Other (Specify b		Glued Clamped Welded	
2 PVC 4 ABS		7 Fiberglass	- ,	ouler (Specify t	,	Threaded	
Blank casing Diameter 8	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height and land surface	36 in.,	welght		lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless Steel	5 Fiberglass 8 RMP (SR) 11 other (specify) N/A				II/A		
2 Brass 4 Galvanized steel		6 Concrete tile 9 ABS		ABS	12 None used (open hole) 8 Saw cut 11 None (open hole)		
SCREEN OR PERFORATION OPENING ARE:  1 Continuous slot  3 Mill slot		5 Gauzed wrapped 6 Wire wrapped			8 Saw cut 11 None (open hole) 9 Drilled holes		
2 Louvered shutter 4 Key punched		7 Torch cut			10 Other (specify) N/A		
SCREEN-PERFORATION INTER		7 Total		ft., Fron		/ A. ft.	
	from	ft.		ft., Fron		ft.	
GRAVEL PACK INTERVALS: from		ft. to		ft., From		ft.	
	from	ft.		ft., Froi		ft.	
<u> </u>		Cement grout	3 Ben			e hole plug	
Grout Intervals: From 3 ft. to 8 What is the nearest source of possible contamination:		ft. From ft. to		o 10 Llvesto	ft. From 8	ft. to 12 ft. Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel st		Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon			izer storage 16	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard 13 Ins		13 Insect	ecticide storage None Apparent		
Direction from well?  How many feet?							
FROM TO	LITHOLOGIC LOG		FROM	то	PLUGGING INTE	RVALS	
			3	3	surface cement grout		
			8		bentonite hole	nlug	
			12		chlorinated sar		
				-			
			╂	+ +			
				<u> </u>			
				†			
			<u> </u>				
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATION: Th	is water well was (1	) constructe	ed, (2) reconst	ructed, or (3) plugged under	my jurisdiction and	
was completed on (mo/day/yea Well Contractor's License No	r)	This Water Well Da	and this rec	ord is true to t	he best of my knowledge and	d belief. Kansas Water 9/99	
Under the business name of	arp Well &	Pump Servi	ce, In	Silpieteu on (f	nature)		
				7 (3	· Todd V	B. Harp	