		Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number	
Sedgwick	NE 1/4	NE 1/4 S	W 1/4	22	т 26 s	$_{\rm R}$ 1E $_{\rm E/W}$	
Distance and direction frem nearest town or	city street address of well if loc	ated within city?					
1/2 S. of 53rd	N. on Hydra	aulic	Park	City, I	(angag		
	RK CITY, Cit		1 0111	CICY / .	· carro a b		
					Roard of Agriculture, D	livivsion of Water Resource	
RRW, ST. ADRESS, BOX#: O.L.	lo N. Hydrau	IIIC		67010			
	rk City, Kar			67219	Application Number	r: 990101	
LOCATE WELL'S LOCATION WITH		iggod Well	40		EVATION:		
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Encountered	1	ſt.	2 ft.	3 n.	
	WELL'S STATIC W	ATER LEVEL 15	FT.	BELOW LAND ST	URFACE MEASURED ON mo/day/yr	08/02/1999	
NWNE	Pump tes	t data: Well w	ater was	ſt.	after hours pum	ıplng gpm	
	Est. Yield	gpm: Well w	vater was	ft.	after hours pum	ıping gpm	
w X	Bore Hole Diameter		to	ft.	and in.	to ft.	
≥ w X	WELL WATER	Suger Ac. 5	Public water			njection well	
					_	Other (Specify below)	
swse	1 Domestic		6 Oil field was		ū	Julier (Specify below)	
	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well		
	Was a chemical/bacte	eriological sample sub	mitted to De	partment? Yes	No X; If yes, n	10/day/yr sample was	
S	submitted			W	ater Well Disinfected? Yes	X No	
5 TYPE OF CASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS: G	Glued Clamped	
1 Steel 3 RMP (SR)	6 Asbestos-Cemen		Other (Specify	below) V	Velded	
2 PVC 4 ABS		7 Fiberglass				Threaded	
l <u></u>	t- 4-	· ·					
Blank casing Diameter 5 Casing height and cland surface	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
		weight	-	lbs. / ft.	Wall thickness or gauge No. 10 Asbestos-cem	enf	
5 Fibergless 9 DAD (SD)							
1 Steel 3 Stainless Stee	_				M/A		
2 Brass 4 Galvanized st	teel	o Concrete the	9	ABS	12 None used (o)	· ,	
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped			8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched		7 Torch	cut		10 Other (specify) N	/A	
SCREEN-PERFORATION INTE	RVALS: from	ſŁ.	to	ft., Fro	• •	r.	
	from			•			
GRAVEL PACK INTERVALS: from		ſt.		ft., Fro		ft.	
GRAVEL FACK INTE		ft.	_	ft., Fro		ft.	
6 GROUT MATERIAL: 1 Nea	from at cement 2 (<u>ft.</u>		ft., Fro		n.	
	<u></u> -	Cement grout	э вег	tonite	4 Other bentonite	hole plug	
Grout Intervals: From 0 ft. to 6		ft. From ft. to			ft. From 6	ft. to 15 ft.	
What is the nearest source of possible contamination:				10 Livest		Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel s	torage 15 (15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon			lizer storage 16 (16 Other (specify below)	
3 Watertight sewer lines 6 See	9 Feedyard	9 Feedyard 13 Insecticide sto		ticida etorona	None Apparent		
Direction from well?	18- F	•			How many feet?	Apparenc	
FROM TO	LITHOLOGIC LOG		FROM	то	PLUGGING INTE	RVALS	
			0	6	cement grout	KVALDO	
			6	15	bentonite hole	plug	
			15	40	chlorinated san		
			172	140	CHIOIIHACEG SAN	d and graver	
							
			<u> </u>	_			
			·				
			ļ	1			
				<u>.l.</u>			
			1	 			
			1	1			
			-	 			
		· · · · · · · · · · · · · · · · · · ·		 			
			-	<u></u>			
	· · · · · · · · · · · · · · · · · · ·		<u> </u>	1			
7 CONTRACTOR'S OR LANDOW!	NER'S CERTIFICATION: Th	is water well was (1) construct	ed, (2) reconst	ructed, or (3) plugged under i	ny jurisdiction and	
was completed on (mo/day/ye	ar) 08/02/	1999	and this rec	ord is true to	the best of my knowledge and	belief. Kansas Water	
Well Contractor's License No.	236	This Water Well Re	cord was c	ompleted on fi	mo/day/yr)	4/99	
Under the business name of .	Marp Well &	Pump Servi	ce. Ir	l.C bv (sig	nature)		
				, , , , , , ,	Todd L	Harr	