907119				2		\mathcal{Q}	. 115 N
I LOCATION OF WATER WELL:		R WELL RECORD FO	orm WWC-5 KSA Section Numb	82a-1212 //// ber Township	1) - 405	5 4 M W Range Nur	0-40.51
County: Seagulicae	Fraction	SW & SE	Section Number	T Z	S S	R 1	EW
Distance and direction from nearest town	or city street ad	Idress of well if located					5
50 474 St.	N & E	\$1.5 blks	D Arka	nsas Ave	, 		
WATER WELL OWNER:	EPA	8	0				
RR#, St. Address, Box # :	901 N.	54 St.		Board of	Agriculture, Div	vision of Water	Resources
City, State, ZIP Code :	Kans	as City K	5.66101	Application	on Number:		
LOCATE WELL'S LOCATION WITH 4	DEPTH OF CO	OMPLETED WELL	40 ft. ELE	VATION:			
AN "X" IN SECTION BOX:	.1	vater Encountered 1	•				
		WATER LEVEL					
	Pump	test data: Well water	was f	t. after	hours pum	ping	gpm
NW NE E	Est. Yield	gpm: Well water	was f	t. after	hours pump	ping	gpm
	Bore Hole Diamet	ter1.Zin. to	40 1	ft., and	in. to	o	ft.
₹ W 1 E	WELL WATER TO	D BE USED AS: 5	Public water supply	8 Air conditioning	ng 11 Inj	jection well	1 9
7 1 1 1	1 Domestic	3 Feedlot 6	Oil field water supply	9 Dewatering	12 Ot	ther (Specify be	(wole
3\' 2\\ 3\'	2 Irrigation	4 Industrial 7	Lawn and garden onl	10 Monitoring we	elD		
	Nas a chemical/ba	acteriological sample sul	omitted to Department	? YesNo.	८ ; If yes, m	no/day/yr sampl	le was sub-
<u> </u>	mitted			Water Well Disinfec	ted? Yes	No ∑	d
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JO	OINTS: Glued .	Clampe	d <u>f</u>
1 Steel 3 RMP (SR)		6 Asbestos-Cement	9 Other (specify be	elow)	Welded	Ļ <u></u> ,	,
2 PVC 4 ABS		7 Fiberglass ② ¬	. برن :		Thread		~
Blank casing diameter Zii	n. to 7	ft., Dia		ft., Dia			ft.
Casing height above land surface	lu-shi	in., weight	2 3	bs./ft. Wall thickness	s or gauge No.	3.ch.40	?.
TYPE OF SCREEN OR PERFORATION	MATERIAL:	•	7 PVC		sbestos-cement		
1 Steel 3 Stainless	steel	5 Fiberglass	8 RMP (SR)	11 0	ther (specify)		
2 Brass 4 Galvanize	d steel	6 Concrete tile	9 ABS	12 No	one used (oper	ı hole)	
SCREEN OR PERFORATION OPENING		5 Gauzed	wrapped	8 Saw cut	1	11 None (open	hole)
1 Continuous slot 3 Mill	slot	6 Wire wr	apped	9 Drilled holes	3		
2 Louvered shutter 4 Key	y punched (()	7 Torch c	ut ,/	10 Other (spec	ify)		
SCREEN-PERFORATED INTERVALS:	From. 54	5 ft. to	 ft., i	From	ft. to.		ft.
		1.3 ft. to		From	ft. to.		ft.
GRAVEL PACK INTERVALS:	From	<i>31</i> ft. to	49 ft., i	From	ft. to.		ft.
	From 🔑	10 ft. to	/8 ft.,	From	ft. to		ft.
6 GROUT MATERIAL: 1 Neat ce		2 Cement grout	3 Bentonite	4 Other			
Grout Intervals: Fromf	• -	ft., From !. % .	ft. to3/	ft., From .			ft.
What is the nearest source of possible contamination:				ivestock pens	·		
1 Septic tank 4 Lateral lines				uel storage			
2 Sewer lines 5 Cess p		8 Sewage lagoo		ertilizer storage	16 Oth	er (specify belo	ow) [
3 Watertight sewer lines 6 Seepage pit		9 Feedyard	-		cide storage		
Direction from well?	LITUOLOGIO I			many feet?	PLUGGING INT	FEDVALC	
FROM TO	LITHOLOGIC L	.OG	FROM TO		-LUGGING IN	ENVALS	
							
							
		The second secon					
					,		
			-	+			
1111300 -	Trulin	Calata	1	the long of	7/	-199	
prove C	AMIL	Contacte	bon 1	Lacy 101 - C	orc v _I	Si	
1000000		- 11t-		My	:11-	1200	
elegara	ing a	n exten	5100 for	Filling	Thus	JOIN 1	
	1			<u> </u>			
				1			
7 CONTRACTOR'S OR LANDOWNER; completed on (mo/day/year)	S CERTIFICATIO	ON: This water well was	(2) constructed	reconstructed, or (3)	plugged under	r my jurisdiction	n and was
completed on (mo/day/year)	~~ /				pest of my know	pledge and belie	et. Kansas
Water Well Contractor's License No	, <i>5</i> 37	This Water Wel	Record was complet	/ / / /		(d. 1)	i
under the business name of Geofe		Services,		gnature) (sor M	1. 1200	
INSTRUCTIONS: Use typewriter or ball point point of Health and Environment, Bureau of Water, T	en. <u>PLEASE PRESS FII</u> ∫opeka, Kansas 66620	<u>RMLY</u> and <u>PRINT</u> clearly. Pleas -0001. Telephone: 913-296-554	e fill in blanks, underline or of 5. Send one to WATER WEL	circle the correct answers. LL OWNER and retain one	. Send top three co for your records.	pies to Kansas Dep	partment