<u> </u>				Water Well Record	Form WWC-5	KSA 82a-1212	T		
1 LOCA		ATER WELL:	FRACTION NW 1/4	W	_	Section Number	Township Number	Range Number	
Sedgwick Distance and direction from percent town or office					1/4	29	т 26 в	R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city? 4320 N. Seneca Wichita, Kansas									
	TER WELL		AND, Greg	W10	nita,	Kansas			
	ST. ADRESS		ND, Greg O N. Seneca	a			Board of Agriculture, D	vivsion of Water Resource	
	, STATE, ZII		hita, Kans				Application Number:		
LOCA	TE WELL'S I	LOCATION WITH		MPLETED WELL	50	ft. ELE	VATION:	······	
AN "X	" IN SECTIO	N BOX:	Depth(s) ground	water Encountered	1	ft.	2 ft.	3 ft.	
1 1			WELL'S STATIC V	VATER LEVEL 10	FT.	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	10/06/1999	
	NW	NE.	Pump te	st data: Well wa	nter was	ft. a	fter hours pum	ping gpm	
ی ا	X :		Est. Yield	91	ater was	ft. s	after hours pum	ping gpm	
M Mil		E	Bore Hole Diameter		• 50	ft.	and in.	to ft.	
			WELL WATER TO		Public water		•	njection well	
1	- sw		1 Domestic 2 Irrigation		Oil field wat		O Monitoring well	Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sam							o/day/yr sample was		
L'		S	submitted	ceriologicar sample sub	induced to De		er Well Disinfected? Yes		
5 TY	PE OF CA	SING USED:		5 Wrought iron	8	Concrete tile		lued X Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded								•	
2 PVC	C	4 ABS		7 Fiberglass	SI	DR-26	Т	hreaded	
	 asing Diam	_	in. to 30	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
								•	
						ABS	12 None used (op 8 Saw cut	11 None (open hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed w 1 Continuous slot 3 Mill slot 6 Wire wra						ppeu			
3 I amount shutter A Vision and									
CORPEN REPRODUCTION AND PRODUCTION OF THE PRODUC									
			from	o it. i		ft., From	ft. to ft. to	ft.	
					to 50	ft., From ft., From		ft.	
			from	ft.	to	ft., From		ft	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
								ft. to 26 ft.	
What is the nearest source of possible conta 1 Septic tank 4 Lateral lines						10 Livestoc		14 Abandon water well	
2 Sewe				7 Pit privy 8 Sewage lagoon		11 Fuel sto 12 Fertiliz	13(15 Oil well/Gas well	
		5 Cess	•	9 Feedyard	13 Insecticide storage			Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? Southwest How many feet? 80									
FROM			LITHOLOGIC LOG	<u> </u>	FROM	ТО	PLUGGING INTE	RVALS	
0	2	topsoil							
2	10	fine sar							
10	25	medium							
25	47	coarse s	sand						
47	50	shale				-			
	 								
					 	1			
					†				
					ļ				
<u> </u>									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
was c	ompleted	on (mo/day/yea	r)10/06/	/1999	and this rec	ord is true to th	e best of my knowledge and	belief. Kansas Water	
Well	Contracto	r's License No	AAQ	. This Water Well Re	cord was co	ompleted on (m	o/day/yr)10 / 0.	Q./	
Under the business name of Harp Well & Pump Service. Inc by (signature) Todd & Harp									