1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212	T =	T
$\Box$				Section Number	Township Number	Range Number
Sedgwick	NW 1/4	SE 1/4 N	E 1/4	18	т 26 s	R 1E EW
Distance and direction frem nearest fown or city street address of well if located within city?						
_ 5944 N. Sulliva	n ·	Wichi	ta Ka	nsas		
	RY, Kevin	WICHI	ca, na	11040		
	-				Board of Agriculture, D	ivivsion of Water Resource
J	4 N. Sulliv					
	hita, Kansa				Application Numbe	
LOCATE WELL'S LOCATION WITH		<b>123-9601</b> WELL	30	n. Ele	VATION: basement	floor
N N	Depth(s) groundw	ater Encountered	1	ſt.	2 ft.	3 ft.
	WELL'S STATIC W	ATER LEVEL 18	FT.	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	03/01/2000
	Pump test	data: Well w	ater was	ft. a	ifter hours pum	•
NW	Est. Yield		vater was		ifter hours pum	
E W	Bore Hole Diameter					
∑ W E	WELL WATER TO	in.	to Dublic	ft.	and in.	to ft.
			Public water		•	njection well
1	1 Domestic		6 Oil field wa		Dewatering 12 C	Other (Specify below)
	2 Irrigation	4 Industrial 7	Lawn and g	arden only 10	O Monitoring well	
	Was a chemical/bacte	riological sample sub	mitted to De	partment? Yes	No ; If yes, m	o/day/yr sample was
S	submitted			Wate	er Well Disinfected? Yes	X No
5 TYPE OF CASING USED:		5 Wrought iron		Concrete tile		lued Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Cemen		Other (Specify be	•	rueu Crampea Velded
			. ,	Other (Specify be	,	
2 PVC 4 ABS		7 Fiberglass			1	hreaded
Blank casing Diameter 1 1/4	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above failu surface	in.,	weight		lbs. / ft. V	Vall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/A						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						
SCREEN OR PERFORATION OPE	5 Cours	d manual		8 Saw cut 11 None (open hole)		
1		5 Gauzed wrapped		9 Drilled holes		xi None (open note)
J IVIII SIOt		6 Wire wrapped				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A						'A
SCREEN-PERFORATION INTERV	'ALS: from	ft. 1	to	ft., From	ft. to	ft.
	from	ft.	to	ft., From	ft. to	ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., From		
from		ft. to		ft., From	ft. to	ft.
6 GROUT MATERIAL: 1 Neat		ement grout		tonite	ft. to	ft
			3 Ben	поште	4 Other bentonite	hole plug
Grout Intervals: From 0 ft. to 5		ft. From ft. to			ft. From 5	ft. to 30 ft.
What is the nearest source of possible contamination:				10 Livestoc		bandon water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel stor	a 12 (	oil well/Gas well
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilize	- 100	ther (specify below)
3 Watertight sewer lines 6 Seeps	9 Feedyard 13 Insectic			de storage		
Direction from well? overhead How many feet? 5						
	LITHOLOGIC LOG		FROM	то	PLUGGING INTER	VALS
			0		ement grout	
			5		entonite hole	2110
			J	130 12	enconice noie	Diug
			<b></b>	1		
			1			
				<del>                                     </del>		
				<del>                                     </del>		
				1		
7 CONTRACTOR'S OR LANDOWNE	CERTIFICATION. This	e water well was (1)	constructe	nd (2) reconstru	cted or (3) plugged under m	v jurisdiction and
7   CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)						
Well Contractor's License No23.6						
Under the business name of Harp. Well. & Pump. ServiceInc by (signature)						
Todd S. Harp						