			Lunterro		Water Well Red	cord Form WWC					
1 LOCA		ATER WELL:	FRACTIO				Section Number	1	nber	Range Number	
	Sedgr		SW	1/4 SW		NW 1/4	28	т 26	S	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?											
4200 N. Old Lawrence Wichita, Kansas											
WA	TER WELL	11.2.									
RR#,	ST. ADRESS		N. Old		nce			Board	of Agriculture, Di	vivsion of Water Resource	
CITY	CITY, STATE, ZIP CODE: Wichita, Kansa								Application Number:		
		LOCATION WITH	4 DEPTH O	F COMPLE	TED WELI	L 32	ft. I	ELEVATION:			
AN "X	" IN SECTIO	N BOX:	Depth(s) gre	oundwater E	ncountered	1	ft.	2	ft.	3 ft.	
			WELL'S STAT	TIC WATER	LEVEL	13 F	T. BELOW LAND	SURFACE MEASURED	ON mo/day/yr	05/08/2000	
Pump test data: Well water was ft. after								hours pum	ping gpm		
ا ا			Est. Yield	gpn	ı: We	ll water was	ft.	after	hours pum	ping gpm	
1Mile	, X	E	Bore Hole Dian	neter 1	6 in.	to 32	ft.	and	in.	to ft.	
WELL WATER TO BE USED AS: 5 Public w							er supply	8 Air conditioning	գ 11 հ	njection well	
1 ,	sw		1 Domestic		edlot	6 Oil field w	ater supply	9 Dewatering	12 C	ther (Specify below)	
1			2 Irrigation	n 4 In	dustrial	7 Lawn and	garden only	10 Monitoring wel	l		
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample									o/day/yr sample was		
S submitted Water Well Disinfected? Yes X No											
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped											
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded											
2 PV	C	4 ABS		7 Fi	berglass	9	SDR-26		T	hreaded	
Blank c	 asing Dian	eter 8	in. to 22	ft.	, Dia	ir	ı. to	ft., Dia	in.	to ft.	
Casing height above land surface 12 in., weight 5.52 lbs./ft. Wall thickness or gauge No332											
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement											
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)											
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)										en hole)	
O Gallete Wildipper										11 None (open hole)	
1 Conti	nous slot	3 Mill sl	lot		6 W i	ire wrapped		9 Drilled hole	8		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATION INTERVALS: from 22 ft. to 32 ft., From ft. to ft.											
from						ft. to		ft., From ft.		ft.	
GRAVEL PACK INTERVALS: from 22					ft. to 32		ft., F		ft. to	ft.	
<u></u>			fron	n	, .	ft. to	ft., F	rom	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug											
• • • • • • • • • • • • • • • • • • • •								ft. to 22 ft.			
What is the nearest source of possible contamination:								10 Livestock pens		14 Abandon water well	
1 Septic tank 4 Lateral lines					7 Pit privy	<u>-</u> '		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool					8 Sewage la	_		12 Fertilizer storage		Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage											
	n from we		· · · · · · · · · · · · · · · · · · ·					How many fe			
FROM	_		LITHOLOGIC	LOG		FROM	ТО	PLUG	GING INTE	RVALS	
0	3	topsoil						 			
3	14	clay		····				<u> </u>			
14 22	22 32	fine sar						 			
44	134	medium s	sand				-	 			
 								1			
1	<u> </u>										
	 										
	ļ										
	 							 			
 	 										
\vdash					<u> </u>						
 	1										
	l	1				*****		L			
7 CO	NTRACTO	OR'S OR LANDOWNE	R'S CERTIFICATION	א: This wat	er well wa	s (1) <u>constru</u>	cted, (2) recor	structed, or (3) plug	gged under n	ny jurisdiction and	
was	ompleted	on (mo/day/year	·)Q.5./	~%∖ .′00		and this re	ecord is true t	o the best of my kn	owledge and	belief. Kansas Water	
								(mo/day/yr)	'X'3'\'.\T;		
Unde	Under the business name of Harp Well & Pump Service. Inc. by (signature) Todd S. Harp										
1									- June	, p	