Transaction of		ED ACTION	Water Well Record	Form WWC-5	KSA 82a-1212		1	
	F WATER WELL:	FRACTION		_	Section Number	Township Number	Range Number	
	lgwick	SE 1/4	SW 1/4 N	€ 1/4	32	T 26 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?								
33rd N. & 1/8th m. E. of Arkansas, N. side Wichita, Kansas								
WATER WELL OWNER: WICHITA, CITY OF								
RR#, ST. ADR		N. Main				Board of Agriculture, D	livivsion of Water Resource	
CITY, STATE	E, ZIP CODE: Wic]	hita, Kansa				Application Number: 2000105		
LOCATE WEL	L'S LOCATION WITH	4 DEPTH OF COM	APLETED WELL	40		EVATION:		
AN "A" IN SEC	N N	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
1 1 1		WELL'S STATIC W	ATER LEVEL 13	FT.	BELOW LAND SUI	RFACE MEASURED ON mo/day/yr	05/30/2000	
	WNE	Pump tes	t data: Well wa	iter was	ft.	after hours pun	ıping gpm	
		Est. Yield	gpm: Well wa	ater was	ft.	after hours pur	ıping gpm	
M M	X E	Bore Hole Diameter	12 in. t	o 40	ft.	and in.	to ft.	
=		WELL WATER TO	BE USED AS: 5	Public water	supply	8 Air conditioning 11 l	njection well	
	swsæ	1 Domestic	3 Feedlot 6	Oil field wat			Other (Specify below)	
		2 Irrigation	4 Industrial 7	Lawn and ga	arden only 1	0 Monitoring well		
] + 🗀		Was a chemical/bacte	riological sample sub	mitted to De	partment? Yes	No X; If yes, n	no/day/yr sample was	
<u> </u>	S	submitted			Wat	er Well Disinfected? Yes	X No	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped								
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 (Other (Specify be	elow) V	Velded	
2 PVC 4 ABS 7 Fiberglass SDR - 26 Threaded								
Blank casing D	Diameter 8	in. to 20	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height	above land surface 1	in. ,	weight 5.	52	lbs. / ft.	Wall thickness or gauge No.	.332	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							pen hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed v						8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot 6 Wire wr					<u></u>			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 20 ft. to 40 ft., From ft. to ft.								
		from		- •	•		ft.	
GRAVEL PACK INTERVALS: from 20			ft. to ft. to 40		ft., From ft., From			
		ft. to ft., Froi			ft. ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
Crout Intervals: From 8 4								
What is the nearest source of possible contamination:					.0 10 Livesto			
1 Septic tank 4 Lateral lines			7 Pit privy 11 Fue		11 Fuel sto			
2 Sewer lines 5 Cess pool			8 Sewage lagoo	• •		rtilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					13 Insecticide storage None Apparent			
Direction from well? How many feet?								
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							RVALS	
0 3	topsoil							
3 15	clay							
15 22	fine sar	nd						
22 40	medium s	and						
				"				
			·····					
7 CONTRA	OTODIC		ia matar mali mana 440	\	· · · · · · · · · · · · · · · · · · ·	untad or /9\ mlummadd	my juriodistion and	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
was comple	nea on (mo/day/year ector's Licones No	,	M.Y	and this rec	oru is true to tr ompleted on /~	ne best of my knowledge and no/day/yr)0.6./.0	1/00	
Linder the h	usiness name of Ha	arp Well &	Pump Servi	ce, In	LC by (sign	aturo)		
	Under the business name of Harp Well & Pump Service. Inc by (signature) Todd S. Harp							