Under the business name of Harp Well & Pump Service. Inc by (signature) Todd S. Harp							
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
7 CONTRAC	TOR'S OR LANDOWNER'S	CERTIFICATION. Thi	s water well was /	1) constructs	d (2) reconstru	cted or (3) plugged under m	w jurisdiction and
	-			-	 		
	-						
	 			-	 		
				15	45 c	hlorinated san	and gravel
				9		entonite hole	
			3 9		cement grout		
		THOLOGIC LOG		0		urface clay an	
Direction from v FROM TO			FROM	то	How many feet? PLUGGING INTER	2VALS	
The state of the s						Apparent	
2 Sewer lines 5 Cess pool			40.7			rtilizer storage 16 Other (specify below)	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel sto		Dil well/Gas well
Grout Intervals: From 3 ft. to 9 What is the nearest source of possible contamination:			ft. From ft. to		to 10 Livestoc	ft. From 9 k pens 14 A	ft. to 15 ft. bandon water well
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plus Grout Intervals: From 3 ft. to 9 ft. From ft. to ft. From 9 ft. to 15							
				. to	ft., From ft. to		<u>n.</u>
GRAVEL PACK INTERVALS: from			n. to R. to		ft., From ft., From	it. to	ft.
SCREEN-PERFORATION INTERVALS: from from				ft. to ft., Fro ft. to ft. Fro		ft. to ft. to	ft.
2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATION INTERVALS: from ft to					~	10 Other (specify) N	
1 Continuous slot 3 Mill slot 6 Wire wra						9 Drilled holes	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							M/A
1 Steel	3 Stainless Steel	5 Fiberglass	5 Fiberglass 8 PMP (SD) 11 Alar (STATE)				
Casing height and surface 36 in., w TYPE OF SCREEN OR PERFORATION MATERIAL:				7	lbs. / ft. V	Vall thickness or gauge No. 10 Asbestos-ceme	ent
Blank casing Di		n. to	ft., Dia	in.	to	ft., Dia in.	to ft.
2 PVC 4 ABS 7 Fiberglass Threaded							
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 9 Other (Specify below) Welded							
5 TYPE OF	CASING USED:	submitted	5 W			er Well Disinfected? Yes CASING JOINTS: G	No Clared
						no/day/yr sample was	
3)	Sign	2 Irrigation	4 Industrial	7 Lawn and g		Monitoring well	· - ·
		1 Domestic	3 Feedlot	6 Oil field wa		•	njection wen Other (Specify below)
M Mile	E B	ore Hole Diameter VELL WATER	in.	to 5 Public water	ft. rsunnly s	and in. 3 Air conditioning 11 I	to ft. njection well
4		st. Yield	61	water was		ifter hours pum	
N	WNE	Pump test	t data: Well	water was	ft. a	fter hours pum	ping gpm
1	l v	WELL'S STATIC W				FACE MEASURED ON mo/day/yr	06/21/2000
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.							
CITY, STATE,		S	67202 Application Number: 20000105			-: 20000105	
RR#, ST. ADRI	ESS, BOX#: 455 N	N. Main			Board of Agriculture, Divivsion of Water Resource		
33rd N. & 4/8 E. of Arkansas, N. side Wichita, Kansas WATER WELLOWNER: WICHITA. CITY OF							
Distance and direction from nearest town or city street address of well if located within city?							
Sedgwick SE 1/4			NE 1/4	32	т 26 s	R 1E EW	
1 LOCATION OF WATER WELL:		FRACTION	Water Well Recor	d Form WWC-5	Section Number	Township Number	Range Number