LOCATION OF WATER WELL: FRACTION Section Number Township Number Range Number Section Number Township Number Section Nu	ft.
Distance and direction frem nearest town or city street address of well if located within city? 1745 W. 36th N. Wichita, Kansas Water Well owner: TOMEY, Gary RR#, ST. ADRESS, BOX#: 1745 W. 36th N. CITY, STATE, ZIP CODE: Wichita, Kansas LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: NW. NW. NE. Depth(s) groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON modday/yr 03/02/20 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water supply 9 Dewatering 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	ft. 001 gpm gpm ft.
TOMEY, Gary REW, ST. ADRESS, BOX#: 1745 W. 36th N. CITY, STATE, ZIP CODE: Wichita, Kansas LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON mo/dzy/yr 03/02/20 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 12 in. to 40 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	ft. 001 gpm gpm ft.
WATER WELL OWNER: TOMEY, Gary RR#, ST. ADRESS, BOX #: 1745 W. 36th N. CITY, STATE, ZIP CODE: Wichita, Kansas LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 03/02/20 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	ft. 001 gpm gpm ft.
RRH, ST. ADRESS, BOX #: 1745 W. 36th N. CITY, STATE, ZIP CODE: Wichita, Kansas LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: NW. X NE. NW. X NE. Depth(s) groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 03/02/20 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 12 in. to 40 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	ft. 001 gpm gpm ft.
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) groundwater Encountered NW WELL'S STATIC WATER LEVEL 10 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 12 in. to 40 WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering Application Number: Applicatio	ft. 001 gpm gpm ft.
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 03/02/20 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 12 in. to 40 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	gpm gpm gpm ft.
Depth(s) groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 03/02/20 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 12 in. to 40 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	gpm gpm gpm ft.
Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 12 in. to 40 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	gpm gpm ft.
Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 12 in. to 40 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	gpm gpm ft.
Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 12 in. to 40 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	ft.
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	w)
	w)
2 Angadon 2 Anga	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample we submitted Water Well Disinfected? Yes X No	13
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded	•
2 PVC 4 ABS 7 Fiberglass SDR-26 Threaded	
Blank casing Diameter 5 in. to 30 ft., Dia in. to ft., Dia in. to ft.	
Casing height above land surface 12 in., weight 2.35 lbs. / ft. Wall thickness or gauge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)	
(2)	
2 States 12 House date (open note)	holo)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open la Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	ioie)
The state of the s	
CORPUN PERFORMATION AND AND AND AND AND AND AND AND AND AN	ft.
ft. to 40 ft., From ft. to ft. to ft. to	ft.
GRAVEL PACK INTERVALS: from 24 ft. to 40 ft., From ft. to	ft.
from ft. to ft., From ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plu	ıg
Grout Intervals: From ft. to ft. From ft. to ft. From 4 ft. to 24	ft.
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandon water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil real/Control	
13 Ci well-Gas well	>
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	N)
Direction from well? Northwest How many feet? 80	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 4 sandy soil	
4 15 fine sand	
15 18 clay	
18 40 medium coarse sand	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)	Vater