		TER WELL RECORD	Form WWC-5	KSA 82a-1			
OCATION OF WA				on Number	Township Number	Range Number	
nty: 5 20 91	LICK SE	4 SE 4 SE	1/4	28	T 26 3	R BW	
ance and directio	n from nearest town or city stree	at address of well if located	within city?	, W	chilu , Ks		
600	North of 37th and	5 W. of Br	idge for	1 et.	1mw-15		
ATER WELL O	WNER: City of Wic	hita					
, St. Address, B	ox # : 1900 E. 4th ST	(EE)			Board of Agriculture	, Division of Water Resources	
State, ZIP Code	: Wichita, Ks	67214			Application Number		
DCATE WELL'S N "X" IN SECTION	LOCATION WITH 4 DEPTH OF						
4 X 114 SECTIO	N Depth(s) Grou					3	
						/r	
w	P- NE	ump test data: Well water	was	ft. afte	er hours p	oumping gpm	
1	Est. Yield					oumping gpm	
w ! !	Bore Hole Dia	ameter. 2.18in. to .	28	ft., ar	id	in. to	
" !	! WELL WATE		Public water		Air conditioning 1		
sw	1 Domes	tic 3 Feedlot 6	Oil field water	er supply	Dewatering 12	2 Other (Specify below)	
1	2 Irrigation	on 4 Industrial 7	' Lawn and ga	rden only (10	Monitoring well		
i	Y Was a chemic	cal/bacteriological sample su	ubmitted to Dep	partment? Yes	; If ye	s, mo/day/yr sample was sub-	
	\$ mitted			Wate	r Well Disinfected? Yes	No X	
/PE OF BLANK	CASING USED:	5 Wrought iron	8 Concret	e tile	CASING JOINTS: Glu	ed Clamped	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (s	specify below)	We	lded	
(3) PVC	A ABS	7 Fiberglass			Thr	eaded 🗙	
casing diamete	er 3/4 in to 14	۶.4.5 ft., Dia	in. to .		ft., Dia	. in. to	
ng height above	land surfaceFlush	in., weight		lbs./ft.	Wall thickness or gauge	No. SC/+ &O	
OF SCREEN	OR PERFORATION MATERIAL:		@PVC	:	10 Asbestos-cer	nent	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMF	(SR)	11 Other (specif	y)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		12 None used (d	open hole)	
EEN OR PERFO	DRATION OPENINGS ARE:	5 Gauze	dwrapped		8 Saw cut	11 None (open hole)	
1 Continuous si	lot 3 Mill slot	6 Wire w	rapped		9 Drilled holes		
2 Louvered shu		7 Torch	cut	1	0 Other (specify)		
EEN-PERFORAT	TED INTERVALS: From	.15.13 ft. to	27,5	ft., From		toft.	
	From			ft., From		toft.	
GRAVEL PA	ACK INTERVALS: From					toft.	
	Frem	ft. to				to ft.	
ROUT MATERIA		2 Cement grout	Benton	ite 4 O	ther		
	om		ft. to) <i></i>	ft., From	ft. toft.	
	source of possible contamination			10 Livesto	ck pens 14	Abandoned water well	
1 Septic tank 4 Lateral lines		7 Pit privy	7 Pit privy			15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagor	on	12 Fertilize	er storage 16	16 Other (specify below)	
3 Watertight se	wer lines 6 Seepage pit	9 Feedyard		13 Insection	ide storage		
tion from well?	· · · · · · · · · · · · · · · · · · ·			How many			
OM TO	LITHOLOG	IC LOG	FROM	то	PLUGGING	INTERVALS	
5 5	Cloyey Sand						
22	Clay		ļ				
.2 28	SAND						
			ļ		· · · · · · · · · · · · · · · · · · ·		
			ļ				
	<u> </u>						
				4			
ONTRACTOR'S	OR LANDOWNER'S CERTIFICA	ATION: This water well was	(Dennetrue	ed (2) recon	tructed or (2) always	oder my jurindiction and	
leted on (mo/day	y/year) -22-0						
r Well Contracto	/ ~ / /	This Water We				nowledge and belief. Kansas	
	ame of Environmental		ice, The				
f Health and Environ	typewriter or ball point pen. PLEASE PRE iment, Bureau of Water. Topeka, Kansas (6620-0001. Telephone: 913-296-55	se iiii in dianks, ur 45. Send one to W	IGENINE OF CITCLE TO ATER WELL OWN	le correct apswers. Send top thre IER and retain one for your recoi	e copies to Kansas Department	