				Water Well Record	Form WWC-5	KSA 82a-1212	_	1	
ப்		ATERWELL:	FRACTION	NW C	, l	Section Number	Township Number	Range Number	
Sedgwick SW 1/4				NW 1/4 ST	1/4	19	т 26 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city? 2439 Timbercreek Ct. Wichita, Kansas									
WATER WELL OWNER: BACHMAN, Bill									
RR#, :	RR#, ST. ADRESS, BOX #: 4647 N. Meridian Board of Agriculture, Divivsion of Water Resource								
CITY	, STATE, ZIF	CODE: Wic	hita, Kans	as	Application Number:				
	E WELL'S I	OCATION WITH		MPLETED WELL	40		EVATION:		
	IN SECTIO	N N		water Encountered	1	ft.	2 ft.	3 ft.	
1 1	i		WELL'S STATIC V	VATER LEVEL 10	FT. I iter was		RFACE MEASURED ON mo/day/yr	04/26/2001	
'	NW	NE	Est. Yield		iter was ater was		after hours pum after hours pum	- 0	
M Mile			Bore Hole Diameter	91	o 40	ft.	and in.	to ft.	
ĮΣw			WELL WATER TO	BE USED AS: 5	Public water	supply	8 Air conditioning 11 I	njection well	
1	Xsw	SE	1 Domestic		Oil field wate		•	Other (Specify below)	
			2 Irrigation		Lawn and gar		10 Monitoring well		
+	Li	S		teriological sample sub	mitted to Dep			10/day/yr sample was	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Stee		3 RMP (SR)		6 Asbestos-Cement		oncrete the Other (Specify b		Velded	
2 PVC	2	4 ABS		7 Fiberglass		R-26	- /	Threaded	
Blank ca	 sing Diam	neter 5	in. to 22	ft., Dia	in.	to	ft., Dia in.	to ft.	
	_	ve land surface 1		, weight 2.	-		Wall thickness or gauge No.	.214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
1 Steel 3 Stainless Steel 5 Fiberglass 2 Brass 4 Galvanized steel 6 Concrete tile						8 RMP (SR) 11 other (specify) 9 ABS 12 None used (open hole)			
2 Diaso Carameter Section					d wrapped	9 Samuel 44 None (annual la)			
1 Continuus slot 3 Mill slot 6 Wire w									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREE	N-PERFO	RATION INTERV	VALS: from 2	2 ft. 1	o 4 0	ft., From	ft. to	ft.	
from				ft.	to	ft., From	ft. to	ft.	
	GRAV	EL PACK INTER			to 40	ft., Fron		ft.	
from ft. to ft., From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From ft. to ft. From ft. to ft. From 2 ft. to 22 ft.									
What is the nearest source of possible contamination:					16 0	10 Livestock pens 14 Abandon water well			
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel st	10,	Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoo	n	12 Fertilizer storage 13 Insecticide storage		Other (specify below)	
- Water ught server mes o seepage pit - Weetayard									
FROM	TO TO		LITHOLOGIC LOG		How mar			RVALS	
0	2	topsoil			110.11	·	THE CONTROL	TO THE PARTY OF TH	
2	6	clay							
6	20	medium s							
20	40	coarse s	sand	.					
					.				
	<u> </u>					ļ			
	 					 -		naid vide to the PP - TV .	
						 			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
	ompleted	on (mo/dav/vear	r)04/26/	01	and this reco	ord is true to the	ne best of my knowledge and	belief. Kansas Water	
Well C	ontracto	r's License No	<u> 236 </u>	. This Water Well Re	cord was co	mpleted on (m	no/day/yr)	7/01	
Under the business name of HarpWell&PumpServiceInc by (signature) Todd S. Harp									
							2000		