007279	WATER	WELL RECORD F	orm WWC-5	KSA 82a-1	212	<u> 308'</u>	152	
LOCATION OF WATER WELL	Fraction ,	11.1 1/1	Section	Number	Township Nur	mber	Range N	lumber
County: SUGUNCE		NW 14 NV	1/4 7	4	T 26	s	R	[(EM)
Distance and direction from neare			. ,,	1.4.	_			
	360 N	Broadwa	1.6	Chill	<u> </u>			
WATER WELL OWNER:	Kosani				Poord of Ag	ricultura Di	vicion of Wat	er Resources
RR#, St. Address, Box # : City, State, ZIP Code :	2680 Wichu	N. broadu	12771	4	Application		VISIOIT OF Wat	ei riesources
LOCATE WELL'S LOCATION N		MPLETED WELL	18/21	/ # 515\/ATI				
AN "X" IN SECTION BOX:		ater Encountered 1.,	12	11. ELEVAII		ft 3	. 	ft.
. IV 1 7 1	WELL'S STATICA	WATER LEVEL / 4	75 ft held	w land surfa	re measured on r	no/day/yr	2-19	-01
†		test data: Well water						
NW NE	-	gpm: Well water				•		
		er. 8.5in. to						
₩ W	WELL WATER TO	•	Public water s		Air conditioning		jection well	
7 1 1	1 Domestic		Oil field water		Dewatering		ther (Specify	
2M 2F	2 Irrigation	4 Industrial 7	Lawn and gard	den only 🌘	Monitoring well	> <i>[M</i>	W-1.3	
1 Li 1 i .	Was a chemical/ba	acteriological sample su	bmitted to Depa	rtment? Yes	No	🤇; If yes, n	no/day/yr san	nple was sub-
<u> </u>	mitted	,		Water	Well Disinfected	? Yes	No_	K
5 TYPE OF BLANK CASING US	SED:	5 Wrought iron	8 Concrete	tile	CASING JOIN	ITS: Glued	Clam	ped
	MP (SR)	6 Asbestos-Cement	9 Other (sp	ecify below)		Welded		
Z PVC 4 AB	C Y	7 Fiberglass					ed Flu	Br
Blank casing diameter		ft., Dia						(ZZ)·· ft.
Casing height above land surface	•	n., weight 🚜7.0		lbs./ft.				
TYPE OF SCREEN OR PERFOR		′.	7 PVC	<u>ک</u>		stos-cemen		
		5 Fiberglass	8 RMP ((SR)				
		6 Concrete tile	9 ABS			used (oper		an bala)
SCREEN OR PERFORATION OF 1 Continuous slot	3 Mill slot		d wrapped		8 Saw cut		11 None (ope	en noie)
2 Louvered shutter	4 Key punched	6 Wire wi	• •		9 Drilled holes 0 Other (specify)			
SCREEN-PERFORATED INTERV	• •	~~	<i>1.8</i>					1
CONTENT OF BUILD HOVE IN	From	. / ft. to						
GRAVEL PACK INTERV		6 ft. to	18					1
	From	ft. to		ft., From	0	ft. to		ft.
6 GROUT MATERIAL: 1	···	Cement grout	3 Bentonite		ther >	rcie		, . ,
Grout Intervals: From	?ft. to	ft., From			ft., From		ft. to	
What is the nearest source of pos	ssible contamination:			10 Livestoo			andoned wate	er well
1 Septic tank 4	Lateral lines	7 Pit privy		11 Fuel sto	orage	15 Oil	well/Gas well	ı
2 Sewer lines 5	Cess pool	8 Sewage lagoo	on	12 Fertilize	r storage	16 Oth	er (specify b	elow)
3 Watertight sewer lines 6	Seepage pit	9 Feedyard		13 Insectio	ide storage .			
Direction from well?				How many				
FROM TO	LITHOLOGIC L	OG	FROM	то	PLU	IGGING IN	rervals	
0 00 113	phalt	····						
MS 8 1/0			 					
0.3 0 014	7							
8 14 54	01 5/20/7	the Clause						
b I Jan	by sugar	19 Craying	-					
14 18 San	10,600 H	act amore	0					
11 10 001	w 15cacce	res grave	<u>^</u>				,	
								
	-		 				······································	
		104 May 28 486 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1					
			1 1					
			† -					
			 					
7 CONTRACTOR'S OR LANDS		Al. This water well well	(1) comparison	7/2\	tructed or (3) al-	igged linds	r my juriediati	ion and was
7 CONTRACTOR'S OR LANDO'	WINER SUBHITIFICATION	n: Inis water well was						
completed on (mo/day/year)	531	This Water We			is true to the best	~// <i>4</i> /	()	//
Water Well Contractor's License	Trates has	// /	O S. TIC.		/ / / / / / / / / / / / / / / / / / /	J. 14. 1. E.	in	him
under the business name of INSTRUCTIONS: Use typewriter or bal	acujeciji i					nd top three co	nies to Kansas F	enartment
INSTRUCTIONS: Use typewriter or bal	ii point pen. PLEASE PHESS FIF	<u>MLY</u> and <u>PHINI</u> clearly. Pleas 0001. Telephone: 913-296-554	e iii in Dianks, unde	TIME OF CITCIE TO	e conect answers. Ser	io top tillee co	ביים נט ו/מווסמט ב	oparmon