		L ED LOTION	Water Well Record	Form WWC-5	KSA 82a-1212			
1 '	OF WATER WELL:	FRACTION	GT.7 G		Section Number	Township Number	Ra	unge Number
	dgwick	NW 1/4	SW 1/4 S	W 1/4	30	T 26 s	R	1E _{E/W}
	rection frem nearest town or cit	•						
	N. St. Cla		Wich	<u>ita, K</u>	ansas			
\Box	24211	KS, Lonnie				Roard of Agric	ulture Divivion of W	istar Pasauras
1		3 N. St. Cl hita, Kansa				Board of Agriculture, Divivsion of Water Resource Application Number:		
	ELL'S LOCATION WITH		MPLETED WELL	40	ft. ELE	VATION:	n Number:	
	ECTION BOX:	Depth(s) groundw		1	ft.	2 ft.	3	
t		WELL'S STATIC W		_		RFACE MEASURED ON mo/d		n. 31/2001
		Pump tes		ater was		_	s pumping	•
	NWNE	Est. Yield		ater was			s pumping	gpm
l ii w −		Bore Hole Diameter		to 40	ft.	and noun	in. to	gpm ft.
\(\frac{1}{2} \text{ w} \)	1	WELL WATER TO		Public water		8 Air conditioning	11 Injection w	
	SE.	1 Domestic		Oil field wat		9 Dewatering	12 Other (Spe	
	SW	2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Monitoring well		. ,
		Was a chemical/bacte	riological sample sub	mitted to De	partment? Yes	No X ; If	yes, mo/day/yr s	sample was
	S	submitted			Wat	er Well Disinfected?	Yes X	No
	F CASING USED:		5 Wrought iron		Concrete tile	CASING JOINTS:	Glued X	Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cemen	t 9	Other (Specify be	elow)	Welded	-
2 PVC	4 ABS		7 Fiberglass	SI	DR-26		Threaded	
ı	Diameter 5	in. to 30	ft., Dia	in.	to	ft., Dia	in. to	ft.
	_	L2 in.,	weight 2			Wall thickness or gauge 1		.214
1 Steel	CREEN OR PERFORA 3 Stainless Steel	HON MATERIAL:	5 Fiberglass		PVC RMP (SR)	10 Asbesto		
2 Brass 4 Galvanized steel 6 Concrete tile				a a no				
					ADS	12 None used (open hole) 8 Saw cut 11 None (open hole)		
				d wrapped vrapped		9 Drilled holes	(open note)	
2 Louvered s	5 Will Si							
CONTENT DEPOCATION INTERPLATO								
SCREEN-I E	AI ORATION INTERV	50		to 4 0	ft., From		ft. to	ft.
from GRAVEL PACK INTERVALS: from 2			ft. to ft. to 40		ft., From		ft. to	ft.
	RAVEL FACE INTER	from	ft.		ft., From ft., From		ft. to ft. to	ft.
6 GROUT	MATERIAL: 1 Neat		ement grout		tonite			e plua
Grout Intervals: From ft to a first of the f								24 ft.
What is the nearest source of possible contamination:						tock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoo	n	12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard						ide storage		
Direction from well? West How many feet? 75								
FROM TO		LITHOLOGIC LOG		FROM	ТО	PLUGGING	INTERVALS	
0 2	topsoil					The second secon	750000	
2 15 15 40		coarse sand			1			
12 140	mearum c	Carse sand			 			
					ļ			
7 CONTRA	ACTOR'S OR LANDOWNE	R'S CERTIFICATION: Thi	is water well was (1	constructe	ed, (2) reconstru	icted, or (3) plugged u	nder my jurisdi	ction and
was compl	eted on (mo/day/year) 05/31/	0.1	and this rec	ord is true to th	e best of my knowledg	e and belief. K	(ansas Water
Well Contr	actor's License No	AND Wall C	This Water Well Re	cord was co	empleted on (me	o/day/yr)	0/.01/.01	••••
under the	business name of.Жа	₩₩₩₩₩₩₩₩	«: :::::::::::::::::::::::::::::::::::	₩₩.Y₩₩	m Dy (signa	Tod	d S. Ha	m
						2 Uu	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ 	· P