Linco	TION OF W	ATER WELL:	EDA	CTION CL		r Well Reco					<del></del>		
				. 30	U SE A			Section Number	Tow	nship Number	1	ge Number	
-	Sedgw		180		43/4		1/4	10 80	T_	26 s	L R	1E <sub>E/W</sub>	
i		frem nearest town or ci	ity street addre			•							
$\overline{}$		60th N.			chita,	Kans	as						
$\Box$	TER WELL	77,7117	, Barba							Decided and advisors 1	Notestan estate	D	
	ST. ADRESS		W. 60t			Board of Agriculture, Divivsion of Water Resource							
	Y, STATE, ZI		ita, Ka				4.5	***		Application Numb	er:		
	TE WELL'S	LOCATION WITH			MPLETED				ELEVATION				
		N	· ·		ater Enco		1	ft.	2	ft.	3	ft.	
	×		WELL'S S		VATER LE			r. BELOW LAND	SURFACE MEA	ASURED ON mo/day/yr	6-26-	2001	
'	<b>NW</b> -	NE	<u> </u>	Pump tes			water was	ft.	after	hours pur		gpm	
ي	1		Est. Yield		gpm:		water was	ft.	after	hours pur	nping	gpm	
Mile M	/ <del>                                    </del>	E	Bore Hole		12	in.	to 45	ft.	and	in.	to	ft.	
			WELL WA				5 Public wat		8 Air cond	O	Injection we		
11	-sw-		1 Dom		3 Feedlo 4 Indust		6 Oil field w		9 Dewater	· ·	Other (Speci	ity below)	
1 1	-		2 Irrig	•				garden only	10 Monitor	Ü			
*		S	1		eriological	l sample	submitted to	Department?		No X; If yes, r		-	
5 TY	DE OF C		submitte	<b>il</b>					Water Well D			No	
1 Stee		ASING USED:				ight iron		8 Concrete tile			Glued X C	lamped	
ı		3 RMP (SR)				tos-Cem		Other (Specif	y below)		Welded		
2 PV		4 ABS		20	7 Fibers	giass	S	DR-26			Threaded		
1	asing Diar			30	ft. ,	Dia	in		- /	Dia in.	to	ft.	
		ve land surface 1 EN OR PERFORA		in., FEDIAL:		weight 2		lbs. / ft.	Wall thic	kness or gauge No. 10 Asbestos-cem		214	
1 Ste		3 Stainless Steel	IION WA	EKIAL:	5 Fibergl	lass		7 <u>.PVC</u> 8 RMP (SR)		11 other (specify			
2 Bra		4 Galvanized ste	امر		6 Concre			9 ABS			• -		
			-	ъ.					8 Saw	12 None used (o	•	(onen hele)	
SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 3 Mill slot						5 Gauzed wrapped 6 Wire wrapped			8 Saw cut 11 None (open hole) 9 Drilled holes				
	ered shutte						• •						
		, F				7 Tore			10 00	ier (specify)			
SCREE	N-PERFU	RATION INTERV	_	from 30		f	t. to 45	ft., Fr	om	ft. to		ft.	
l				from			t. to	ft., Fr		ft. to		ft.	
GRAVEL PACK INTERVALS: from 24					ft. to 45			ft., From		ft. to		ft.	
( CP(	NIT MAT	EDIAL 1 Neet		from			t. to	ft., F		ft. to	<u> </u>	ft	
6 GROUT MATERIAL: 1 Neat cement 2 Cell Grout Intervals: From ft. to						ement grout 3 Benton						_	
1				ation.	ft. F	rom	ft.	to	ft. stock pens	From 4	ft. to		
What is the nearest source of possible contamination:  1 Septic tank  4 Lateral lines					7 Pit privy				1170 1 4			Abandon water well	
					8 Sewage lagoon				tilizer storage		15 Oil well/Gas well 16 Other (specify below)		
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit										secticide storage			
1	-	ell? Southwe	-		710	cuyaru			TT	640			
FROM			LITHOLO	GIC LOG			FROM	то	How	many feet? 65 PLUGGING INTE	RVALS		
0	1	topsoil											
1	18	fine sand											
18	22	clay											
22	30	fine sand											
30	45	coarse sa	nd										
		WN124-1											
7 CON	TRACTO	R'S OR LANDOWNER	'S CERTIFIC	TION: Thi	s water w	ell wae	(1) construc	ted. (2) recon	structed or	(3) plugged under	my jurisdi	iction and	
was co	mpleted	on (mo/dav/vear)	6-2	6-2001	and ti	his reco	ord is true to	the best of m	y knowleda	e and belief. Kans	as Water V	Vell	
Contra	ctor's Lic	ense No236	.This Wate	r Well Re	cord was	comple	eted on (mo/	day/yr)	6-27-2	2001			
Under	the busin	ense No236 ess name of	Harp We	ell & 1	Pump S	ervic	e, Inc	by (signatu	ıre)				
										Toda	d S. Ho	wp	