				Water Well Reco	rd Form WWC-	,				
LOCA		ATER WELL:	FRACTION			Section Number	Township Numb	er	Range Number	
Sedgwick NW 1/4 Distance and direction frem nearest town or city street address of well if loc			2,1	SW 1/4	22	T 26	s	R 1E E/W		
				•						
	72 Wyr			, Kansas						
니	TER WELL	24-2424-4	CK, Katheri	ne						
	ST. ADRESS		Wyndham					-	on of Water Resource	
	, STATE, ZI	Ī	ita, Kansas					lication Number:		
	TE WELL'S I " IN SECTIO			MPLETED WELL	55		VATION:	_		
		N	Depth(s) groundw		_ 1 	ft.	2	ft.	3 ft. -18-2001	
1 1			WELL'S STATIC W	_			FACE MEASURED O			
'	-NW-	NE	Pump tes		water was		after 	hours pumping		
M Mile	1		Est. Yield Bore Hole Diameter	51	water was		after	hours pumping		
<u>≅</u> ₩	X	I L	WELL WATER TO		to 55 5 Public wate	ft.	and 3 Air conditioning	in. t 11 Injec	-	
	'		1 Domestic	3 Feedlot	6 Oil field wa		Dewatering	-	(Specify below)	
	SW		2 Irrigation	4 Industrial	7 Lawn and		0 Monitoring well		(- F ,	
	!		Was a chemical/bact	eriological sample		· · · · · · · · · · · · · · · · · · ·	•	: If ves. mo/d:	ay/yr sample was	
	-	S	submitted	er totogreat sample	sabilitied to 1	-	er Well Disinfected		No	
5 TY	PE OF CA	SING USED:		5 Wrought iron	. 8	Concrete tile	CASING JOI		X Clamped	
1 Stee	el	3 RMP (SR)		6 Asbestos-Cem	_	Other (Specify be	elow)	Weld	-	
2 PV	2	4 ABS		7 Fiberglass		DR-26	,	Thre	aded	
Blank c	— asing Dian	neter 5	in. to 24	ft., Dia	in.	to	ft., Dia	in. to	ft.	
Casing	height abo	ve land surface 12	2 in.,	weight 2			Wall thickness or		.214	
TYPE (OF SCREI	EN OR PERFORA	ΓΙΟΝ MATERIAL:	Ü	7	PYC		sbestos-cement		
1 Ste	el	3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 of	ther (specify)		
2 Bra	S\$	4 Galvanized stee	el	6 Concrete tile	9	ABS	12 N	one used (open l	nole)	
SCREEN OR PERFORATION OPENING ARE:				5 Gau	zed wrapped		8 Saw cut 11 None (open hole)			
1 Continous slot 3 Mill slot				6 Wir	e wrapped		9 Drilled holes			
2 Louve	red shutte	er 4 Key pu	nched	7 Toro	ch cut		10 Other (spec	ify)		
SCREE	N-PERFO	RATION INTERV	ALS: from 25	ft	t. to 55	ft., From		ft. to		
			from	fi	t. to	ft., From		ft. to	1	
	GRAV	EL PACK INTERV	ALS: from 24	f	t. to 55	ft., From		ft. to		
			from	f	t. to	ft., From		ft. to		
	OUT MAT		ement 2 C	Cement grout	3 Bei	ntonite	4 Other bent	onite hol	e plug	
Grout Intervals: From ft. to				ft. From			ft. From		t. to 24	
What is the nearest source of possible contamination:				7 Die nation					14 Abandon water well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit				8 Sewage lag	goon	12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage				
			ge pit	9 Feedyard		15 Insective	Ü			
FROM		ll? East	ITHOLOGIC LOG		FROM	то	How many feet	i? 12 SING INTERVA	TO	
0	3	topsoil	ATTIOLOGIC LOG		FRUNI	1 10 1	PLUGU	AING INTERVA	LS	
3	9	clay				1 1				
9	29	fine sand								
29	55	grey shale	.							
					į					
7 CONT	TDACTO	DIS OR LANDONS	s certification: Thi	e water well we-	(1) construct	ed (2) reconstr	ucted or (3) plus	ged under my	jurisdiction and	
			6-18-2001			the best of my k	nowledge and be			
							6-20-2001			
Under	the busin	ess name of	This Water Well Re Harp Well &	Pump Servic	e, Inc	by (signature)				
						-		Todd S	i. Harp	