LOCATION OF V	WATER WELL:	Fraction		Sect	a-1212 ID N ion Number	Township	Number	1 7	Number
ounty: Sedywic	K	5E 1/4	t address of well if loc		7	<u> </u>	<i>-0</i> s	R /	<u>t</u> w
stance and direct	ion from nearest t	siduran on the	e north side 1		Smot le	Mchita.K	3		
WATER WELL C	OWNER EPA		CHOMISINE	, v - O O _	Ju(Cij)	1 - 11 11			
R#, St. Address, E	Box # : 901 N	5th Street				Board of	Agriculture, I	Division of W	ater Resourc
ity, State, ZIP Cod		City, KS Ge101		uu o		Application	on Number:		
l .		4 DEPTH OF	COMPLETED WELL.			ION:			
AN "X" IN SECT	ION BOX:	Depth(s) Groun	dwater Encountered	1,./0	ft. 2			117710	7 · · · · · · ft.
1	1		C WATER LEVEL . J. &						
\v	- -		np test data: Well wa						
	1	Bore Hole Dian	neter. 16.5in.	to	ft a	nd	110ui 5	in to	gpi ft
₽ w	 		TO BE USED AS: 5			Air conditionir		njection well	
-		1 Domestic		Oil field water		Dewatering	P	Other (Specify	y below)
sw	SE	2 Irrigation	4 Industrial 7	Domestic (lawn	& garden) 10	Monitoring we			
, ;	1	Was a chemical	/bacteriological sample s	submitted to Dep	artment? Yes.	No. 🎜) <i>C - 53-</i> no/day/yrs sa	
	s 4	mitted			Water	Well Disinfect	ed? Yes		No #
•	K CASING USED:		5 Wrought iron	8 Concre			JOINTS: Glu		amped
1 Steel	3 RMP (S	н)	6 Asbestos-Cement	9 Other (specify below)		ded	
2 PVØ Blank casing diamo	otor 4 ABS	in to 17	7 Fiberglass	5 in	22-3	3 # Dia	d	aded. J. III	
		Tush	in., weight 2 . 7	··	lbe /fl	Mall thickno	ee or gauge h	56 4	
	N OR PERFORA			7 PVC			ss or gauge r Asbestos-cen		
1 Steel	3 Stainles		 5 Fiberglass		P (SR)		Other (specify		
2 Brass	4 Galvani	zed steel	6 Concrete tile	9 ABS		12 M	None used (o	•	
	REPORATION OPE			zed wrapped		8 Saw cut		11 None (d	open hole)
1 Continuous s 2 Louvered sha	_	lill slot ey punched		e wrapped ch cut		9 Drilled hole 10 Other (spe	es ecify)		1
	RATED INTERVA	7	7— ft. to .	77_	ft., From .	· · · · · · · · · · · · · · ·	• •		
SCREEN-PERFOR	RATED INTERVA	LS: From	<i>_</i>	77_	ft., From .	· · · · · · · · · · · · · · · · · · ·	ft. t	to to	
SCREEN-PERFOR		LS: From	ft. to ft. to ft. to ft. to .	14.5 14.5	ft., From .		ft. t	to to	
GRAVEL	RATED INTERVA L PACK INTERVA	LS: From	ft. to. ft. to. ft. to. ft. to. ft. to. ft. to.	435 44.8	ft., From ft., From ft., From .		ft. ft. ft. ft. ft. ft. ft	to to	
GRAVEL GROUT MATER	RATED INTERVAL PACK INTERVA	LS: From	ft. to	14.5 44.8 Benton	ft., From ft., From ft., From	ther		to to to	
GRAVEL GROUT MATER Grout Intervals:	RATED INTERVAL PACK INTERVA	LS: From	## 15 Cernent grout	14.5 44.8 Benton	ft., From ft., From ft., From ft., From te	ther	1. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	to	ft.
GROUT MATER Grout Intervals: I	RATED INTERVAL PACK INTERVA	LS: From	ft. to	43 44, 8 44, 8 ft.	te 26	therft., From	14 A	to to to	ft.
GRAVEL GROUT MATER Grout Intervals:	RATED INTERVAL PACK INTERVAL RIAL: 1 Near Control of Possist Source of Possis	LS: From	## 15 Cernent grout	44, 8 44, 8 Benton	te 26 4 0 to Livesto 11 Fuel st	therft., From	14 A	to	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	ft. to ft. ft. o ft. From . Z. ft., From 7 Pit priv	Hy S Benton ft.	ft., From ft., From ft., From ft., From ft., From ft. ft., From ft., Fro	othertherft., From ock pens	14 A	to	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	ft. to	Hy S Benton ft.	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 5 st source of possi 4 Late 5 Cess ewer lines, 6 Seep 12 Northest	LS: From	2 Cement groutft., From . 25 7 Pit priv 8 Sewage 9 Feedya	Hy S Benton ft.	ft., From	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 5 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	## 15 to ft. ft. to ft. ft. from ft., From ft., From 7 Pit prive 8 Sewage 9 Feedys fine for Coarse	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 5 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	ft. to ft.	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 5 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	ft. to ft.	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 5 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	tt. to. ft. to. ft. to. ft. to. 2 Cement grout ft., From . 2 ft., From . 2 7 Pit priv 8 Sewage 9 Feedya OG Africio Coarse 10 Med. Sand Om Grand	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 5 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	ft. to ft.	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 5 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	ft. to	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 5 st source of possi 4 Late 5 Cess ewer lines, 6 Seep	LS: From	tt. to. ft. to. ft. to. ft. to. 2 Cement grout ft., From . 2 ft., From . 2 7 Pit priv 8 Sewage 9 Feedya OG Africio Coarse 10 Med. Sand Om Grand	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	RATED INTERVA PACK INTERVA RIAL: 1 Nearch From. 3 5 st source of possi 4 Later 5 Cess ewer lines, 6 Seep 1? Northeast Sand-Tan Sand-Tan Sand-Tine Sand-Fine Sand-Mad Sand-Mad	LS: From	The too see a see	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	RATED INTERVA PACK INTERVA RIAL: 1 Nearch From. 3 5 st source of possi 4 Later 5 Cess ewer lines, 6 Seep 1? Northeast Sand-Tan Sand-Tan Sand-Tine Sand-Fine Sand-Mad Sand-Mad	LS: From	The too see a see	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO T T T T T T T T T T T T T T T T T T	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 S st source of possi 4 Late 5 Cess ewer lines, 6 Seep 12 Northeast Sand Clay Sitty Sand Sand Fine	LS: From	The too see a see	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO T T T T T T T T T T T T T T T T T T	RATED INTERVA PACK INTERVA RIAL: 1 Nearch From. 3 5 st source of possi 4 Later 5 Cess ewer lines, 6 Seep 1? Northeast Sand-Tan Sand-Tan Sand-Tine Sand-Fine Sand-Mad Sand-Mad	LS: From	The too see a see	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO T T T T T T T T T T T T T T T T T T	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 S st source of possi 4 Late 5 Cess ewer lines, 6 Seep 12 Northeast Sand Clay Sitty Sand Sand Fine	LS: From	The too see a see	Hy Benton ft. y e lagoon ard	te 26 4 0 to 21 Fertiliz 13 Insectic	other	14 A 15 C	to. to. to. to. th. to. th. to. th. th. th. th. th. th. th. th. th. th	ft.
GRAVEL GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 S st source of possi 4 Late 5 Cess ewer lines, 6 Seep 12 Northeast Sand-Tan Sand-Tan Sand-Fine	LS: From	The too the too the too to the too the too to the too the too to the too the too to the too the too to the too the too to the too th	Hy B Benton ft. Y e lagoon ard FROM	te 26 4 O to	ther	14 A 15 O 16 Minus 15 O 16 O 16 O 16 O 16 O 16 O 16 O 16 O 16	ito	ft. ater well rell (a below)
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO T T T T T T T T T T T T T T T T T T	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 . S st source of possi 4 Late 5 Cess ewer lines, 6 Seep 17 Northeast Sand-Han Sand-Fine	LS: From	The too see a see	## Benton ft. We lagoon ard FROM was (1) constru	te 26 4 O to	ther	14 A 15 C Mild 1	tio	iction and wa
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	RATED INTERVA PACK INTERVA RIAL: 1 Neato From. 3 .S st source of possi 4 Late 5 Cess ewer lines, 6 Seep 17 Northeast Sand Clay Sind Fine Sand Fine San	LS: From	This water well so follows and so follows and so follows and so follows and so follows are so follows and so follows and so follows are so follows.	## Benton ft. We lagoon ard FROM was (1) constru	te 4 O to 10 Livesto 11 Fuel st 12 Fertiliz 13 Insection How many TO	ther	14 A 15 C Mild 1	tio	iction and wa
GRAVEL GROUT MATER Grout Intervals: If What is the neares 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	RATED INTERVA L PACK INTERVA RIAL: 1 Neator From. 3 S st source of possi 4 Later 5 Cess ewer lines, 6 Seep 12 Northeast Sand-Tan Sand-Tine Sand-Fine	LS: From	This water well so follows and so follows and so follows and so follows and so follows are so follows and so follows and so follows are so follows.	## Benton ## Benton	te 4 O to 10 Livesto 11 Fuel st 12 Fertiliz 13 Insection How many TO	therft., From ock pens torage er storage er storage y feet? ///////////////////////////////////	14 A 15 C Mild 1	tio	iction and wa