- Iron	TION OF THE		Len	CTION	Water	Well Recor	d Form WWC-							
		ATER WELL:		CTION	ME		NTW	Section Number	er	Township Num	ber	Range Num	ber	
Sedgwick NW Distance and direction frem nearest town or city street address of				NE		NW 1/4	4		т 26	S	R 1E	E/W		
615 E. 77th Park City, Kansas														
	ATER WELL		s co.	Palk	CILY,	Kanz	sas							
	ST. ADRESS	IIAI	S CO. E. 77t]	h						Board	of Agriculture, D	ivivsion of Water Res	ource	
1	Y, STATE, ZI		City,											
LOCA	TE WELL'S	LOCATION WITH		H OF COM		WELL	65	ft. F	ELEVAT			···		
AN "X	" IN SECTIO	ON BOX:	Depth(s) groundw	ater Encou	ntered	1	ft.		2	ft.	3	ft.	
1 1	X		WELL'S	STATIC W	ATER LE	VEL 15	5 FT	BELOW LAND	SURFACI	E MEASURED O	N mo/day/yr	9-10-200	1	
1	NW			Pump test	t data:	Well	water was	ft.	after		hours pum	ping	gpm	
<u> </u>	. !		Est. Yield		gpm:	Well	water was	ft.	after	•	hours pum	ping	gpm	
Mile A	v 	E	Bore Hole		12	in.	to 25	ft.	ar		in.	to	ft.	
			WELL W. 1 Don	ATER TO	BE USED A		5 Public wate			conditioning		njection well	la)	
11	-sw-		2 Irris		4 Industr		6 Oil field war 7 Lawn and			watering onitoring well		other (Specify be	iow)	
			l '	•							_	no/dav/vr samnle	was	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yi												******		
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped													ed	
1 Ste	el	3 RMP (SR)			6 Asbest	_	ent 9	Other (Specif	fy below))		/elded		
2 PV	<u>c</u>	4 ABS			7 Fiberg	lass	S	DR-26			T	hreaded		
	asing Diar			25	ft.,	Dia	in.	to	ft.,	Dia	in.	to	ft.	
_	_	ve land surface 1		in.,	,	weight 2		lbs. / ft.	Wall	thickness or		.214		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)														
2 Bra		4 Galvanized ste	el		6 Concret			ABS						
				E.		5 Gauzed wrapped			8 Saw cut			None used (open hole) I1 None (open hole)		
SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 3 Mill slot						6 Wire wrapped			9 Drilled holes					
2 Louve	ered shutte	er 4 Key pı	unched			7 Torcl	••		10	0 Other (spec	eify)			
SCREE	N-PERFO	RATION INTERV	VALS:	from 25			to 65	ft., Fr		` •	ft. to		ft.	
				from			. to	ft., Fr			ft. to		ft.	
GRAVEL PACK INTERVALS: from 2							. to 65	ft., From			ft. to		ft.	
from					ft. to			ft., From			ft. to		ft.	
_	DUT MAT			2 C	ement grou	ment grout 3 Bento			4 0	Other bent	conite h	ole plug		
Grout Intervals: From ft. to What is the nearest source of possible contamination:					ft. Fr	om	ft.	ft. to		ft. From 4		ft. to 24 ft.		
1 Septic tank 4 Lateral lines				ation.	7 Pit privy			11 Fuel storage			14 Abandon water well			
2 Sewer lines 5 Cess pool					8 Sewage lagoon			12 Fertilizer storage			15 Oil well/Gas well 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit					9 Feedyard			13 Inse	13 Insecticide storage None Apparent					
Directio	•				How many feet?									
FROM			LITHOLO	GIC LOG			FROM	то			GING INTE	RVALS		
3	10	topsoil	5 -1											
10	15	fine sand		<u> </u>		\			ļ					
15	65	grey shale					+							
		32							1					
											,			
<u> </u>														
							-		ļ					
—		****					_	1						
								-						
7 (0)	NAME A COLUMN	ODIC					<u> </u>	4-4-(2)						
	NTRACT(OR'S or Landowne I on (mo/day/yea	R'S CERTIFIC	CATION: Th -10-200	is water w 1	ell was	(1) constru	record is to	nstruct	ed, or (3) plu	igged under	r my jurisdictio	n and	
Water	. Well Cor	ntractor's License	e No	236	т	his Wat	er Well Reco	ord was com	pleted o	on Pescormy	ruomieage	and bener. Na	11545	
(mo/d	ay/yr)9	-12-2001							•					
Unde	r the busi	ness name of	Harp W	ell &	Pump S	ervic	e, Inc	b	y (signa	ature)	Todd	S. Harp	,	