				Water Well Record	Form WWC-5	KSA 82a-1212		T	
LOCATION OF WATER WELL:			FRACTION		_	Section Number	Township Number	Range Number	
Sedgwick			NE 1/4	SE 1/4 SI	S 1/4	19	T 26 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
1142 W. 46th N. Wichita, Kansas									
WATER WELL OWNER: BRADLEY, W.L.  RR#, ST. ADRESS, BOX #: 1142 W. 46th N.  Board of Agriculture, Divivsion of Water Resource									
1			w. 46th N. ita, Kansas	-					
CITY, STATE, ZIP CODE: Wichita, Kansas  LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL						e DIE	Application Numb	er:	
	TE WELL'S I ' IN SECTIO				40	ft. ELE ft.	CVATION: 2 ft.	3 ft.	
l +		<del>\</del>	WELL'S STATIC V	vater Encountered	1 Fr		Z II.  RFACE MEASURED ON mo/day/vr	9-11-2001	
	1 :	1	WELL'S STATIC V Pump tes	_	ater was		••		
'	-NW-	NE	Est. Yield		ater was	ft. ft.	after hours pun after hours pun		
w Zije			Bore Hole Diameter		to 40	ft.	and in.	to ft.	
∑ w		L.	WELL WATER TO		Public water			njection well	
1.			1 Domestic		Oil field wa		· ·	Other (Specify below)	
	sw-	-   <b>s</b> p   <b>x</b>	2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day							no/day/yr sample was		
S submitted Water Well Disinfected? Yes X								X No	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Stee	I	3 RMP (SR)		6 Asbestos-Cemen	t 9	Other (Specify b	elow)	Velded	
2 PVC	2_	4 ABS		7 Fiberglass	SI	R-26	٦	Threaded	
Blank ca	ising Dian	neter 5	in. to 30	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214									
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
1 Stee		3 Stainless Steel		•		• •	11 other (specif	•	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								•	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrappe							8 Saw cut	11 None (open hole)	
1 Continuus slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 30 ft. to 40 ft., From ft. to								ft.	
GRAVEL PACK INTERVALS: from				ft.		ft., From		ft.	
					to 40	ft., Fron		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
_	tervals:		ft. to	ft. From					
1		t source of possibl		it. From It.		10 Livesto	. It. FIOIII -	Abandon water well	
1 Septic tank 4 Lateral l			al lines	7 Pit privy		11 Fuel st		Oil well/Gas well	
2 Sewe	r lines	5 Cess	pool	8 Sewage lagoon			zer storage 16	Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? East How many feet? 100									
FROM	TO		LITHOLOGIC LOG		FROM	то	PLUGGING INTE	RVALS	
0 4	4	topsoil				-			
8	8 20	clay medium fi							
20	40	coarse sa			<del></del>	<del>                                     </del>			
	30	COALSE SA	na .			+			
					<del>                                     </del>				
						1			
			······································			1			
						1			
							,		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)9-11-2001 and this record is true to the best of my knowledge and belief. Kansas									
Water	Water Well Contractor's License No								
(mo/day/yr)9-12-2001									
Under the business name of Harp Well & Pump Service, Inc. by (signature)									