1 LOCATI	1 LOCATION OF WATER WELL:				NE SE	rd Form WWC-	Section Number	Township Number	Range Number	
Sedgwick			25FE 1/4	17E		1/4	11 204	_T 26 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?										
412 Commache Kechi, Kansas										
WATER WELL OWNER: GIFFORD, Dan										
RR#, ST. ADRESS, BOX #: 412 Commache Board of Agriculture, Divivsion of Water Resource										
CITY, STATE, ZIP CODE: Kechi, Kansas Application Number:										
	WELL'S LOCATION WITH IN SECTION BOX:	4 1	DEPTH OF CO	OMPLET	ED WELL	67	ft. EI	LEVATION:		
AN "X" I	N	- 1	Depth(s) ground			1	ft.	2 ft.	3 ft.	
		WE							8-20-2002	
			Pump test data: Well water was ft. after hours pumping							
ie			Est. Yield gpm: Well water was ft. Bore Hole Diameter 12 in. to 67 ft.					after hours pun		
l ii w l		E	E HOIE DIAMETE			to 67 5 Public water	ft.	and in.	to ft.	
1.1			1 Domestic	3 Fee		6 Oil field w		_	injection well Other (Specify below)	
		- 1	2 Irrigation		ustrial	7 Lawn and		10 Monitoring well	Affect (Specify Below)	
		- 1	-	cteriologi	cal sample	submitted to	Department? Yo	· ·	no/day/yr sample was	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No										
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped										
1 Steel		6 Asbestos-Cement 9 Other (Specify below) Welded								
2 PVC	4 ABS			7 Fib	erglass	S	DR-26	7	Threaded	
1	ing Diameter 5	in.	to 27	ft. ,		in.	to	ft., Dia in.	to ft.	
	ight above land surface FSCREEN OR PERFOI		in.	,	weight 2		lbs. / ft.	Wall thickness or gauge No.	.214	
1 Steel	3 Stainless Ste		N MATERIAL	: 5 Fibe	rglass		P <u>PYC</u> RMP (SR)	10 Asbestos-cem		
2 Brass	4 Galvanized				crete tile		ABS	11 other (specify	•	
12 None used (open noie								11 None (open hole)		
1 Continous slot 3 Mill slot						e wrapped		9 Drilled holes	11 None (open note)	
2 Louvere		punche	ed		7 Torc			10 Other (specify)		
SCREEN-	PERFORATION INTE			7		. to 67	ft., Fro	, , , , ,	ft.	
from						. to	ft., Fro		ft.	
GRAVEL PACK INTERVALS: from 24				4	ft. to 67		ft., Fro		ft.	
from					ft. to		ft., Fro	111 10	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plants								nole plug		
Grout Intervals: From 4 ft. to 24				ft.	ft. From ft. to			ft. From	ft. to ft.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines					7 Die maire				Abandon water well	
					7 Pit privy Sawaga lag	000	11 Fuel s	130	15 Oil well/Gas well	
3 Ccss poor								ertilizer storage 16 Other (specify below) secticide storage		
5 ratering in sever lines o Seepage pit 5 recuyaru										
FROM TO LITHOLOGIC LOG				G		FROM	то	How many feet? 12 TO PLUGGING INTERVALS		
0 3	topsoil								<u></u>	
	7 clay									
	5 fine san									
35 6	7 grey sha	le								
\vdash							+			
\vdash						_	1			
 						-	 			
		-				<u> </u>	+			
							1 1			
							1			
7 CONTRACTOR'S or Landowner's Certification: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
was completed on (mo/day/year)8-20-2002 and this record is true to the best of my knowledge and belief. Kansas										
Water Well Contractor's License No										
(mo/day	_{//yr)} 8-23-2002			_				m 1	10 11	
(mo/day/yr)6-23-2002 Under the business name of Harp Well & Pump Service, Inc										