				Water Well Reco	rd Form WWC-5	KSA 82a-1212		
1 LOCA	TION OF W	ATER WELL:	FRACTION			Section Number	Township Number	Range Number
Sedgwick NW 1/4			NE 1/4	SW 1/4	32	_T 26 _S	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?								
804 W. 32nd N. Wichita, Kansas								
WATER WELL OWNER: BRASING, John								
RR#, ST. ADRESS, BOX #: 804 W. 32nd N. Board of Agriculture, Divivision of Water Resource								
CITY	, STATE, ZII	CODE: Wich	ita, Kansas				Application Number	er:
		LOCATION WITH	4 DEPTH OF CO	MPLETED WELL	40	ft. ELF	EVATION:	
AN X	" IN SECTIO	N BUX:	, .	vater Encountered	1	ft.	2 ft.	3 ft.
[WELL'S STATIC V		O FT.	BELOW LAND SU	RFACE MEASURED ON mo/day/yr	6-20-2002
1		NE	Pump tes	st data: Well	water was	ft.	after hours pun	nping gpm
	1		Est. Yield	0.	water was	ft.	after hours pun	nping gpm
M Kile	<u> </u>	E	Bore Hole Diameter	12 in.	to 40	ft.	and in.	to ft.
-			WELL WATER TO		5 Public water		•	Injection well
1	-sw-		1 Domestic	3 Feedlot	6 Oil field wa		ŭ	Other (Specify below)
			2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well	
↓		S	Was a chemical/bac	teriological sample	submitted to D	•	, • ,	no/day/yr sample was
submitted water wen distinierted: Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped								
1 Stee		3 RMP (SR)			Asbestos-Cement 9 Other (Specify below) Welded			
2 PV(_	4 ABS		7 Fiberglass	_	R-26		Threaded
	asing Dian		in. to 25	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Stee		3 Stainless Steel	TION MATERIAL.	5 Fiberglass		RMP (SR)	11 other (specify	
1 A State of the s							12 None used (o	• •
							8 Saw cut	11 None (open hole)
1	N OK PE. nous slot				5 Gauzed wrapped 6 Wire wrapped		9 Drilled holes	
1		3 Mill sl			••			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREE	N-PERFU	RATION INTERV			t. to 40	ft., From		ft.
from 24					t. to	ft., Fron		ft.
	GRAV	EL PACK INTER			it. to 40	ft., Fron		ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
			ft. to 24	<u> </u>				
Grout Intervals: From 4 ft. to 24 What is the nearest source of possible contamination:				ft. From ft. to		to 10 Livesto	ft. From	ft. to ft. Abandon water well
1 Septic tank 4 Lateral lines				7 Pit privy			• • • • • • • • • • • • • • • • • • • •	Oil well/Gas well
1							13	Off well/Gas well Other (specify below)
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								other (specify below)
Direction from well? East How many feet? 20								
FROM	ТО		LITHOLOGIC LOG		FROM	FROM TO PLUGGING		RVALS
0	4	topsoil						
4	15	clay			·			
15	20	fine sand						
20	40	medium coa	arse sand					
						1		
						<u> </u>		
						ļ		
ļ								
	ļ							
ļ	ļ					-		
	ļ							
	<u> </u>					<u> </u>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on $(mo/dav/year)$ $6-20-2002$ and this record is true to the best of my knowledge and belief. Kansas								
Water Well Contractor's License No								
(mo/day/yr) 6-21-2002 Todd S Hann Well & Pump Service Inc.								
Under the business name of Harp Well & Pump Service, Inc. by (signature)								