Trock	TION OF W	ATED WELL.	FRACTIO	N	Wate	er Well Reco	rd Form WV	VC-5	KSA 82a-1212		T 2 N		
LOCATION OF WATER WELL:  Sedgwick			NW NW				<b></b>	- 1	Section Number	Township Number	Range Nun	nber	
					NW		SW 1/	4	22	T 26 s	R 1E	E/W	
Distance and direction frem nearest town or city street address of well if located within city?													
1/2 S. of 53rd N. & E. of Hydraulic Wichita, Kansas  WATER WELL OWNER: YOUNG, Walter Construction													
ш		100110	-	Con	struc	tion				D . 1 . 6 6 d	Notes - CW Ba		
RR#, ST. ADRESS, BOX #: 4953 Wyndham  CITY, STATE, ZIP CODE: Wichita, Kansas  Application Number:												source	
<del></del>			· · · · · · · · · · · · · · · · · · ·				F.0	Application Numb	er:				
	FE WELL'S I '' IN SECTIO	LOCATION WITH 4	DEPTH O				50		•••	VATION:	•		
		N .	Depth(s) gr				_ 1 _		ft.	2 ft.	3	ft.	
i	1		WELL'S STA							RFACE MEASURED ON mo/day/yr	6-8-2002		
'		<u>- N</u> E		Pump test data: Well water was						after hours pun		gpm	
Est. Y			Est. Yield		gpm:		water wa	S		after hours pun		gpm	
l ii w	×	'	Bore Hole Diai		12	in.	to 50		ft.	and in.	to	ft.	
"			VELL WATE				5 Public w				injection well	-1	
1 1	-sw-		1 Domestic		3 Feedl 4 Indus					ū	Other (Specify be	elow)	
		i	2 Irrigatio							0 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample										e was			
submitted Water well Disinfected: Yes X 140													
1 Stee						ught iron			Concrete tile		Glued X Clam	ped	
		3 RMP (SR)				stos-Cem	ent		Other (Specify be	,	Velded Threaded		
2 PVC	_	4 ABS			7 Fiber	_		SL	DR-26				
1	asing Dian		in. to 23		ft. ,	Dia		in.	to	ft., Dia in.		ft.	
		ve land surface 12 EN OR PERFORAT		in.,		weight 2	4.35			Wall thickness or gauge No. 10 Asbestos-cem	.214 ent	Ł	
1 Stee		3 Stainless Steel	ION WATER	IAL:	5 Fiberg	lass			<u>PVC</u> RMP (SR)	11 other (specif			
2 Bras		4 Galvanized steel			6 Concre	-			ABS	12 None used (o			
1	-				Conci				ABS	8 Saw cut	- '	on hole)	
							5 Gauzed wrapped 6 Wire wrapped			8 Saw cut 11 None (open hole) 9 Drilled holes			
	red shutte	3 Mill slot	-										
		J F		•••		7 Toro				10 Other (specify)			
SCREE	N-PERFU	RATION INTERVA		n 23		ft	t. to 50		ft., From	ft. to		ft.	
1			fron				t. to		ft., From			ft.	
GRAVEL PACK INTERVALS: from 23					ft. to 50				ft., From			ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Ce					ft. to			D		tt. From ft. to ft.  4 Other bentonite hole plug			
G . 47.41 1 . 7 . 3						<del></del> _							
				n•	ft. I	From		ft. t	to 10 Livestoc	ft. From	ft. to	ft.	
What is the nearest source of possible contamination:  1 Septic tank  4 Lateral lines					7 Pit privy				11 Fuel sto		14 Abandon water well		
2 Sewer lines 5 Cess pool					8 Sewage lagoon				12 Fertiliz	13	15 Oil well/Gas well 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit						eedyard	,0011			13 Insecticide storage			
			ge pit		71	ecuyaru				How many feet? 20			
Direction from well? West FROM TO LITHOLOGIC LOG					FROM			M	то	PLUGGING INTE	RVALS	•	
0	4	topsoil						· ·	1 1				
4	24	clay											
24	30	medium fine	e sand										
30	50	shale											
												•	
						_							
<u> </u>													
			-										
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-8-2002 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 6-10-2002 Under the business name of Harp Well & Pump Service, Inc. by (signature)													
Under	r the busi	ness name of	************	<del></del>	¥:::::	~~:	~~\	•••••	by (s	aigilatul <i>e) U.S.M.</i>	S. O IMY	~	