Water Well Record Form WWC-5 KSA 82a-1212									
LOCATION OF WATER WELL: Sedgwick			FRACTION SE	SE 5W 1	₩ 1/4	Section Number 7	Township Number	Range Number	
Distance		-	ty street address of well if loc		1/4 1		T 20 S	R IB E/W	
2004 W. Evanston Wichita, Kansas									
WATER WELL OWNER: RICKOROF, Mike									
RR#,	ST. ADRESS	S, BOX #: 2004	W. Evanston			Board of Agriculture, Divivsion of Water Resource			
	, STATE, ZI	1	ita, Kansas Application Number:					er:	
	TE WELL'S	LOCATION WITH ON BOX:		MPLETED WELL	40		VATION:		
1		N	Depth(s) groundw		1	ft.	2 ft. RFACE MEASURED ON mo/day/yr	3 ft. 5-22-2002	
			WELL'S STATIC W Pump test		water was		after hours pun		
	NW	NE	Est. Yield		water was		after hours pun		
Mije w	<u> </u>	E	Bore Hole Diameter	12 in.	to 40	ft.	and in.	to ft.	
= "	:		WELL WATER TO	BE USED AS:	5 Public water	supply	8 Air conditioning 11 1	njection well	
1	-sw-		1 Domestic		6 Oil field was	:		Other (Specify below)	
		i	2 Irrigation		7 Lawn and g		0 Monitoring well		
'	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample S Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample S Water Well Disinfected? Yes X No								
TWIDE OF CACING HOPP.									
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded									
2 PV	C	4 ABS		7 Fiberglass		R-26		Threaded	
Blank ca	— asing Dian	neter 5	in. to 25	ft., Dia	in.	to	ft., Dia in.	to ft.	
		ove land surface 1		weight 2			Wall thickness or gauge No.	.214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PYC 10 Asbestos-cement									
Truster (specify)								-	
		4 Galvanized stee RFORATION OPE				ABS	12 None used (o 8 Saw cut	pen hole) 11 None (open hole)	
	nous slot	3 Mill sk			zed wrapped wrapped		9 Drilled holes	11 None (open note)	
	red shutte			7 Torel	• •		10 Other (specify)		
		PRATION INTERV			to 40	ft., From	ft. to	ft.	
			from		to	ft., From		ft.	
GRAVEL PACK INTERVALS: fro				ft. to 40 ft., From			ft.		
<u> </u>			from		to			ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug Grout Intervals: From 4 ft. to 24 ft. From 6 to 6								nole plug	
			ft. to 24	ft. From ft. to		o 10 Livesto	ft. From	ft. to ft.	
What is the nearest source of possible 1 Septic tank 4 Lateral						11 Fuel sto		Abandon water well	
2 Sewer lines 5 Cess pool			pool	8 Sewage lagoon			15	15 Oil well/Gas well 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								construction (opening sense)	
Direction from well? North How many feet? 12									
FROM 0	TO 3	topsoil	LITHOLOGIC LOG		FROM	то	PLUGGING INTE	RVALS	
3	20	fine sand							
20	40	coarse san	ıd		1		A PART AND		
								the state of the s	
							NEW COLUMN TO THE TOTAL CO		
					1				
							1000		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)5-22-2002 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No									
(mo/day/yr) 5-23-2002 Under the business name of Harp Well & Pump Service, Inc. by (signature) Todd S. Harp									
Under the business name of are									