

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>SE 1/4 NE 1/4 SE 1/4</u>	<u>17</u>	T <u>26</u> S	R <u>1</u> <u>EN</u>
Distance and direction from nearest town or city street address of well if located within city? <u>5615 N. Broadway</u>					
2 WATER WELL OWNER:					
RR#, St. Address, Box # : <u>Wilco Paints</u>					
City, State, ZIP Code : <u>5615 N. Broadway</u> <u>Wichita KS 67219</u>					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>15</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. .... ft. 2. .... ft. 3. .... ft.			
		WELL'S STATIC WATER LEVEL ..... ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm			
		Est. Yield ..... gpm: Well water was ..... ft. after ..... hours pumping ..... gpm			
		Bore Hole Diameter: <u>8.5</u> in. to <u>15</u> ft., and ..... in. to ..... ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well <u>S/E-2A</u>			
Was a chemical/bacteriological sample submitted to Department? Yes. .... No. <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <u>X</u>					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued. .... Clamped. ....
<u>2 PVC</u>		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded. ....
			7 Fiberglass		<u>Threaded Flush</u>
Blank casing diameter <u>2</u> in. to <u>5</u> ft., Dia					
Casing height above land surface: <u>Flush</u> in., weight <u>703</u> lbs./ft. Wall thickness or gauge No. <u>Sch 40</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	10 Asbestos-cement	
2 Brass		4 Galvanized steel	6 Concrete tile	11 Other (specify)	
			7 PVC	12 None used (open hole)	
			8 RMP (SR)		
			9 ABS		
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		<u>3 Mill slot</u>	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From <u>5</u> ft. to <u>15</u> ft., From ..... ft. to ..... ft.					
GRAVEL PACK INTERVALS: From <u>4</u> ft. to <u>15</u> ft., From ..... ft. to ..... ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3 Bentonite</u> <u>4 Other</u> <u>Concrete</u>					
Grout Intervals: From <u>0</u> ft. to <u>1</u> ft., From <u>1</u> ft. to <u>4</u> ft., From ..... ft. to ..... ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>5</u>	<u>Clayey silt</u>			
<u>5</u>	<u>7.5</u>	<u>Sandy, clayey silt</u>			
<u>7.5</u>	<u>16</u>	<u>Silt &amp; sand</u>			
<u>16</u>	<u>17</u>	<u>Sand</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/12/02 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 531 This Water Well Record was completed on (mo/day/yr) 4/15/02 under the business name of Geotechnical Services, Inc. by (signature) Alvin M. Smith