1 LOCATION OF WATER WELL:				n WWC-5	KSA 82a-1				
Codenials					on Number	1 _'_	umber	_	e Number
County: Sedgwick	NE 1/4	NE ¼			17	т 26	S	R	1 (∄∧
istance and direction from nearest tow	vn or city street addr	ess of well if I	located wit	hin city?					
WATER WELL OWNER: Harpe									
RR#, St. Address, Box # : 5725 N	N. Broadway					Board of Agric	ulture, Divi	sion of Wat	er Resources
City, State, ZIP Code : Wichit	ta, Ks			SB2/SV	-4	Application Nu	ımber:		
LOCATE WELL'S LOCATON WITH		MOLETED M	/F. I	15	A E1E	VATION:			
AN "X" IN SECTION BOX:	DEFINORCO		/CLL		11. LLL	2		3	
A F	Depth(s) Groundwa	ater Encounte	ered 1				IL. 	J	
↑ ! ! ! !	WELL'S STATIC V								
NW NE	Pump t	est data:	/ell water w	/as	1	t. after	hours p	umping	gpm
	Est. Yield	gpm: V	/ell water w	/as		t. after	hours p	umping	gpm
₽ W • • • • • • • • • • • • • • • • • • •	Bore Hole Diamete WELL WATER TO 1 Domestic	r 8	in. to	15		ft. and	ir	ı. to	<u></u> ft.
ī I I X	WELL WATER TO	BE USED AS	S: 5 Put	olic water su	pply	8 Air conditio	ning 1	1 injection	well pacify balow)
swse									
1	1					c) 10 Monitoring			
ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا 	Was a chemical/ba	cteriological	sample sul	omitted to D	epartment?	Yes No X	If yes,	mo/day/yr	sample was
S	submitted				W	ater Well Disinfecte	d? Yes		√o X
TYPE OF BLANK CASING USED:		5 Wrought	Iron	8 Concre		CASING JOI			
		6 Asbestos							
							Three	aded	X
		7 Fiberglas							
Blank casing diameter 4	in. to	ft., Dia		in. to		ft., Dia		in. to	π. π.
Casing height above land surface	0 in	., weight	2.	071	lbs./ft.	Wall thickness or	gauge No.		.23/
YPE OF SCREEN OR PERFORATIO					PVC		estos-ceme		
	ess steel			8		11 Othe			
2 Brass 4 Galva	nized steel	6 Concrete	tile	9	ABS	12 Non	٠.	•	
SCREEN OR PERFORATION OPENIA	NGS ARE:	5	Gauzeo	l wrapped		8 Saw cut		11 None	(open hole)
1 Continuous slot 3	Mill slot	6	Wire w	apped		9 Drilled holes 10 Other (spec			
2 Louvered shutter 4	Key punched	7	' Torch c	ut		10 Other (spec	ify)		
SCREEN-PERFORATED INTERVALS	: From	5 a	. _	20		_	A 1	ю	ft.
JONEER - EN ONAIED MIENVALO	. FIUIII	·	10	20	ft.	rom			
SOREEN-FERT ORATED INTERVALO	From	ft.	to	20		FromFrom		to	ft
	From	ft.	to		ft.	From	ft. 1	to	ft
GRAVEL PACK INTERVALS:	From		to	20	ft. ft.	From From From	ft. 1 ft. 1	to	ft. ft. ft.
GRAVEL PACK INTERVALS:	From		to	20	ft. ft.	From From From	ft. 1 ft. 1	to	ft. ft. ft.
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat	From From 2 (ft. 3 ft. ft. Cement grout	to to	20 3 Bent	ft. ft. ft. onite	From From 4 Other	ft. 1 ft. 1 ft. 1	to	ft.
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0	From From 2 (ft. to 1	ft. 3 ft. ft. Cement grout	to to	20 3 Bent	ft. ft. onite	From From 4 Other ft. From	ft. 1	to to ft. to	ft. ft.
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible	From	ft. ft. Cernent grout ft. From	tototo	20 3 Bent	ft. ft. onite 3	From From 4 Other ft. From	ft. 1 ft. 1	ft. to	ft. ft. ft. ft.
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible 1 Septic tank	From From cement 2 0 ft. to 1 contamination: 4 Lateral lines	ft. ft. Cement grout ft. From	to to 1	20 3 Bent ft. to	ft. ft. onite 10 Lives 11 Fuel	From From 4 Other ft. From stock pens	ft. 1 ft. 1 14 Ab 15 Oil	ft. to andoned wa	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines	From From cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool	ft. ft. Cement grout ft. From 7	to to The privy Sewage la	20 3 Bent ft. to	ft. ft. onite 3 10 Lives 11 Fuel 12 Fertil	From From 4 Other ft. From stock pens storage izer storage	ft. 1 ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible 1 Septic tank	From From cement 2 0 ft. to 1 contamination: 4 Lateral lines	ft. ft. Cement grout ft. From 7	to to 1	20 3 Bent ft. to	ft. ft. ft. onite 3 3 10 Lives 11 Fuel 12 Fertii 13 Insect	From From 4 Other ft. From stock pens storage izer storage	ft. 1 ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well?	From From cement 2 C ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	20 3 Bent ft. to	ft. ft. ft. onite 3 3 10 Lives 11 Fuel 12 Fertii 13 Insect	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 0 .5 GI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO TASS SURFACE	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 0 .5 GI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 0 .5 GI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines direction from well? FROM TO CODE 0 .5 GI .5 1 CI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines direction from well? FROM TO CODE 0 .5 GI .5 1 CI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines direction from well? FROM TO CODE 0 .5 GI .5 1 CI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines direction from well? FROM TO CODE 0 .5 GI .5 1 CI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines direction from well? FROM TO CODE 0 .5 GI .5 1 CI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat rout Intervals From 0 /hat is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 .5 GI .5 1 CI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 0 .5 GI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 0 .5 GI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Frout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 0 .5 GI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt	ft. ft. Cement grout ft. From 7 8 9	to to The privy Sewage la	3 Bent ft. to	ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec	From From 4 Other ft. From stock pens storage izer storage sticide storage	ft. 1 ft. 1 14 Ab 15 Oil 16 Otl	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 1 CI 1 10 CI 10 15 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay, trace silt	ft. ft. Cement grout ft. From 7 8 9 GIC LOG	to to to 1 Pit privy Sewage la Feedyard	3 Bent ft. to	ft. ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec How many	From From 4 Other ft. From stock pens storage izer storage cticide storage r feet? PL	ft. 1 ft. 1 ft. 1 14 Ab 15 Oil 16 Oth Co	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 1 1 10 CI 1 10 CI 1 15 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay, trace silt	ft. ft. Cement grout ft. From 7 8 9 GIC LOG	to to to 1 Pit privy Sewage la Feedyard	3 Bent ft. to	ft. ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec How many	From From 4 Other ft. From stock pens storage izer storage cticide storage r feet? PL	ft. 1 ft. 1 ft. 1 14 Ab 15 Oil 16 Oth Co	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 0 .5 GI 1 10 CI	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt ay, trace silt	ft. ft. Cement grout ft. From 7 8 9 GIC LOG	to t	3 Bent ft. to	ft. ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec How many TO	From From 4 Other ft. From storage izer storage cticide storage reet? PL	ft. 1	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines birection from well? FROM TO CODE 0 .5 GI 1 10 CI 1 10 CI 1 TO CI CONTRACTOR'S OR LANDOWNE was	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay ay, trace silt ay, trace silt	ft. ft. Cement grout ft. From 7 8 9 GIC LOG	to t	3 Bent ft. to	ft. ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec How many TO	From From 4 Other ft. From storage izer storage cticide storage reet? PL	ft. 1	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat rout Intervals From 0 /hat is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 .5 GI .5 1 CI 1 10 CI 10 15 CI CI 10	From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface ay trace silt ay, trace silt ay, trace silt	ft. ft. Cement grout ft. From 7 8 9 GIC LOG	to t	3 Bent ft. to	ft. ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec How many TO	From From 4 Other ft. From storage izer storage cticide storage reet? PL	ft. 1	ft. to andoned wa well/ Gas w ner (specify ntamina	ft f
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat Grout Intervals From 0 What is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO CODE 0 .5 GI 1 10 CI 1 10 CI 1 TO CI CONTRACTOR'S OR LANDOWNE	From From From Cement 2 0 ft. to 1 contamination: 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLO rass surface lay, trace silt lay, trace silt LITHOLO Tass Surface LITHOLO Ta	ft. ft. ft. Cernent grout ft. From 7 8 9 GIC LOG N: This wate 02	to t	3 Bent ft. to	ft. ft. ft. ft. onite 3 10 Lives 11 Fuel 12 Fertii 13 Insec How many TO	From From 4 Other ft. From stock pens storage izer storage dicide storage reet? PL onstructed, or (3) price to the best of ecord was comple	ft. 1	ft. to andoned wa well/ Gas w her (specify ntamina NTERVALS der my juris lige and beli //day/yr)	ft.

Parameter and the Parameter One & Parketter - Parket Parameter - 104 ft 640 0400