LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-	KSA 82a-1212 Section Number	I Town I No. 1	T B V	
Sedgwick	l	NW 1/4 N	F	26	Township Number	Range Number	
Distance and direction frem nearest town or city		2.7	E 1/4	26	T 26 S	R 1E E/W	
45th N. & Hillside,		•		****	•		
		n S. Bide		Wichita, F	Cansas		
	TA, CITY OF . Main				Board of Agriculture, D	ivivsion of Water Resource	
	ta, Kansas						
		APLETED WELL	40	ft. ELE	Application Number	r: 20020100	
AN "X" IN SECTION BOX:	Depth(s) groundw		1	ft.	2 ft.	3 ft.	
	WELL'S STATIC W				FACE MEASURED ON mo/day/yr	10-15-2002	
	Pump tes		vater was		fter hours pum		
NW NE	Est. Yield	***************************************	vater was		ofter hours pum		
	Bore Hole Diameter	01	to 40	ft.	and in.	ping gpm to ft.	
	WELL WATER TO		Public wate			njection well	
	1 Domestic		6 Oil field wa		· ·	Other (Specify below)	
	2 Irrigation		Lawn and	••••	Monitoring well	(2)	
	Was a chemical/bact		`	•	8	no/day/yr sample was	
S	submitted	criorogical sample su	ionnitica to 1	-	er Well Disinfected? Yes	• • •	
5 TYPE OF CASING USED:		5 Wrought iron	9	Concrete tile		lued X Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cemen	_	Other (Specify be		Velded	
2 PVC 4 ABS		7 Fiberglass		DR-26		'hreaded	
Blank casing Diameter 8	in. to 20	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 12		weight 5.		••	Wall thickness or gauge No.	.332	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specify	·)	
2 Brass 4 Galvanized steel	l	6 Concrete tile	9	ABS	12 None used (or	oen hole)	
SCREEN OR PERFORATION OPE	5 Gauzed wrapped			8 Saw cut	11 None (open hole)		
1 Continous slot 3 Mill slo	6 Wire wrapped			9 Drilled holes			
2 Louvered shutter 4 Key punched 7. Torch cut 10 Other (specify)							
SCREEN-PERFORATION INTERV	ALS: from 20		to 40	ft., From	ft. to	ft.	
	from	ft.		ft., From	ft. to	ſt.	
GRAVEL PACK INTERVALS: from 20		ft. to 40		ft., From	ft. to		
	from	ft.		ft., From	ft. to	ft. ft.	
6 GROUT MATERIAL: 1 Neat co	ement 2 C	ement grout	3 Ber	ntonite	4 Other bentonite h		
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:				10 Livestoci		bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel stor	rage 15 C	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilize	er storage 16 C	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard	13 Insecticide		de storage None	apparent	
Direction from well? How many feet?							
	ITHOLOGIC LOG		FROM	то	PLUGGING INTE	RVALS	
0 2 topsoil 2 20 fine sand							
2 20 fine sand 20 40 shale			<u> </u>				
20 40 Shale							
			ļ				
			 				
				+			
				 			
		~		 			
				 			
7 CONTRACTOR'S OR LANDOWNER		la mata di di	4)	4 1 (5)			
ONTRACTOR'S OR LANDOWNER was completed on (mo/day/year)	'S CERTIFICATION: Th 10-15-20	is water well was (02	1) construc	ned, (2) reconstr	ucted, or (3) plugged under	r my jurisdiction and	
Water Well Contractor's License	No. 236	Thie Water	and this r Well Peca	record is true to and was complete	the best of my knowledge	and benet. Kansas	
(mo/day/yr) 10-16-2002							
Under the business name of Harp Well & Pump Service, Inc by (signature) Todd S. Harp							