LOCA	TION OF W	ATER WELL	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Townskie Number	Range Number	
LOCATION OF WATER WELL: Sedgwick				NW 1/4 S	SW 1/4	22	Township Number	112	
Distance			1,7	***	1/4	44	T Z S	R III E/W	
Distance and direction frem nearest town or city street address of well if located within city? 53rd N. & Hydraulic, 1/2 S., Eastside Wichita, Kansas									
WATER WELL OWNER: CONRAD, Chris									
RR#, ST. ADRESS, BOX #: 4901 Shadow Board of Agriculture, Division of Water R								Divivsion of Water Resource	
CITY, STATE, ZIP CODE: Wich			nita, Kansas				Application Number:		
		COCATION WITH	4 DEPTH OF COM	APLETED WELL	50	ft. ELE	VATION:		
AN "X	" IN SECTIO	N BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED							NFACE MEASURED ON mo/day/yr	3-28-2002	
	NW	NE	Pump test	t data: Well	water was	ft.	after hours put	mping gpm	
<u> </u>	1		Est. Yield		water was		after hours pur		
lij w	/ X	' E	Bore Hole Diameter	12 in.	to 50	ft.	and in.		
	'		WELL WATER TO I 1 Domestic		5 Public wate 6 Oil field wa			Injection well Other (Specify below)	
						0 Monitoring well	outer (opening serons)		
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr si							mo/day/yr sample was	
								* * * *	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Stee	el	3 RMP (SR)		6 Asbestos-Ceme	nt 9	Other (Specify be	elow)	Welded	
2 PV	<u>C</u>	4 ABS		7 Fiberglass	S	DR-26		Threaded	
	asing Dian		in. to 30	ft., Dia	in.		ft., Dia in.	to ft.	
		ve land surface 12		weight 2			Wall thickness or gauge No. 10 Asbestos-cen	.214	
	TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREE	N OR PE	RFORATION OPE	NING ARE:	5 Gauz	zed wranned		8 Saw cut	11 None (open hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 30 ft. to 50 ft., From ft. to									
			from		to	ft., From			
	GRAV	EL PACK INTERV	VALS: from 24		to 50	ft., From		ft.	
— —			from	ft.	to			ft	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole pl								hole plug	
1		From 4 st source of possible	ft. to 24	ft. From ft. t		to 10 Livesto	ft. From	ft. to ft.	
	ic tank	4 Latera		7 Pit privy		11 Fuel sto	14	Abandon water well	
1	er lines	. —		8 Sewage lagoon			. 13	15 Oil well/Gas well 16 Other (specify below)	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? West How many feet? 20									
FROM TO			LITHOLOGIC LOG	LOGIC LOG FROM TO		ТО	PLUGGING INTERVALS		
0	4	topsoil				<u> </u>			
4 20	20 37	clay medium fin				-			
37	50	shale	ie sand						
ļ .		Bildie							
					1				
				-					
						ļ			
<u> </u>						<u> </u>			
<u> </u>						+			
<u> </u>						-			
						1			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
Water Well Contractor's License No									
(mo/d	lav/vr)4	1-1-2002				•		- 41	
Under the business name of Harp Well & Pump Service, Inc. by (signature) Jedd S. Harp									
1									