ク ネንኢመ	1	WATER WELL RECC	RD Form WWC-5	KSA 82a-1	212 ID No	ı		SVE-	-7		
	OF WATER WELL:	Fraction	CE		tion Number	Township Nu	mber	Range N			
ي لي ج County: Se	wick	NE 1/4	NE 1/4 DE	1/4 :	ון 📗	T 26	s	R <u>/</u>	E W		
Distance and dir	ection from nearest	town or city street ad	Idress of well if locate	d within city?	•						
575°	5 N. Broad	luay									
2 WATER WE	LL OWNER: M.	land Refining									
 RR#, St. Addres City, State, ZIP ∘	s. Box # : 47 63	- N. Broadway hitu KS 672	.19			Board of Agr Application N		ivision of Wate	r Resources		
3 LOCATE WEL	L'S LOCATION WIT	H 4 DEPTH OF CO	MPLETED WELL			ION:					
AN "X" IN SE	CTION BOX:	Depth(s) Ground	lwater Encountered	1 NA	ft.	2	ft. 3		ft.		
	N	WELL'S STATIC	WATER LEVEL	./V.Fft. belo	w land surface	measured on mo/	day/yr				
1	l l	Fst Yield	p test data: Well wa gpm: Well wat	ter was Ier was	π.a: fta	πer fter	nours pu	ımpıng ımpina	gpm		
NW	' NE	WELL WATER T		Public water s		8 Air conditioning	11_ Ini	iection well	<u>.</u>		
						il field water supply 9 Dewatering 12 Other Specify below) omestic (lawn & garden) 10 Monitoring well					
W 1	 	2 irrigation	4 Industrial 7	Domestic (law	n & garden) i	io Monitoring well.	•••••		***************************************		
CM	' SE										
5vv	SE	Was a chemical/	bacteriological sample	e submitted to L	Department? Yo Wa	esNo Iter Well Disinfected	; It yes, m I? Yes	o/day/yrs samr	ole was sub-		
1	1	Timucu			****	iter wen bisineetee	1: 103	C			
E TYPE OF B	S LANK CASING USE	D:	E Wrought iron	8 Concre	to tilo	CACING IOIN	ITC: Cluss	Clores	- ad		
1 Steel	LAINK CASING USE 3 RMP		5 Wrought iron 6 Asbestos-Cement		specify below)	CASING JOIN		ı Cıamı ∍d <u></u> ,			
2 PVC	4 ABS	(-·-)	7 Fiberglass				Threa	ided Flush			
Blank casing dia	ameter	in. to	ft., Dia	V	in. to	ft., Dia		in. to	,,ft.		
Casing height a	bove land surface	24	in., weight	103	~ l	bs./ft. Wall thicknes	s or guage	e No. Scher.	10		
	EEN OR PERFORAT		5 Fibereless	Z PV			stos-Cem				
1 Steel 2 Brass			5 Fiberglass 6 Concrete tile	9 AB	P (SR) S		r (Specify) e used (op	en hole)	***************************************		
	ERFORATION OPE			azed wrapped	_	8 Saw cut	, and a (ap	11 None (ope	n holo)		
1 Continuo	_	Mill slot		e wrapped		9 Drilled holes		11 None (ope	iii iioie)		
2 Louvered		Key punched	7 Tore	_		10 Other (specify)					
SCREEN-PERF	ORATED INTERVAL	LS: From	- ft. to	15	ft., From .		ft. to		ft.		
		From	ft. to		ft., From .		ft. to		ft.		
GRA	/EL PACK INTERVA		ft. to ft. to								
		1 10111		<i></i>	·····,		•				
GROUT MA		eat cement	2 Cement grout	3 Bent		Other Comen					
Grout Intervals:			ft., From	.kft. to				ft. to	ft.		
	rest source of possil				10 Livesto	•		bandoned wate			
1 Septic tank 4 Lateral line						rage 15 Oil well/Gas					
2 Sewer lines 5 Cess pool		8 Sewage lagoon 9 Feedyard		12 Fertilizer storage13 Insecticide storage.		16 0	16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit Direction from well?			5 reedya	iiu	How many				••••••		
	TO	LITHOLOGIC	LOG	FROM	TO	<u></u>	GGING IN	TERVALS			
0 1	Comm			1110		. 20	30,,10 ,,1				
	Black		4.4	+ +							
7 1		Brown med c	lay dry								
11 13		med - courses									
			- , ,								
									-		
									-		
7											
	OR'S OR LANDOW	NER'S CERTIFICATI	ION: This water well	was (1) constru	cted (2) reco	nstructed, or (3) plu	ugged und	er my jurisdict	ion and was		
completed on (m			This Wate	or Wall Doord	and this red	cord is true to the be	St or my kn	owiedge and bi	eller. Kansas		
Water Well Cont under the busine	ractor's Licence No		· · · · · · · · · · · · · · · · · · ·	PI AARII LIGCOLO	hv /s	signature)	10.5	1			
	• , • •		Crvices Inc RMLY and PRINT clearly. Plea	eo fill in blocks		JWW	three again-	to Kanen Danat-	ent of Hooles		
INSTRUCTIONS and Environment	: Use typewriter or ball poin , Bureau of W ater, Geology	it pen. <u>PLEASE PRESS FIR</u> Section, 1000 SW Jackson	<u>RMLY</u> and <u>PRINT</u> clearly. Plea St., Suite 420, Topeka, Kan	sas 66612-1367. Tel	enine or circle the c ephone 785-296-55	Send one to WATER	WELL OWNE	R and retain one fo	r your		
	5.00 for each constructed v										