Linc	ATION OF U	ATER WELL	FRACTION	Water Well Reco	ord Form.WWC-5					
			FRACTION SW 1/4	SW 1/4 SE 1/4		Section Number 7			Range Number	
Distance					SE 1/4	/	T 20	s	R 1E	E/W
Distance and direction frem nearest town or city street address of well if located within city?										
6210 Legion Wichita, Kansas WATER WELL OWNER: FDANK ENDEDDY Dean										
WATER WELL OWNER: FRANKENBERRY, Dean RR#, ST. ADRESS, BOX #: 6210 Legion Board of Agriculture, Division of Water Resource										
1	Y, STATE, ZI		ita, Kansas		Application Number:					
			4 DEPTH OF COM	IPLETED WELL	40	ft. ELI	EVATION:			
AN "X	(" IN SECTIO	ON BOX:	Depth(s) groundwa		1	ft.	2	ft.	3	ft.
1			WELL'S STATIC W	ATER LEVEL 1	5 г т.	BELOW LAND SU	IRFACE MEASURED O	N mo/day/yr	1-2-2003	
		NE	Pump test	data: Well	water was	ft.	after	hours pump	ing	gpm
<u> </u>	!	, , I I	Est. Yield	01	water was	ft.	after	hours pump	ing	gpm
1 Mile	v 	1 121	Bore Hole Diameter	12 _{in.}	to 40	ft.	and	in.	to	ft.
			WELL WATER TO I		5 Public wate		8 Air conditioning		jection well	
	-sw-		1 Domestic 2 Irrigation	3 Feedlot 4 Industrial	6 Oil field wa 7 Lawn and g		9 Dewatering 10 Monitoring well		ther (Specify belo	(W)
		X	ū		-	•	· ·		/dov/vr somnle s	
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No									
5 TY	PE OF C	ASING USED:		5 Wrought iron	8	Concrete tile	CASING JO		ued X Clampe	d
1 Stee	el	3 RMP (SR)		6 Asbestos-Cem		Other (Specify b			elded	
2 PV	C	4 ABS		7 Fiberglass		DR-26		Th	readed	
Blank c	asing Diar	meter 5	in. to 25	ft., Dia	in.	to	ft., Dia	in.	to ft.	
		ove land surface 12		weight 2		lbs. / ft.	Wall thickness or		.214	
1		EN OR PERFORAT	TION MATERIAL:	5 Fiberglass		PVC		sbestos-cemer		
1 Ste 2 Bra		3 Stainless Steel		6 Concrete tile		RMP (SR)		ther (specify)		
		4 Galvanized steel	.			ABS		lone used (ope	,	- 1-1
	EN OR PE	RFORATION OPE 3 Mill slo			zed wrapped e wrapped		8 Saw cut 11 None (open hole) 9 Drilled holes			
1	ered shutte									
1		ORATION INTERV		7 Toro			10 Other (spec	• •		•
SCREE	N-FERF	KAHUNINIEKY			t. to 40	ft., From		ft. to		ft.
GRAVEL PACK INTERVALS: from 24			ft. to ft. to 40		ft., From ft., From		ft. to		ft.	
GRAVEL FACK INTERVALS: ITOM 24					ft. to ft., From			ft. to ft. to		ft. ft.
6 GRC	DUT MAT	ERIAL: 1 Neat co		ement grout		itonite	4 Other bent		ole plug	
1	ntervals:		ft. to 24	ft. From ft. to				ft. to ft.		
	What is the nearest source of possible contamination:					10 Livestock pens		14 Abandon water well		
	1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
1	er lines	5 Cess p	•	8 Sewage lagoon		12 Fertilizer storage 13 Insecticide storage			ther (specify below	w)
1	ertight sew		ge pit	9 Feedyard		15 1115000	· ·		Apparent	
Direction from well? How many feet? FROM TO PLUGGING INTERVALS										
0	4	topsoil	THOUSOUTE LOC		FROM	ТО	FLUGG	JING INTER	VALS	
4	15	clay								
15	30	medium san	d							
30	32	clay								
32	40	medium san	.d.							
						-				
						+	,			
						 				
						-			7	
						 				
7 CONTRACTOR'S or Landowner's Certification: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
was c	ompleted	d on (mo/day/year)	1-2-2003		and this	record is true t	to the best of my l	knowledge a	ind belief. Kan	sas
	-		No236							
(mo/day/yr)1-6-2003 Under the business name of Harp Well & Pump Service, Inc										
Under the business name of Harp Well & Pump Service, Inc. by (signature)										