		Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCATION OF WATER WELL:	FRACTION		_	Section Number	Township Number	Range Number
Sedgwick	NE 1/4		E 1/4	34	_T 26 _S	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?						
Hwy. 96 & Hillside, 1/4 m. S. on West side Wichita, Kansas						
WATER WELL OWNER: WI	CHITA, CITY OF					
RR#, ST. ADRESS, BOX #: 45	5 N. Main				Board of Agriculture, D	ivivsion of Water Resource
CITY, STATE, ZIP CODE: Wichita, Kansas			67202		Application Number: 20020096	
LOCATE WELL'S LOCATION WITH	4 DEPTH OF	MAGGEWELL	30	ft. EL	LEVATION:	
AN "X" IN SECTION BOX:	Depth(s) groundy	vater Encountered	1	ft.	2 ft.	3 ft.
1	WELL'S STATIC V	VATER LEVEL 8	FT.	BELOW LAND S	URFACE MEASURED ON mo/day/yr	1-8-03
NW	Pump tes	st data: Well v	vater was	ft.	after hours pum	ping gpm
	Est. Yield	gpm: Well	water was	ſt.	after hours pum	ping gpm
w W W	E Bore Hole Diameter	ac in.	to	ft.	and in.	to ft.
= "	WELL WATER		Public water	supply	8 Air conditioning 11 I	njection well
	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering 12 O	ther (Specify below)
-sw- -sc-X	2 Irrigation	4 Industrial	7 Lawn and ga	arden only	10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was						
S submitted Water Well Disinfected? Yes X No						
TWINE OF CACING VICED.						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 9 Other (Specify below) Welded						
2 PVC 4 ABS 7 Fiberglass Threaded						
Blank casing Diameter 5	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface		•		lbs. / ft.	Wall thickness or gauge No.	10 11.
TYPE OF SCREEN OR PERFO	weight	7 PVC 10 Asbestos-cement			ent	
& Fibergless Q DMD (CD)) N/A
2 Brass 4 Galvanized	6 Concrete tile				,	
	5 Cour	& Coursel washed		8 Saw cut 11 None (open hole)		
SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 3 Mill slot		5 Gauzed wrapped 6 Wire wrapped			9 Drilled holes	
					•	
CORPON PERSON ATION AND AND AND AND AND AND AND AND AND AN						
SCREEN-PERFORATION INTI		ft.	to	ft., Fro	m ft. to	ft.
from		•		ft., Fro		ft.
GRAVEL PACK INTERVALS: from		•		ft., Fro		ft.
						ft
• • • • • • • • • • • • • • • • • • • •		Cement grout	3 Ben	tonite	4 Other bentonite h	
Grout Intervals: From ft. to		ft. From ft. to			ft. From 3 ft. to 10 ft.	
What is the nearest source of possible contamination:					estock pens 14 Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel :		Dil well/Gas well
2 Sewer lines 5 Cess pool					'ertilizer storage 16 Other (specify below)	
5 waterught sewer lines 6 Seepage pit 9 reedyard 5 Notice Apparent					Apparent	
Direction from well? How many feet?						
FROM TO	LITHOLOGIC LOG		FROM	3 TO	PLUGGING INTER	
		500 Mar 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	3	20	bentonite hole plus	
 			20	30	chlorinated sand a	_
			120	30	Chiorinated sand a	nd graver
			<u> </u>			
			+	 		
			-	 		
				 		
			-			
 			-	 		
ļ		·	-			
}—			 	 -		
				 		
<u> </u>			-	-		
 		· · · · · · · · · · · · · · · · · · ·	+	 		
				<u> </u>		
7 CONTRACTOR'S OR LANDO	WNER'S CERTIFICATION: T	his water well was	(1) construc	ted, (2) recon	structed, or (<u>3) plu</u> gged unde	r my jurisdiction and
was completed on (mo/day/year)1-8-2003 and this record is true to the best of my knowledge and belief. Kansas						
Water Well Contractor's License No						
(mo/day/yr) 1-10-2003 7 1/8 11						
Under the business name of Harp Well & Pump Service, Inc. by (signature) Todd S. Harp						